Clip-on TUNER/AT-370B

Black

In Tune

In Tune

Description
- Tuner for Chromatic, Guitar, Bass, Violin, Viola.
- Two colours screen backlight. White colour for not in tune; Green colour for in tune. It's the best way to read.
- Tuning by internal mic or inplant piezo pickup.
- Tuning is super easy, convenient and top accurate.

Specification
- Tuning item: Chromatic, Guitar, Bass, Violin, Viola
- Detection range: A0(27.5Hz)–C8(4186.00Hz)
- Tuning way: Clip (tune by vibration when clipping on instrument), Mic (tune by internal mic detecting instrument sound)
- Pitch range: 430Hz – 450Hz (1Hz steps)
- Flat: ♭,♭♭,♭♭♭,♭♭♭♭
- Detection accuracy: ±0.5 cent
- Power supply: one 2032 button battery
- Dimensions: 71mm(L) X 38mm(W) X 60mm(H)
- Weight: 50g

Not In Tune

Black

AT-370C/Clip-on TUNER

In Tune

Not In Tune

Description
- Wind Instruments Tuner.
- Two colours screen backlight. White colour for not in tune; Green colour for in tune. It's the best way to read.
- Tuning by internal mic or inpant piezo pickup.
- Tuning is super easy, convenient and top accurate.

Specification
- Tuning key: C, F, B♭, E♭
- Detection range: A0(27.5Hz)–C8(4186.00Hz)
- Pitch range: 430Hz – 450Hz (1Hz steps)
- Detection accuracy: ±0.5 cent
- Power supply: one 2032 button battery
- Dimensions: 71mm(L) X 38mm(W) X 60mm(H)
- Weight: 50g

Clip-on TUNER/AT-390B ▶▶▶▶ Black

AMT-500/3 IN 1
Black/Silver ◀◀◀◀

▶ In Tune

▶ Not In Tune

Description
- World first power rechargeable tuner for Chromatic, guitar, bass.
- Use a USB line to recharge. 1.5 hours to finish recharging.
- Two colours backlight – white for not in tune; green for in tune.
- 2 button switches for power, tuning item and pitch range.
- Rubber finish
- Excellent clip cushion design – ready to protect instrument surface
- Tuning is super easy, convenient and top accurate

Specification
- Tuning mode: Chromatic 12 note, 7-string guitar (including 6-strng guitar), 6-string bass (including 4-string bass and 5-string bass)
- Detection range: AO (27.5 Hz）– C8 (4186.00Hz）
- Pitch range: 430Hz – 450Hz (1Hz steps)
- Detection accuracy: ±0.5 cent
- Power supply: rechargeable battery
- Dimensions 34mm(L)×64mm(W)×60mm(H)
- Weight: 46g

Description
- A compact item of tuner and metronome.
- Powerful function makes it a good assitant for music learning as well as instruments tuning.
- Forldable metal stand for a better viewing; input jack to connect pick up for a quiet and accurate tuning; a spea ker for a loud sound of metronome; earphone jack makes it metronome works at noisy surroundings.

Specification
TUNER
Tuning item: Chromatic
Detection range: A0(27.5Hz)–C8(4186.00Hz)
Tuning mode: Meter mode (Auto); Sound out mode (Manual)
Pitch range: 430Hz–450Hz
Tuning accuracy: ±0.5 cent
METRONOME
Tempo range: 30bpm–260bpm
Beats: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9
Rhythm: ♪♪,♫,♬,♪♫,♬♫,♫♫,♪♫,♫♫,♫♫
Connectors: INPUT jack (1/4" mono)   PHONE jack (1/8 mini)
Power supply: two AAA batteries
Dimensions: 100mm(L) X 65mm(W) X 17mm(H)
Weight: 76g
Tempo name range:

Largo…………….....40 – 60		Larghetto......………...61– 66	
Adagio……………...67 – 76		Andante………………77– 108	
Moderato….….....109 – 120		Allegro……………....121 – 168	
Presto…..………....169 – 200		Prestissimo………....201 – 208	

▶ (Piezo pickup line included)

3 IN 1/AMT-520B ▶▶▶▶ Black/White

AMT-520B
TUNER/METRONOME

Description
● A compact item of tuner and metronome.
● Two-colour backlight for accurate tuning; red for not in tune, green for in tune. 3 LED light indicator for better operation.
● Forldable metal stand for a better viewing; input jack to connect pick up for a quiet and accurate tuning; a spea ker for a loud sound of metronome; earphone jack makes clear metronome in noisy surroundings.

Specification
TUNER

Tuning items: Chromatic, Guitar, Bass, Violin

Tuning mode: Meter mode (Auto);
            Sound out mode (Manual)

Pitch range: 430Hz – 450Hz

Flat: ♭,♭♭

Tuning accuracy: ±0.5cent

METRONOME

Tempo range: 30bpm – 260bpm

Beats: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9

Rhythm : ♩,♫,♬,♪♬,♫♪,♬♬,♪♪,♫♫,♬♬

Connectors: INPUT jack (1/4" mono)
            PHONE jack (1/8 mini) Volume controller

Power supply: two AAA batteries

Dimensions: 100mm(L) X 65mm(W) X 17mm(H)

Weight: 76g

▶ Metronome

▶ Tuner

▶ (Piezo pickup line included)

Black ◀◀◀◀

METRONOME/TUNER AMT-530

Description
● Clip–on Metronome and Tuner compact.
● Tuner for Chromatic, Guitar, Bass, Violin and Ukulele.
● A big innovation compact metronome and tuner in one body upon a clip. You can use metronome by clipping upon your music sheet, music stand and your instrument; and can also tune by clipping on instrument. Easy and simple.
● Two–colour screen backlight makes tuning much easier and more convenient to see and understand.

▶ Metronome

● Too many options for the possibility to tune many instruments and also to combine many different rhythms.

Specification
TUNER

Tuning items: Chromatic (c), Guitar (g), Bass (b),
            Ukulele (u), Violin (v)

Detection range:AO (27.5Hz)–C8(4186.00Hz)

Tuning mode: Clipping on instrument by picking up vibration only

Pitch range: 430Hz–450Hz

Flat: ♭,♭♭

Tuning accuracy: ±0.5cent

METRONOME

Tempo range: 30bpm–260bpm

Beats: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9

Rhythm: ♩,♫,♬,♪♬,♫♪,♬♬,♪♪,♫♫,♬♬

Connectors: Contact clip

Power supply: CR2032 coin battery

Dimensions: 56mm(L) X 60mm(W) X 45mm(H)

Weight: 35g

▶ Tuner

3 IN 1/AMT-550B

Black

AMT-550B METRO.TUNER

Description
- Tuner + Metronome + Tone Generator
- Chromatic, Guitar, Bass, Ukulele and Violin tuning
- Tuning super easy and stable
- Lound sound metronome
- Multi rythms/beats options
- 16:9 wide LCD screen
- Internal Mic
- Input + Output
- Volume control and Earphone jack
- 3 LED tuning indicator lights and LCD Backlight

Metronome

In Tune

Specification
TUNER

Tuning items: Chromatic, Guitar, Bass, Ukulele, Violin
Detection range:A0(27.5Hz)–C8 (4186.00Hz)
Tuning mode: Meter mode (Auto); Sound out mode (Manual)
 Pitch range: 430Hz–450Hz
Tuning accuracy: ±0.5 cent

METRONOME

Tempo range: 30bpm–260bpm
Beats: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9
Rhythm: ♩♫♪
Power supply: two AAA batteries
Dimensions: 91mm(L) X 75mm(W) X 19mm(H)
Weight: 94g

Not in tune

(Piezo pickup line included)

AMT-550C/3 IN 1

Black

AMT-550C METRO.TUNER

Description
- Tuner + Metronome + Tone Generator
- Wind instruments tuning under keys C, F, B♭, E♭
- Tuning super easy and stable
- Lound sound metronome
- Multi rythms/beats options
- 16:9 wide LCD screen
- Internal Mic+Input Socket
- Volume control
- Earphone jack
- 3 LED tuning indicator lights and LCD Backlight

Metronome

In Tune

Specification
TUNER

Tuning Key: C, F, B♭,E♭
Detection range:A0(27.5Hz)–C8 (4186.00Hz)
Tuning mode: Meter mode (Auto); Sound out mode (Manual)
 Pitch range: 430Hz–450Hz
Tuning accuracy: ±0.5 cent

METRONOME

Tempo range: 30bpm–260bpm
Beats: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9
Rhythm: ♩♫♪
Power supply: two AAA batteries
Dimensions: 91mm(L) X 75mm(W) X 19mm(H)
Weight: 94g

Not in tune

(Piezo pickup line included)

AMT-570B METRONOME/TUNER

▶▶▶▶ Black
▼

▶ METRONOME   ▶ TUNER (Not In Tune)   ▶ Recharging line included (usb 2.0)

Description
● The world first power rechargeable metrotuner.
● Only 1.5 Hours to recharge. The power life time of recharged metrotuner equals to that of a CR2032 coin battery. The metrotuner can be recharged 500 times, which means that it saves 500 batteries for you and reduce pollution from 500 pieces of batteries by using this metrotuner.
● Easy and convenient to recharge. Share a same USB recharging plug set with currently popular MP3 player, MP4 player or your mobile phone. You can also recharge the metrotuner by connecting to your computer USB interface.

▶ In Tune

Specification
TUNER
Tuning items: Chromatic , Guitar, Bass, Viola, Violin
Detection range:AO (27.5Hz)−C8(4186.00Hz)
Tuning mode: Clipping on instrument by picking up vibration only
Pitch range: 410Hz−450Hz
Tuning accuracy: ±0.5cent
METRONOME
Tempo range: 30bpm−260bpm
Rhythm: ♩,♪,♫,♫,♫,♫,♫,♫,♫
Power supply: Inplant Rechargeable Battery (3.7V)
Dimensions: 61mm(L) X 41mm(W) X 65mm(H)

▶ In Tune

Beats: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9
Connectors: Contact clip

Weight: 51g

Black ◀◀◀◀
▼

AMT-570C METRONOME/TUNER

▶ METRONOME   ▶ TUNER (Not In Tune)   ▶ Recharging line included (usb 2.0)

Description
● The world first power rechargeable metrotuner.
● Only 1.5 Hours to recharge. The power life time of recharged metrotuner equals to that of a CR2032 coin battery. The metrotuner can be recharged 500 times, which means that it saves 500 batteries for you and reduce pollution from 500 pieces of batteries by using this metrotuner.
● Easy and convenient to recharge. Share a same USB recharging plug set with currentlypopular MP3 player, MP4 player or your mobile phone. You can also recharge the metrotuner by connecting to your computer USB interface.

Specification
TUNER
Tuning Key: C, F, B♭,E♭
Detection range:A0(27.5Hz)−C8 (4186.00Hz)
Tuning mode: Meter mode (Auto); Sound out mode (Manual)
Pitch range: 410Hz−450Hz
Tuning accuracy: ±0.5 cent
METRONOME
Tempo range: 30bpm−260bpm
Beats: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9
Rhythm: ♩,♪,♫,♫,♫,♫,♫,♫,♫
Power supply: Inplant Rechargeable Battery (3.7V)
Dimensions: 61mm(L) X 41mm(W) X 65mm(H)
Weight: 51g

▶ In Tune

METRONOME/AM-701

Black/ Yellow/ Blue/
white/ Red/ Green

| black | yellow | blue | white | red | green |

Description
- Clip−on metronome
- Suitable to clip onto your music sheet, music stand or even your collar.
- Loud sound, clear screen showing, many rhythms options, flashing LED light indicator.
- Get your own tempo right from this little angle.
- Tempo, Beat, Rhythm and Volume are remembered even when the power is turned off. However, these settings will be initialized if the battery is replaced.

Specification
- Tempo range: 30 -260bpm
- Beats: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9
- Rhythm: ♩,♫,♫,♫,♫,♫,♫,♫,♫
- Volume: mute, low, middle, high
- Default settings: Tempo=120; Beat=4, Rhythm=♩, Volume=high.
- Dimensions: 42mm(L) X 60.2mm(W) X 37.5mm(H)
- Weight: 30g

AM-703/METRONOME

Black ◀◀◀◀

Description
- Metronome
- Loud Sound
- High Volume
- Earphone Output
- AC−DC Adaptor Power Input

Specification
- Tempo range: 40−208bpm
- Beats: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9
- Rhythm: ♩,♫,♫,♫,♫,♫,♫,♫,♫
- Power: 6F22
- Dimemsions: 71mm(L) X 106mm(W) X 28mm(H)
- Weight: 112g

Metronome

Metronome

METRONOME/AM-705 ▶▶▶▶ Black

Silver ◀◀◀◀ # AC-01/IGuitar capo

Description
- Metronome
- Big Screen
- High Volume
- Earphone Output
- AC–DC Adaptor Power Input

Specification
- Tempo range: 40–208bpm
- Beats: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9
- Rhythm: ♩♫♪♩♪♫♪♫♪♫♪
- Power: AAA battery, 3 pieces /
         AC–DC adaptor, 5V
- Dimemsions: 64mm(L) X 150mm(W) X 28mm(H)
- Weight: 125g

▶ Metronome in work

Description
- Guitar capo
- Capo is made from real metal with excellent feeling
- Excellent spring and silicon cushion

Specification
- Dimension: 85mm(L) X 89mm(W) X 10mm(H)
- Weight: 44g

AC-05
Metal capo+tuner

▶▶▶▶ Silver

Black ◀◀◀◀

ATC-10
Guitar chord finder+tuner

▶ In Tune

▶ Not in tune

Description
- World first metal capo and automatic tuner combination.
- Capo is made from real metal with excellent feeling.
- Excellent spring and silicon cushion.
- Tuner for guitar, bass and chromatic.
- Two backlights tuner – white for not in tune, and green for in tune.

Specification
- Metal capo + tuner
- Tuning item: chromatic, guitar and bass
- Tuning way: clip
- Tuning tolerance: ±0.5 cent
- Power: CR2032, 1 pcs
- Dimension: 90mm(L) X 125mm(W) X 14mm(H)
- Weight: 153g

Description
- World first clip-on guitar chord finder and tuner combination
- Multi guitars chords options
- Chromatic tuner
- Two colour backlight – red for not in tune; green for in tune
- Clipping on your guitar makes easy to follow chords and practise
- Excellent clip cushion design – ready to protect instrument surface

Specification
- Guitar chord finder + tuner
- Tuning item: chromatic
- Tuning way: clip
- Tuning tolerance: ±0.5 cent
- Power: CR2032, 1 pcs
- Dimension: 98mm(L) X 64mm(W) X 30mm(H)
- Weight: 36g

Aroma Music Co., Ltd.

AOV®

CERTIFICATE

Of Conformity
EC Council Directive 2004/108/EC
Electromagnetic Compatibility

Registration NO.: ASZ09011010E

Applicant : AROMA music Co., LTD
Floor 6 West, Building 56, Baotian Industry Zone, Baoan
District Shenzhen 518102 China

Product : Digital Metronome Tuner

Model No. : AMT-520B

Standards : EN55013: 2001+A1: 2003+A2: 2006
EN55020: 2007
EN61000-3-2: 2006
EN61000-3-3: 1995+A1: 2001+A2: 2005

The certificate of conformity is based on an evaluation of a sample of the above-mentioned product. Technical report and documentation are at the applicant's disposal. This is to certify that the tested sample is in conformity with all provisions of Annex I of council Directive 2004/108/EC, referred to as the EMC. This certificate does not imply assessment of the production and does not permit the use of AOV's logo. The applicant of the certificate is authorized to use this certificate in connection with the EC declaration of conformity according to Annex IV of the Directive.

January 14, 2009

Tin zhong

Certified by

CE

The CE Marking may only be used if all relevant and
effective EC Directive are complied with

AOV Building, Xueyuan Road East, University City, Shenzhen
(Tangjiang Village, A6 Tower, Nanshan Districts, China
Tel +(86)-755-86000000 Http://www.aovt.com)