

Tara-Wood

Specialize in Manufacture of High Quality Solid Wood Flooring

TARA GROUP OF COMPAINES

PRICE LIST – Catalogue


Introduction: Tara-Wood is a Specialized mass production operation located in Hamriya Free Zone in Sharjah, U.A.E certified by PEFC Certification. Based on the advantage of professional technical team, utilization of premium quality oak wood sourced from Germany and Europe and advanced manufacturing process with precise production equipment imported from Europe, the company developed high-quality solid wood antique flooring, sports flooring, multi/three-layer antique flooring, parquet artistic flooring, impression flooring etc.

Our production work flow is designed for highly efficient and economic production with German know how.

We have invested in a state of the art, high-output manufacturing facility that specializes in rofiled solid wood products.

With German wood working machines technologies and a minimum output capacity of 40,000 m2/month. It is one of the largest floor board wood production company in the Middle East.

Factory Layout:



- 001 RADIAL ARM SAW-2NOS
- 002 RIP SAW
- 003 SIX HEAD MOULDER
- 004 CROSS CUT SAW
- 005 DOUBLE END TENONER
- 006 WIDE BELT SANDER
- 007 PACKAGING MACHINE
- 008 PRESSING M.
- 009 SIX HEAD MOULDER
- 010 TABLE SAW
- 011 BAND SAW-2 NOS.
- 012 GRINDER

CLIENT NAME:
 STUDY & DESIGNED BY:
GERMAN TECH MACHINERY
 DESIGNED BY: DEEPOS AGRAWAL
 DATE: 17.08.14

Gallery Interior Deroc Fzc



Tara-Wood

Specialize in Manufacture of High Quality Solid Wood Flooring

TARA GROUP OF COMPAINES

PRICE LIST – Catalogue

Solid Oak Wood Flooring

★ Prime Quality

Prime quality is the finest grade oak wood flooring available in the market. The source of raw material is the German/European forests. Prime quality solid oak wood flooring is a guarantee of the best solid oak flooring.

Width	140/160/180/200mm	Length	1500-2600mm
Thickness	20mm	Finishes	Unfinished
Price			
Minimum Quantity			

Option: Our range includes Flooring which have been treated with oils or lacquers.

Prime quality has error free knotless surface, no sapwood, with knots max 10mm in diameter in max 20% of the amount allowed per linear meter.

Prime fehlerfrei, astreine Oberfläche, kein Splint, wuchsbedingte Punktäste bis max.10mm im Durchmesser bei max.20% der Menge erlaubt-pro Laufmeter



Gallery Interior Deroc Fzc

Tel: C.S. Anand+971 50 6466819, Rudolf Bauer+971 50 4813558, Deepak Chandwani+971 55 4379125
P.O. Box: 26708, Sharjah, U.A.E. | info@tara-wood.com | www.tara-wood.com



Tara-Wood

Specialize in Manufacture of High Quality Solid Wood Flooring

TARA GROUP OF COMPAINES

Solid Oak Wood Flooring

★ Super Quality

Super quality solid wood flooring is the second best quality wood flooring available in the market. Coming from the Finest European Sources, this type of wood can lend itself to modern and historic interior.

Width	140/160/180/200mm	Length	1500-2600mm
Thickness	20mm	Finishes	Unfinished
Price			
Minimum Quantity			

Option: Our range includes Flooring which have been treated with oils or lacquers.

Super quality can have two ingrown knots per linear meter in diameter with max 20mm, healthy sapwood of 2/3 of thickness allowed.

Super zwei eingewachsene Äste pro Laufmeter mit einem Durchmesser bis max.20mm, gesunder Splint von max. 2/3 der Dicke erlaubt,



Gallery Interior Deroc Fzc

Tel: C.S. Anand+971 50 6466819, Rudolf Bauer+971 50 4813558, Deepak Chandwani+971 55 4379125
P.O. Box: 26708, Sharjah, U.A.E. | info@tara-wood.com | www.tara-wood.com



Tara-Wood

Specialize in Manufacture of High Quality Solid Wood Flooring

TARA GROUP OF COMPAINES

Solid Oak Wood Flooring

★ Ideal Quality

Ideal quality solid wood flooring is the standard quality wood flooring that looks and feels like premium quality. Coming from the Finest European Sources, this type of wood flooring can give your room that extra touch of elegance.

Width	140/160/180/200mm	Length	1500-2600mm
Thickness	20mm	Finishes	Unfinished
Price			
Minimum Quantity			

Option: Our range includes Flooring which have been treated with oils or lacquers.

Ideal quality can have three ingrown knots with maximum diameter of 1/3 of the width corresponding to 30mm per meter, with sound sapwood to 2/3 of thickness allowed.

Ideal kleine Äste ohne Einschränkung, drei eingewachsene Äste mit einem maximalen Durchmesser der 1/3 der Breite entspricht, bis zu 30mm pro Laufmeter, gesundes Splintholz bis zu 2/3 der Dicke erlaubt



Gallery Interior Deroc Fzc

Tel: C.S. Anand+971 50 6466819, Rudolf Bauer+971 50 4813558, Deepak Chandwani+971 55 4379125

P.O. Box: 26708, Sharjah, U.A.E. | info@tara-wood.com | www.tara-wood.com



Tara-Wood

Specialize in Manufacture of High Quality Solid Wood Flooring

TARA GROUP OF COMPAINES

Solid Oak Wood Flooring

★ Classic Quality

Classic quality solid wood flooring is the standard quality wood flooring that looks and feels like premium quality. Coming from the Finest European Sources, this type of wood flooring can give your room that extra touch of elegance.

Width	140/160/180/200mm	Length	1500-2600mm
Thickness	20mm	Finishes	Unfinished
Price			
Minimum Quantity			

Option: Our range includes Flooring which have been treated with oils or lacquers.

Classic quality can have three ingrown branches whose maximum diameter must comply with page width on each side restricted by a maximum of 50mm per linear meter or accordingly. As well as one sided heart board.

Classic kleine Äste ohne Einschränkung, drei eingewachsene Äste deren maximaler Durchmesser der Seitenbreite entsprechen darf auf jeder Seite, aber eingeschränkt auf maximal 50mm pro Laufmeter oder entsprechend, sowie einseitige Herzbretter.



Gallery Interior Deroc Fzc

Tel: C.S. Anand+971 50 6466819, Rudolf Bauer+971 50 4813558, Deepak Chandwani+971 55 4379125
P.O. Box: 26708, Sharjah, U.A.E. | info@tara-wood.com | www.tara-wood.com



Tara-Wood

Specialize in Manufacture of High Quality Solid Wood Flooring

TARA GROUP OF COMPAINES

Solid Oak Wood Flooring

★ Rustic Quality

Rustic quality solid wood flooring is the standard quality wood flooring that looks and feels like premium quality. Coming from the Finest European Sources, this type of wood flooring can give your room that extra touch of elegance.

Width	140/160/180/200mm	Length	1500-2600mm
Thickness	20mm	Finishes	Unfinished
Price			
Minimum Quantity			

Option: Our range includes Flooring which have been treated with oils or lacquers.

Rustic quality can have without restriction of ingrown sound knots, with the maximum diameter of 1/2 of the corresponding width but not greater then 70mm, dried part of 20mm per meter allowed on each side, continuous heart board, both side sapwood allowed.

Rustic Eingewachsene gesunde Äste ohne Einschränkung, mit einem maximalen Durchmesser, der Hälfte der Breite entspricht, aber nicht größer sein darf als 70mm, ein toter Ast von 20mm pro Laufmeter zugelassen auf jeder Seite, sowie durchgehende Herzbretter, beidseitig Splintholz erlaubt



Gallery Interior Deroc Fzc

Tel: C.S. Anand+971 50 6466819, Rudolf Bauer+971 50 4813558, Deepak Chandwani+971 55 4379125
P.O. Box: 26708, Sharjah, U.A.E. | info@tara-wood.com | www.tara-wood.com



Tara-Wood

Specialize in Manufacture of High Quality Solid Wood Flooring

TARA GROUP OF COMPAINES

Engineered Oak Flooring

★ Prime Quality

Prime quality is the finest grade oak wood flooring available in the market. The source of raw material is the German/European forests. Prime quality solid oak wood flooring is a guarantee of the best solid oak flooring.

Width	140/160/180/200mm	Length	1500-2600mm
Thickness	20mm	Finishes	Unfinished
Price			
Minimum Quantity			

Option: Our range includes Flooring which have been treated with oils or lacquers.

Prime quality has error free knotless surface, no sapwood, with knots max 10mm in diameter in max 20% of the amount allowed per linear meter.

Prime fehlerfrei, astreine Oberfläche, kein Splint, wuchsbedingte Punktäste bis max. 10mm im Durchmesser bei max. 20% der Menge erlaubt-pro Laufmeter



Gallery Interior Deroc Fzc

Tel: C.S. Anand+971 50 6466819, Rudolf Bauer+971 50 4813558, Deepak Chandwani+971 55 4379125
P.O. Box: 26708, Sharjah, U.A.E. | info@tara-wood.com | www.tara-wood.com



Tara-Wood

Specialize in Manufacture of High Quality Solid Wood Flooring

TARA GROUP OF COMPAINES

Engineered Oak Flooring

★ Super Quality

Super quality solid wood flooring is the second best quality wood flooring available in the market. Coming from the Finest European Sources, this type of wood can lend itself to modern and historic interior.

Width	140/160/180/200mm	Length	1500-2600mm
Thickness	20mm	Finishes	Unfinished
Price			
Minimum Quantity			

Option: Our range includes Flooring which have been treated with oils or lacquers.

Super quality can have two ingrown knots per linear meter in diameter with max 20mm, healthy sapwood of 2/3 of thickness allowed.

Super zwei eingewachsene Äste pro Laufmeter mit einem Durchmesser bis max.20mm, gesunder Splint von max. 2/3 der Dicke erlaubt,



Gallery Interior Deroc Fzc

Tel: C.S. Anand+971 50 6466819, Rudolf Bauer+971 50 4813558, Deepak Chandwani+971 55 4379125
P.O. Box: 26708, Sharjah, U.A.E. | info@tara-wood.com | www.tara-wood.com



Tara-Wood

Specialize in Manufacture of High Quality Solid Wood Flooring

TARA GROUP OF COMPAINES

Engineered Oak Flooring

★ Ideal Quality

Ideal quality solid wood flooring is the standard quality wood flooring that looks and feels like premium quality. Coming from the Finest European Sources, this type of wood flooring can give your room that extra touch of elegance.

Width	140/160/180/200mm	Length	1500-2600mm
Thickness	20mm	Finishes	Unfinished
Price			
Minimum Quantity			

Option: Our range includes Flooring which have been treated with oils or lacquers.

Ideal quality can have three ingrown knots with maximum diameter of 1/3 of the width corresponding to 30mm per meter, with sound sapwood to 2/3 of thickness allowed.

Ideal kleine Äste ohne Einschränkung, drei eingewachsene Äste mit einem maximalen Durchmesser der 1/3 der Breite entspricht, bis zu 30mm pro Laufmeter, gesundes Splintholz bis zu 2/3 der Dicke erlaubt



Gallery Interior Deroc Fzc

Tel: C.S. Anand+971 50 6466819, Rudolf Bauer+971 50 4813558, Deepak Chandwani+971 55 4379125
P.O. Box: 26708, Sharjah, U.A.E. | info@tara-wood.com | www.tara-wood.com



Tara-Wood

Specialize in Manufacture of High Quality Solid Wood Flooring

TARA GROUP OF COMPAINES

Engineered Oak Flooring

★ Classic Quality

Classic quality solid wood flooring is the standard quality wood flooring that looks and feels like premium quality. Coming from the Finest European Sources, this type of wood flooring can give your room that extra touch of elegance.

Width	140/160/180/200mm	Length	1500-2600mm
Thickness	20mm	Finishes	Unfinished
Price			
Minimum Quantity			

Option: Our range includes Flooring which have been treated with oils or lacquers.

Classic quality can have three ingrown branches whose maximum diameter must comply with page width on each side restricted by a maximum of 50mm per linear meter or accordingly. As well as one sided heart board.

Classic kleine Äste ohne Einschränkung, drei eingewachsene Äste deren maximaler Durchmesser der Seitenbreite entsprechen darf auf jeder Seite, aber eingeschränkt auf maximal 50mm pro Laufmeter oder entsprechend, sowie einseitige Herzbretter.



Gallery Interior Deroc Fzc

Tel: C.S. Anand+971 50 6466819, Rudolf Bauer+971 50 4813558, Deepak Chandwani+971 55 4379125
P.O. Box: 26708, Sharjah, U.A.E. | info@tara-wood.com | www.tara-wood.com



Tara-Wood

Specialize in Manufacture of High Quality Solid Wood Flooring

TARA GROUP OF COMPAINES

Engineered Oak Flooring

★ Rustic Quality

Rustic quality solid wood flooring is the standard quality wood flooring that looks and feels like premium quality. Coming from the Finest European Sources, this type of wood flooring can give your room that extra touch of elegance.

Width	140/160/180/200mm	Length	1500-2600mm
Thickness	20mm	Finishes	Unfinished
Price			
Minimum Quantity			

Option: Our range includes Flooring which have been treated with oils or lacquers.

Rustic quality can have without restriction of ingrown sound knots, with the maximum diameter of 1/2 of the corresponding width but not greater than 70mm, dried part of 20 per meter allowed on each side, continuous heart board, both side sapwood allowed.

Rustic Eingewachsene gesunde Äste ohne Einschränkung, mit einem maximalen Durchmesser, der Hälfte der Breite entspricht, aber nicht größer sein darf als 70mm, toter Ast von 20mm pro Laufmeter zugelassen auf jeder Seite, sowie durchgehende Herzbretter, beidseitig Splintholz erlaubt



Gallery Interior Deroc Fzc

Tel: C.S. Anand+971 50 6466819, Rudolf Bauer+971 50 4813558, Deepak Chandwani+971 55 4379125
P.O. Box: 26708, Sharjah, U.A.E. | info@tara-wood.com | www.tara-wood.com



Tara-Wood

Specialize in Manufacture of High Quality Solid Wood Flooring

TARA GROUP OF COMPAINES

Product Images



Prime

Super

Ideal

Classic

Rustic



Gallery Interior Deroc Fzc

Tel: C.S. Anand+971 50 6466819, Rudolf Bauer+971 50 4813558, Deepak Chandwani+971 55 4379125

P.O. Box: 26708, Sharjah, U.A.E. | info@tara-wood.com | www.tara-wood.com



Tara-Wood

Specialize in Manufacture of High Quality Solid Wood Flooring

TARA GROUP OF COMPAINES

Certifications

Tara-Wood is in the process of obtaining following certifications.



CE Certification



GreenDot Certification



PEFC Certification



ISO 9001 Certified

Gallery Interior Deroc Fzc

Tel: C.S. Anand+971 50 6466819, Rudolf Bauer+971 50 4813558, Deepak Chandwani+971 55 4379125
P.O. Box: 26708, Sharjah, U.A.E. | info@tara-wood.com | www.tara-wood.com