

Best Electronic Stock Co., Ltd

Upper Arm Blood Pressure Monitor

Model No.: BE101Y

Specification

1. Intelligent pressure control technology;
2. Large LCD display size 43×54mm;
3. 1*60 groups memory function;
4. Irregular heart beat detection function (IHB function);
5. Date and time function;
6. Average function for last the 3 times measurement value;
7. Blood pressure classification indicator (WHO function);
8. Automatically inflate and deflate;
9. Power: 4pcs AA size alkaline batteries;
10. Automatic power-off function;
11. 20 Feet Container: 9,240pcs / 462CTN
12. 40 Feet Container: 19,800pcs /990CTN



Model No.: BE101A

Specification

1. Intelligent pressure control technology;
2. Large LCD display size 39×54.5mm;
3. 1*60 groups memory function;
4. Average function for the last 3 times measurement value;
5. Irregular heart beat detection function(IHB function);
6. Automatically inflate and deflate;
7. Power: 4 AA size alkaline batteries;
8. Automatic power-off function;
9. 20 Feet Container: 9,240pcs / 462CTN
10. 40 Feet Container: 19,800pcs /990CTN



Model No.: BE101E

Specification

1. Intelligent pressure control technology;
2. Large LCD display size: 60 *83mm;
3. 2*90 groups memory.
4. Irregular heart beat detection function; (IHB function);
5. Date and time function;
6. Average function for the last 3 times measurement value;
7. Blood pressure classification indicator (WHO function)
8. Automatically inflate and deflate;
9. Power by 4pcs AA size alkaline batteries or AC/DC;
10. Automatic power-off function;
11. 20 Feet Container: 7,560pcs / 378CTN
12. 40 Feet Container: 15,400pcs / 770CTN



Best Electronic Stock Co., Ltd

Upper Arm Blood Pressure Monitor

Model No.: BE101G

Specification

1. Intelligent pressure control technology;
2. Large LCD size 39 x 54.5mm;
3. 1*60 groups memory;
4. Irregular heart beat detection function (IHB function);
5. Average function for the last 3 times measurement value;
6. Automatically inflate and deflate;
7. Power by 4pcs AA size alkaline batteries or AC/DC;
8. Automatic power-off function;
9. 20 Feet Container: 7,560pcs / 378CTN
10. 40 Feet Container: 15,400pcs / 770CTN



Model No.: BE101H

Specification

1. Intelligent pressure control technology;
2. Jumbo LCD display size 51 x 63mm;
3. 2*90 groups memory;
4. Irregular heart beat detection function (IHB function);
5. Date and time function;
6. Average function for the last 3 times measurement value
7. Blood pressure classification indicator (WHO function);
8. Automatically inflate and deflate;
9. Power by 4pcs AA size alkaline batteries or AC/DC;
10. Automatic power-off function;
11. 20 Feet Container: 7,560pcs / 378CTN
12. 40 Feet Container: 15,400pcs / 770CTN



Model No.: BE101H-PC

Specification

1. Intelligent pressure control technology;
2. Jumbo LCD display size: 51 * 63mm;
3. PC link function;
4. 1*90 groups memory;
5. Irregular heart beat detection function (IHB function);
6. Date and time function;
7. Average function for the last 3 times measurement value;
8. Blood pressure classification indicator (WHO function);
9. Automatically inflate and deflate;
10. Power by 4pcs AA size alkaline batteries or AC/DC;
11. 20 Feet Container: 7,560pcs / 378CTN
12. 40 Feet Container: 15,400pcs / 770CTN



Best Electronic Stock Co., Ltd

Upper Arm Blood Pressure Monitor

Model No.: BE101J

Specification

1. Intelligent pressure control technology;
2. Large LCD display size 47 x 65mm;
3. 1*90 groups memory;
4. Body movement indicator;
5. Irregular heart beat detection function (IHB function);
6. Average function for the last 3 times measurement value;
7. Blood pressure classification indicator (WHO function);
8. Automatically inflate and deflate;
9. Power by 4pcs AA size alkaline batteries or AC/DC;
10. Automatic power-off function;
11. 20 Feet Container: 7,560pcs / 378CTN
12. 40 Feet Container: 15,400pcs / 770CTN



Model No.: BE101L

Specification

1. Intelligent pressure control technology;
2. Large LCD display size 39 x 54.5mm;
3. 1*60 groups memory;
4. Irregular heart beat detection function (IHB function);
5. Average function for the last 3 times measurement value;
6. Automatically inflate and deflate;
7. Power: 4pcs AAA size alkaline batteries
8. Automatic power-off function;
9. 20 Feet Container: 11,440pcs / 572CTN
10. 40 Feet Container: 24,560pcs / 1,228CTN



Model No.: BE101N

Specification

1. Intelligent pressure control technology;
2. Large LCD display size 47 *65mm;
3. 1*90 groups memory function;
4. Irregular heart beat detection function (IHB function);
5. Average calculating for the latest 3 times measurement value;
6. Blood pressure classification indicator (WHO function);
7. Automatically inflate and deflate;
8. Power by 4pcs AA size alkaline batteries or AC/DC;
9. Automatic power-off function;
11. 20 Feet Container: 7,560pcs / 378CTN
12. 40 Feet Container: 15,400pcs / 770CTN



Best Electronic Stock Co., Ltd

Upper Arm Blood Pressure Monitor

Model No.: BE101P

Specification

1. Intelligent pressure control technology;
2. Jumbo LCD display size 60 * 83mm;
3. 2 * 90 groups memory;
4. Irregular heart beat detection function (IHB function);
5. Date and time function;
6. Average function for the last 3 times measurement value;
7. Blood pressure classification indicator (WHO function);
8. Automatically inflate and deflate;
9. Power by 4pcs AA size alkaline batteries or AC/DC;
10. Automatic power-off function;
11. 20 Feet Container: 7,560pcs / 378CTN
12. 40 Feet Container: 15,400pcs / 770CTN



Model No.: BE101S

Specification

1. Intelligent pressure control technology;
2. Jumbo LCD size 60 x 83mm;
3. 2 * 90 groups memory;
4. Irregular heart beat detection function (IHB function);
5. Date and time function;
6. Average function for the last 3 times measurement value;
7. Blood pressure classification indicator (WHO function);
8. Automatically inflate and deflate;
9. Power by 4pcs AA size alkaline batteries or AC/DC;
10. Automatic power-off function;
11. 20 Feet Container: 7,560pcs / 378CTN
12. 40 Feet Container: 15,400pcs / 770CTN



Model No.: BE101P-PC

Specification

1. Intelligent pressure control technology;
2. Jumbo LCD display size 60 * 83mm;
3. Talking and PC link function;
4. 2 * 90 groups memory;
5. Irregular heart beat detection function (IHB function);
6. Date/time function;
7. Average calculating for the latest 3 times measurement value;
8. Blood pressure classification indicator (WHO function);
9. Automatically inflate and deflate;
10. Power by 4 AA size alkaline batteries or AC/DC;
11. Automatic power-off function;
12. 20 Feet Container: 7,560pcs / 378CTN
13. 40 Feet Container: 15,400pcs / 770CTN



Best Electronic Stock Co., Ltd

Upper Arm Blood Pressure Monitor

Model No.: BE101R

Specification

1. Intelligent pressure control Technology;
2. Jumbo LCD display size 80*95mm;
3. Touch button;
4. 2*90 groups memory;
5. Irregular heart beat detection function (IHB function);
6. Date and time function;
7. Average function for the last 3 times measurement value;
8. Blood pressure classification indicator (WHO function);
9. Automatically inflate and deflate;
10. Power by 4pcs AA size alkaline batteries or AC/DC;
11. Automatic power-off function;
12. 20 Feet Container: 7560pcs / 378CTN
13. 40 Feet Container: 15400pcs / 770CTN



Model No.: BE101R-PC

Specification

1. Intelligent pressure control Technology;
2. Jumbo LCD 80*95mm with back light;
3. Talking and PC link function;
4. Touch button;
5. 2*90 groups memory;
6. Irregular heart beat detection function (IHB function);
7. Date and time function;
8. Average function for the last 3 times measurement value;
9. Blood pressure classification indicator(WHO function);
10. Automatically inflate and deflate;
11. Power by 4pcs AA size alkaline batteries or AC/DC;
12. Automatic power-off function;
13. 20 Feet Container: 7560pcs / 378CTN
14. 40 Feet Container: 15400pcs / 770CTN



Best Electronic Stock Co., Ltd

Upper Arm Blood Pressure Monitor

Model No.: BE101B

Specification

1. Intelligent pressure control technology;
2. Large LCD size 54 x35mm;
3. 2*90 groups memory.
4. Irregular heart beat detection function; (IHB function);
5. Year, Date and time function;
6. Beeper alarm function
7. Blood pressure classification indicator (WHO function)
8. Average function for the last 3 times measurement value;
9. Automatically inflate and deflate;
10. Power by 4pcs AA size alkaline batteries or AC/DC;
11. Automatic power-off function;
12. 20 Feet Container: 13,000pcs
13. 40 Feet Container: 26,000pcs



Model No.: BE101C

Specification

1. Intelligent pressure control technology;
2. Large LCD size 73 x54mm;
3. 2*90 groups memory.
4. Irregular heart beat detection function; (IHB function);
5. Year, Date and time function;
6. Blood pressure classification indicator (WHO function)
7. Average function for the last 3 times measurement value;
8. Automatically inflate and deflate;
9. Power by 4pcs AA size alkaline batteries or AC/DC;
10. Automatic power-off function;
11. 20 Feet Container: 10000pcs
12. 40 Feet Container: 20000pcs



Best Electronic Stock Co., Ltd

Wrist Blood pressure monitor

Model No.: BE201

Specification

1. Large LCD size 28.5×31.5mm;
2. 2*90 groups memory.
3. Average calculating for the latest 3 times measurement value;
4. Irregular heart beat detection function;
5. blood pressure classification indicator;
6. Year, Date and time function;
7. Automatically inflate;
8. Adopt new technology---MWI(measuring while inflating technology);
9. Power: 2 AAA size alkaline batteries;
10. Automatic power-off function;
11. 20 Feet Container: 30,000pcs
12. 40 Feet Container: 60,000pcs



Model No.: BE204

Specification

1. Large LCD display size 28.5*31 mm;
2. 1*60 groups memory ;
3. Average function for the last 3 times measurement value;
4. Irregular heart beat detection function (IHB function);
5. blood pressure classification indicator;
6. Automatically inflate;
7. Adopt new technology---MWI(measuring while inflating technology);
8. Power: 2 AAA size alkaline batteries;
9. Automatic power-off function;
10. 20 Feet Container: 28,800pcs / 720CTN
11. 40 Feet Container: 60,000pcs / 1,500CTN



Model No.: BE205

Specification

1. Large LCD display size 28.5*31mm;
2. 1*60 groups memory;
3. Average function for the last 3 times measurement value;
4. Irregular heart beat detection function (IHB function);
5. blood pressure classification indicator (WHO function);
6. Automatically inflate;
7. Adopt new technology---MWI(measuring while inflating technology);
8. Power: 2 AAA size alkaline batteries;
9. Automatic power-off function;
10. 20 Feet Container: 28,800pcs / 720CTN
11. 40 Feet Container: 60,000pcs / 1,500CTN



Best Electronic Stock Co., Ltd

Wrist Blood pressure monitor

Model No.: BE220

Specification

1. Large LCD display size 31*36mm;
2. 1*60 groups memory;
3. Average function for the last 3 times measurement value;
4. Irregular heart beat detection function (**IHB function**);
5. blood pressure classification indicator (**WHO function**);
6. Date and time function;
7. Automatically inflate;
8. Adopt new technology---**MWI**(measuring while inflating technology);
9. Power: 2 AAA size alkaline batteries;
10. Automatic power-off function;
11. 20 Feet Container: 28,800pcs / 720CTN
12. 40 Feet Container: 60,000pcs / 1,500CTN



Model No.: BE211

Specification

1. Large LCD display size 31*36mm;
2. 1*60 groups memory function;
3. Average function for the last 3 times measurement value;
4. Irregular heart beat detection function (**IHB function**);
5. blood pressure classification indicator(**WHO function**);
6. Date and time function;
7. Automatically inflate;
8. Adopt new technology---**MWI**(measuring while inflating technology);
9. Power: 2 AAA size alkaline batteries;
10. Automatic power-off function;
11. 20 Feet Container: 28,800pcs / 720CTN
12. 40 Feet Container: 60,000pcs / 1,500CTN



Model No.: BE208

Specification

1. Large LCD display size 34*37mm;
2. 2*90 groups memory;
3. Average function for the last 3 times measurement value;
4. Irregular heart beat detection function (**IHB function**);
5. blood pressure classification indicator (**WHO function**);
6. Date and time function;
7. Automatically inflate;
8. Adopt new technology---**MWI**(measuring while inflating technology);
9. Power: 2 AAA size alkaline batteries;
10. Automatic power-off function;
11. 20 Feet Container: 24,000pcs / 600CTN
12. 40 Feet Container: 50,000pcs / 1,250CTN



Best Electronic Stock Co., Ltd

Wrist Blood pressure monitor

Model No.: BE209

Specification

1. Large LCD size 33.5×31.5mm;
2. 1*90 groups memory;
3. Average function for the last 3 times measurement value;
4. Irregular heart beat detection function (**IHB function**);
5. blood pressure classification indicator (**WHO function**);
6. Date and time function
7. Automatically inflate;
8. Adopt new technology---**MWI**(measuring while inflating technology);
9. Power: 2 AAA size alkaline batteries;
10. Automatic power-off function;
11. 20 Feet Container: 24,000pcs / 600CTN
12. 40 Feet Container: 50,000pcs / 1,250CTN



Model No.: BE212

Specification

1. Large LCD display size 36*40mm;
2. 1*90 groups memory;
3. Average function for the last 3 times measurement value;
4. Irregular heart beat detection function (**IHB function**);
5. blood pressure classification indicator(**WHO function**);
6. Date and time function ;
7. Automatically inflate;
8. Adopt new technology---**MWI**(measuring while inflating technology);
9. Power: 2 AAA size alkaline batteries;
10. Automatic power-off function;
11. 20 Feet Container: 15,840pcs / 396CTN
12. 40 Feet Container: 33,760pcs / 844CTN



Model No.: BE213

Specification

1. Large LCD display size 50*44mm;
2. 2*90 groups memory;
3. Average function for all readings, all A.M. readings, all P.M. readings;
4. Irregular heart beat detection function(**IHB function**);
5. blood pressure classification indicator (**WHO function**);
6. Date and time function;
7. **Heart level detecting function and talking function**;
8. Automatically inflate;
9. Adopt new technology---**MWI**(measuring while inflating technology);
10. Power: 2 AAA size alkaline batteries;
11. Automatic power-off function;
12. 20 Feet Container: 15,840pcs / 396CTN
13. 40 Feet Container: 33,760pcs / 844CTN



Best Electronic Stock Co., Ltd

Wrist Blood pressure monitor

Model No.: BE213-PC



Specification

1. Large LCD display size 50*44mm with back light;
2. 2*90 groups memory;
3. Average function for all readings, all A.M. readings, all P.M. readings;
4. Irregular heart beat detection function (**IHB function**);
5. blood pressure classification indicator (**WHO function**);
6. Date and time function;
7. **Heart level detecting function and talking function**;
8. **PC link function with USB**;
9. Automatically inflate;
10. Adopt new technology---**MWI**(measuring while inflating technology);
11. Power: 2 AAA size alkaline batteries;
12. Automatic power-off function;
13. 20 Feet Container: 15,840pcs / 396CTN
14. 40 Feet Container: 33,760pcs / 844CTN

Model No.: BE215



Specification

1. Large LCD display size 50*44mm;
2. 2*90 groups memory;
3. Average function for all readings, all A.M. readings, all P.M. readings;
4. Irregular heart beat detection function (**IHB function**);
5. Blood pressure classification indicator (**WHO function**);
6. Date and time function;
7. **Heart level detecting function and talking function**;
8. Automatically inflate;
9. Adopt new technology---**MWI**(measuring while inflating technology);
10. Power: 2 AAA size alkaline batteries;
11. Automatic power-off function;
12. Feet Container: 24,000pcs / 600CTN
13. 40 Feet Container: 50,000pcs / 1,250CTN

Best Electronic Stock Co., Ltd

Wrist Blood pressure monitor

Model No.: BE216

Specification

1. Large LCD display size 36*40mm;
2. 1*90 groups memory;
3. Average function for the last 3 times measurement value;
4. Irregular heart beat detection function (**IHB function**);
5. blood pressure classification indicator (**WHO function**);
6. Date and time function;
7. Automatically inflate;
8. Adopt new technology---**MWI**(measuring while inflating technology);
9. Power: 2 AAA size alkaline batteries;
10. Automatic power-off function;
11. 20 Feet Container: 15,840pcs / 396CTN
12. 40 Feet Container: 33,760pcs / 844CTN



Model No.: BE218

Specification

1. Large LCD display size 50*44mm;
2. **Touch button**;
3. 2*90 groups memory;
4. Average function for all readings, all A.M. readings, all P.M. readings;
5. Irregular heart beat detection function (**IHB function**);
6. Blood pressure classification indicator (**WHO function**);
7. Date and time function;
8. **Heart level detecting function and talking function**;
9. Automatically inflate;
10. Adopt new technology---**MWI**(measuring while inflating technology);
11. Power: 2 AAA size alkaline batteries;
12. Automatic power-off function;
13. 20 Feet Container: 15,840pcs / 396CTN
14. 40 Feet Container: 33,760pcs / 844CTN



Best Electronic Stock Co., Ltd

Wrist Blood pressure monitor

Model No.: BE218-PC

Specification

1. Large LCD display size 50×44mm;
2. 2*90 groups memory;
3. Average function for all readings, all A.M. readings, all P.M. readings;
4. Irregular heart beat detection function (IHB function);
5. Blood pressure classification indicator (WHO function);
6. Date and time function;
7. Heart level detecting function and talking function, PC link, back light;
8. Automatically inflate;
9. Adopt new technology---MWI (measuring while inflating technology);
10. Power: 2 AAA size alkaline batteries;
11. Automatic power-off function;
12. 20 Feet Container: 15,840pcs / 396CTN
13. 40 Feet Container: 33,760pcs / 844CTN



Model No.:

Specification

1. Large LCD display size 50*44mm;
2. 2*90 groups memory;
3. Average function for all readings, all A.M. readings, all P.M. readings;
4. Irregular heart beat detection function (IHB function);
5. Date and time function;
6. Blood pressure classification indicator (WHO function);
7. Heart level detecting function and talking function;
8. Automatically inflate;
9. Adopt new technology---MWI (measuring while inflating technology);
10. Power: 2pcs AAA size alkaline batteries;
11. Automatic power-off function;
12. 20 Feet Container: 24,000pcs / 600CTN
14. 40 Feet Container: 50,000pcs / 1,250CTN



Best Electronic Stock Co., Ltd

Blood glucose meter

Model No.: BE800

Specification

1. Measuring Time: 5 seconds
2. Measuring range: 20-600mg/dL(1.1-33.3mmol/L)
3. Blood Volume: 0.5ul
4. Hematocrit range : 30-55%
5. Memory Capacity : 300
6. Day Average(7) Yes
7. Alternative Site Test : Yes
8. Sample Type Fresh Capillary whole blood
9. Automatic Power Off: after 100 sec
10. System Operating Conditions: 10-40
11. Relative Humidity Operating Range: 10-90%
12. Power Supply: CR 2032*1
13. Dimensions: 15*54*86mm
14. Weight: 45g (with battery)
15. Display: LCD



Pulse Oximeter

Model No.: BE01

Specification

1. One-button operation;
2. LCD display: red backlight;
3. LCD display size: 30*17mm;
4. Auto power-off when no signal or after 15 seconds without finger insert in;
5. Measurement range: Blood oxygen saturation: 35 to 99%, Pulse: 30 to 240 bpm;
6. Accuracy: Blood oxygen saturation: 70%~99%, $\pm 2\%$, 35%~69%, no accuracy definition; Pulse: ± 2 bpm or $\pm 2\%$ adopts the maximum value; Power: 3V DC 2*AAA alkaline batteries;
7. Device dimensions: 67(L)*34(W)*33(H)mm;
8. 20 Feet Container: 37800pcs/630 CTN;
9. 20 Feet Container: 79800pcs/1330 CTN;



Best Electronic Stock Co., Ltd

Nebulizer

Model No.: BE503

Specification

1. Power: 230 or 120V AC, 50/60Hz
2. Power Consumption: below 55W
1. Compressor Flow: 6-8L/Min
2. Medication Capacity: 8ml maximum
3. Particle Size: 0.1 to 10um
4. MMAD: approximately 4um
5. Nebulization Rate: 0.2ml/min minimum
6. Noise Level: below 60dB at 1m distance
7. Compressor Pressure Range: 2.1-2.5bar
8. Operation Pressure Range: 0.8-1.3 bar
9. Operating Temperature Range: 10°C to 40°C (50°F to 104°F)
10. Operation Humidity: 10 to 95%RH
11. Storage Temperature Range: -20°C to 70°C (-4°F to 158°F)
12. Storage Humidity Range: 10 to 95%RH
13. Dimension (L x W x H): 11.8"x7.1"x4.5"
14. Weight: 1.65Kg
15. 20 Feet Container: 3120pcs/780catons
16. 40 Feet Container: 6500pcs/1625cartons

