

WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: kcleee118@gmail.com



WUXI FUNSOR MARINE EQUIPMENT CO., LTD

As a professional supplier of inflatable boats, inflatable liferafts and tents, **FUNSOR MARINE** is specialized in OEM & ODM developing and manufacturing, responsible to supply the excellent quality and reasonable price to the reputed customers.

Products Series: Inflatable boats, inflatable liferafts, inflatable fishing boats, RIB boats, inflatable banana boats, inflatable kayak, drift boats and some marine products. All products are exported to more than 20 countries and received good comment from foreign customers for top quality, competitive price, timely delivery.

Quality Control: All boats are made from the highest quality 1,100 denier double PVC. This fabric is coated to ensure years of trouble free boating. The seams are handmade, four layered and cold welded for the best join possible. So we can give a 5 year warranty on the hull fabric and 3 years on the hull seams. Before delivery, we allow the clients to consign the Commodity Check Office to check the merchandise prior to accepting them. If needed, we may perform 100% QA.

WUXI FUNSOR MARINE EQUIPMENT CO., LTD is willing to build the cooperation with you, welcome your enquiry, and we will provide 7*24 hours service.



ISO9001:2000



CE For 270



CE For 290



CE For 360



CE For 380



CE For 430

INFLATABLE BOATS

1. Inflatable boat

A Series



- This model is specially designed for professional use as work boats or rescue boats with a heavy load capacity, spacious deck, V-shape bottom and A-design boat front.



● Standard equipment

1. Two two-pieces aluminum oars
2. Marine grade plywood bench seat
3. Foot pump
4. Repairing kits
5. Carrying bag



● Optional equipment

1. Inflatable thwart
2. Boat cover
3. Front bag
4. Seat bag

● Optional Floor

1. Plywood floor
2. Aluminum floor
3. Air mat floor
4. VIB floor

● Specifications of A Series



•FWS-A Series technical specification and performance

MODLE	OVERALL	OVERALL	NO.OF	NET	MAXH.P.	MAXLOAD	MAX
	LENGTH	WIDTH		WEIGTH		(KG/lbs)	PERSON
	(CM/inch)	(CM)	CHAMBER	(KG/lbs)			
FWS-A230	230/7'6"	135/4'6"	3+1	36/79	4	350/772	2
FWS-A270	270/8'10"	151/4'11"	3+1	46/101	10	484/1067	3.5
FWS-A290	290/9'6"	151/4'11"	3+1	52/115	10	510/1124	4
FWS-A320	320/10'6"	151/4'11"	3+1	56/123	15	566/1248	4.5
FWS-A360	360/11'9"	168/5'6"	3+1	68/150	20	689/1519	5.5
FWS-A380	380/12'6"	168/5'6"	3+1	76/168	20	727/1603	6
FWS-A420	420/13'9"	190/6'3"	3+1	88/194	30	1087/2396	7
FWS-A500	500/16'5"	208/6'10"	3+1	118/260	40	1300/2866	10
FWS-A560	550/18'1"	208/6'10"	3+1	130/286	40	1350/2976	10
FWS-A600	600/19'8"	208/6'10"	3+1	145/320	50	1400/3086	12

D Series



WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: kcllee118@gmail.com



7 models with length from 2.3m to 4.2m which could be divided into two main types: D and M. The main property of this series is all the floor are Slatted floor which is economic, easy to roll up and carry with.



●Standard equipment

1. Two-two pieces aluminum oars 2. Marine grade plywood bench seat 3. Foot pump 4. Repairing kits 5. Carrying bag



●Optional equipment

1. Inflatable thwart 2. Under seat bag 3. Front bag 4. Boat cover 5. Extra seat

●Specifications of D Series



●FWS-D Series technical specification and performance

MODLE	LENGTH	WIDTH	NO.OF	WEIGHT	MAXH.P.	(KG/lbs)	PERSON
	(CM/inch)	(CM)	CHAMBER	(KG/lbs)			
FWS-D270	270	151	3+1	40	3	484	3+1
FWS-D290	290	151	3+1	47	7.4	510	4
FWS-D320	320	151	3+1	51	11	566	4+1
FWS-D360	360	170	3+1	56	11	689	5+1
FWS-D380	380	170	3+1	64	22.4	727	6
FWS-D430	430	190	3+1	69	22.4	1087	7
FWS-D480	480	190	3+1	77	30	1100	7+1

M Series




7 models with length from 2.3m to 4.2m for outboards up to 22kw/30hp and offered with 4 types of flooring: Plywood, Aluminum , Air mat and VIB.



●Standard Equipment

1. Two-two pieces aluminum oars
2. Foot pump
3. Carrying bag
4. Marine grade plywood bench seat (one piece)
5. Repairing kits



●Optional Equipment

1. Inflatable thwart: Round or square
2. Front bag
3. Boat cover
4. Under seat bag
5. Extra seat

●Optional Floor

1. Plywood floor
2. Air mat floor
3. Aluminum floor
4. VIB floor

WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: kcllee118@gmail.com



●Specifications of M Series



●M Series technical specification and performance

MODLE	OVERALL	OVERALL	NO.OF	NET	MAXH.P.	MAXLOAD	MAX
	LENGTH	WIDTH		WEIGTH		(KG/lbs)	PERSON
	(CM/inch)	(CM)		(KG/lbs)			
FWS-M230	230/7'6"	131/4'7"	3+1	36/79	4	350/772	2
FWS-M270	270/8'10"	152/4'11"	3+1	46/101	10	484/1067	3.5
FWS-M290	290/9'6"	151/4'11"	3+1	52/115	10	510/1124	4
FWS-M320	320/10'6"	151/5'11"	3+1	56/123	15	566/1248	4.5
FWS-M360	320/11'9"	168/5'6"	3+1	68/150	20	689/1519	5.5
FWS-M380	320/12'6"	168/5'7"	3+1	76/168	20	727/1603	6
FWS-M420	420/13'9"	190/6'3"	3+1	88/194	30	1087/2396	7

Speed Boat:

- 1.CE certification
- 2.OEM manufacturer
- 3.PVC materials from Korea
- 4.warranty:3-5years

Outside Length	Inside length	Outside Width	Inside Width	Weight
400cm	210cm	186cm	85cm	78cm

Standard equipment

1. Two-two pieces aluminum oars
2. Foot pump
3. Repairing kits
4. Boat cover

Optional equipment

1. carry bag
2. optional floor
3. plywood floor

The speed of the speed boat is faster than other inflatable boat. For individual fishing Easy storage, handling easy, cleaning comfortable and convenient



WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: kcleee118@gmail.com



Recreational rowing boats:

- 1.CE certification
- 2.OEM manufacturer
- 3.PVC materials from Korea
- 4.warranty:3-5years

Standard equipment

1. Two-two pieces aluminum oars
2. Marine grade plywood bench seat
3. Foot pump
- 4.Repairingkits
- 5.Carrying bag

Optional Equipment

- 1.Slat floor
- 2.Air mat floor

MODLE	OVERALL	OVERALL	NO.OF CHAMBER	NET	MAXH.P.	MAXLOAD (KG/lbs)	MAX PERSON
	LENGTH	WIDTH		WEIGHT			
	(CM)	(CM)		(KG)			
230	230/7'6"	131/4'7"	3+1	36	4	350/772	2
270	270	151	3+1	48	4	474	3+1
290	290	151	3+1	52	4	500	4
320	320	151	3+1	55	15	536	4+1
360	360	170	3+1	76	15	659	5+1
380	380	170	3+1	78	30	667	6
430	430	190	3+1	106	30	1027	7
480	480	190	3+1	136	40	1030	7+1



Inflatable Rescue Boat:

- 1.CE certification
- 2.OEM manufacturer
- 3.PVC materials from Korea
- 4.warranty:3-5years

Easy storage, easy handling, cleaning comfortable and convenient. The boat is mostly used to army, Fire

WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: kcllee118@gmail.com



station.

The standard accessories:

- 1.oars; 2.carry bag; 3.repairing kits; 4.foot pump



2. Inflatable Fishing Boat

FWS-F Boat



●Standard equipment

- 1.Two pieces aluminum oars 2.Marine grade plywood bench seat 3. Foot pump 4.Repairing kits 5.Carrying bag
- 6.Oar holder /oar holder 6.Life line 7.Middle D-ring 8.Rubbing strake fender



●Optional equipment

- 1.Under seat bag:round or square



WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: kcllee118@gmail.com



●Optional Floor

1.Slat floor 2. Air mat floor

●Specifications of FWS-F Series

MODLE	OVERALL	OVERALL	NO.OF	TUBE	MAXLOAD	MAX
	LENGTH	WIDTH				PERSON
	(CM)	(CM)				
FWS-F180	180	119	2	32	200	1
FWS-F200	200	130	2	35	350	2
FWS-F235	235	136	2	37	400	2
FWS-F265	265	130	2	37	400	2--3
FWS-F300	300	154	2	37	455	3--4

FWS-U Series



●For individual fishing



●FWS-U Series technical specification and performance

MODEL	OVERALL LENGTH	OVERALL WIDTH	NO.OF CHAMBER	NET WEIGHT	MAX H.P.	MAX LOAD	MAX PERSON
FWS-U	120/3'11"	103/3'4"	1	605/14.3	---	---	1

FWS-O Series



- 1.CE certification
- 2.OEM manufacturer
- 3.PVC materials from Korea
- 4.warranty:3-5years

Standard equipment:

- 1.Two-two pieces aluminum oars
- 2.Marine grade plywood bench seat
- 3.Foot pump
- 4.Repairingkits
- 5.Carrying bag

Optional Equipment

- 1.Slat floor
- 2.Air mat floor

MODEL	OVERALL LENGTH (CM/inch)	OVERALL WIDTH (CM/inch)	NO.OF CHAMBER	NET WEIGHT (KG/1bs)	MAX H.P.	MAX LOAD (KG/ids)	MAX PERSON
FWS-O200	200/6.7'	120/3.11'	2	20/44	3.5	250/551	1.5
FWS-O235	235/7.8'	132/4.4'	2	29/64	5	350/772	2
FWS-O265	265/8.8'	132/4.4'	2	32/71	10	484/1067	3.5
FWS-O280	280/9.2'	148/4.1'	2	38/84	10	510/1124	4

3. Inflatable Kayak

FWS-H Inflatable boat:



WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: kclee118@gmail.com



- 1.CE certification
- 2.OEM manufacturer
- 3.PVC materials from Korea
- 4.warranty:3-5years

FWS-H Series technical specification and performance

MODEL	OVERALL LENGTH (CM/inch)	OVERALL WIDTH (CM/inch)	NO.OF CHAMBER	NET WEIGHT (KG/1bs)	MAX H.P.	MAX LOAD (KG/ids)	MAX PERSON
FWS-H400	400/13'1"	180/5'11"	2	60/132	---	580/1279	6

Standard equipment

- 1.Two-two pieces aluminum oars
- 2.Inflatable seats
- 3.Foot pump
- 4.Repairing kits
- 5.Carrying bag

FWS-K Inflatable Boat:



- 1.CE certification
- 2.OEM manufacturer
- 3.PVC materials from Korea
- 4.warranty:3-5years

FWS-K Series technical specification and performance

Model	OVERALL LENGTH (CM)	OVERALL WIDTH (CM)	NO.OF CHAMBER	MAX PERSON	TUBE (CM)
FWS-K370	370	110	3	2	30
FWS-K320	320	105	3	1	30

Standard equipment

- 1.Two-two pieces aluminum oars
- 2.Foot pump
- 3.Repairing kits
- 4.air mat floor

4. Drift Boat

- 1.CE certification
- 2.OEM manufacturer
- 3.PVC materials from Korea

WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: kcleee118@gmail.com



4.warranty:3-5years

Inflatable Drift Boat:

MODLE	OVERALL	OVERALL	WEIGHT	NO.OF	MAX	MAXLOAD	Air pressure	Storage
	LENGTH	WIDTH		CHAMBER	PERSON	(KG/lbs)		Dimensions (with pump attached)
Drift 8	8'/244cm	33"/84cm	15Lbs/7kg	2	1	225Lbs/102kg	6.5psi/.45bar	71×38×53cm
Drift 9.5	9'/275cm	33"/85cm	18Lbs/8kg	2	1	250Lbs/113kg	6.5psi/.45bar	71×38×53cm

standard feature and components:

- 1 Hi-pressure hull and floor (patent pending)
- 2 Bow keel and rear skeg for excellent tracking
- 3 Splash guard
- 4 Two molded carrying handles
- 5 Two drain vales
- 6 bow bumper rail



5. RIB Series

FWS-R Series Inflatable RIB Boat

●Deep-V fiberglass hull offers stable and comfortable driving; Unique and eye-catching design bring you more exciting journey; Spacious deck assures easy circulations.



●Standard equipment

- 1.Steering console
- 2.Soft seat
- 3.Two-two pieces aluminum oars
- 4.Foot pump
- 5.Repairing kits
- 6.Carrying bag

WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: kcleee118@gmail.com



7. Boat cover

●FWS-R Series technical specification and performance

MODLE	OVERALL	NO.OF CHAMBER	NET	MAXH.P.	MAXLOAD (KG/lbs)	MAX PERSON
	LENGTH		WEIGHT			
	(CM/inch)		(KG/lbs)			
FWS-R270	270/8.1'	3	78/172	10	550/1210	3.5
FWS-R300	300/9.1'	3	81/178	10	600/1320	4
FWS-R330	330/10.1'	3	84/185	15	650/1430	4.5
FWS-R420	420/13.9'	4	172/378	40	1050/2310	7
FWS-R440	440/14.5'	4	180/396	40	1100/2420	7.5
FWS-R470	470/15.5'	6	185/407	50	1250/2750	9
FWS-R520	520/17'	6	206/454	60	1350/2970	10

FWN-V Series Inflatable RIB Boat



●FWN-V Series technical specification and performance

Model	Overall	Overall	tube	Chamber	Max	Max	Max	Boat
	Length	Width	diameter		Power	Load	Capacity	Weight
	(cm)	(cm)	(cm)		(HP)	(KG)	(Person)	(KG)
FWN-V230	230	155	38	2	6	350	2	29
FWN-V250	250	155	38	3	8	400	3	35
FWN-V270	270	164	40	3	10	450	3	64
FWN-V300	300	164	40	3	12	550	4	69
FWN-V330	330	164	40	3	15	650	5	74
FWN-V360	360	164	40	3	20	710	5	87
FWN-V390	390	169	42	3	25	780	6	90

Standard equipment: Two pieces aluminum oars; Wood bench seat; Foot pump; Repairing kits

Optional equipment: Under seat bag; Front bag; Boat cover; Inflatable thwart

WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: kcleee118@gmail.com



●FWN-V Series technical specification and performance

Model	Overall	Overall	tube	Chamber	Max	Max	Max	Boat	Equipments
	Length	Width	diameter		Power	Load	Capacity	Weight	Standard
	(cm)	(cm)	(cm)		(HP)	(KG)	(Person)	(KG)	
FWN-V4 20A	420	188	45	3	40	1045	7	148	Front seat;Cushion
FWN-V4 20B	420	195	45	3	40	1045	7	160	Rear Seat;Front seat;Cushion;Back rest
FWN-V4 20C	420	195	45	3	40	1045	7	164	Side seat;Rear Seat;Front seat;Cushion;Steer ing Console
FWN-V4 70A	470	188	45	4	60	1245	9	172	Front seat;Cushion
FWN-V4 70B	470	195	45	4	60	1245	9	184	Rear Seat;Front seat;Cushion;Back rest
FWN-V4 70C	470	195	45	4	60	1245	9	188	Side seat;Rear Seat;Front seat;Cushion;Steer ing Console
FWN-V5 20A	520	196	50	4	80	1360	10	280	Front seat;Cushion
FWN-V5 20B	520	220	50	4	80	1360	10	295	Rear Seat;Front seat;Cushion;Back rest
FWN-V5 20C	520	220	50	4	80	1360	10	299	Side seat;Rear Seat;Front seat;Cushion;Steer ing Console
FWN-V5 70B	570	240	55	5	100	1530	12	460	Rear Seat;Front seat;Cushion;Back rest



FWN-V520A



FWN-V420A

6. Inflatable Banana Boat

FWS-B is water sled, and sometimes was called banana boats which consists of side stabilizing pontoons and large main tube. 3 models available with 3 persons, 5 persons and 6 persons.



•Standard equipment

- 1. Foot pump 2. Repairing kits 3. Carrying bag

•Banana boats technical specification and performance

MODLE	OVERALL LENGTH (CM/inch)	NO.OF CHAMBER	NET WEIGHTH (KG/1bs)	PACKAGE SIZE (CM)	MAX PERSON
FWS-B3P	340/11'2"	3	15/33	102*60*36	3
FWS-B4P	400/13"	3	18/40	102*60*36	4
FWS-B5P	500/16'5"	3	20/44	102*65*40	5
FWS-B8P Two tubes	500/16'5"	5	46	110*65*45	10
FWS-B10P FLY FISH	380/12'6"	10	82	102*65*40	5



WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: kcllee118@gmail.com



7. YACHT

Deep-V fiberglass hull offers stable and comfortable driving. Perfect for watersports.

Material: 100% fiberglass

Yacht technical specification and performance

MODEL	LENGTH	WIDTH	GW	MAX HP	MAX PERSON	PACKING CBM
YACHT 270	2.70M	1.33M	85KG	15	5	2.1546

