

FRIGY[®]
Stoves



frigy surel frc cast iron stove



- Complete Cast Iron Body
- Enamelled Cast Iron
- Run with all kind of solid fuel
- With cast iron and fire bricks
- By broad astray and astray door easy to clean
- Fire Window for fireplace effect
- Economical by high efficiency performance
- Stylish and decorative appearance



teknik özellikler technical specification						
yakıt cinsi asort of solid fuel	ısıtma yüzeyi heating surface	boru çapı pipe diameter	ısı gücü maximumoutput	ısıtma alanı heating space	ağırlık weight	boyutlar dimensions
linyit - kok	1,8 m ²	120mm.	6.4 kwh	100m ²	95kg	450x490x765mm

- Cast Iron top And Fire Doors
- Run with all kind of solid fuel
- Options with cast iron or fire bricks
- Easy to fill coal with upper cast iron door
- By broad astray and bottom door easy to clean
- Stylish and decorative appearance



teknik özellikler technical specification						
yakıt cinsi asort of solid fuel	ısıtma yüzeyi heating surface	boru çapı pipe diameter	ısı gücü maximumoutput	ısıtma alanı heating space	ağırlık weight	boyutlar dimensions
linyit - kok	1.5 m ²	130mm.	6.4 kwh	100m ²	dt68 kg. at 63kg.	390x510x780mm.

fr21g

tuğlalı
fire bricks



frigy sabah camping stove



- Burning Chamber: Firebrick
- Enamelled Body
- Run with all kind of solid fuel
- Cast Iron Grates



teknik özellikler technical specification			
yakıt cinsi asort of solid fuel	ısı gücü maximumoutput	ağırlık weight	boyutlar dimensions
wood	4.5 kwh	9.5kg	290x330mm

- Cast Iron top And Fire Doors
- Run with all kind of solid fuel
- Options with cast iron or fire bricks
- Easy to fill coal with upper cast iron door
- By broad astray and bottom door easy to clean
- Stylish and decorative appearance



teknik özellikler technical specification						
yakıt cinsi asort of solid fuel	ısıtma yüzeyi heating surface	boru çapı pipe diameter	ısı gücü maximumoutput	ısıtma alanı heating space	ağırlık weight	boyutlar dimensions
wood & coal	1.5 m ²	130mm.	6.4 kwh	100m ²	63 kg.	390x510x780mm

fr21

tuğlalı
fire bricks



Yuvarlak Şömine Soba

5110
tuğlalı
fire bricks



- Cast iron fire door, oven door Top And Bottom
- Bread, cake and pastry cooking pleasure with oven
- Aesthetic appearance with enamel coating
- Run with all kind of solid fuel
- Problem free use of long years with fire bricks
- By broad astray and astray door easy to clean
- Fireplace Feeling With Glass
- Stylish and decorative appearance



teknik özellikler technical specification						
yakıt cinsi asort of solid fuel	ısıtma yüzeyi heating surface	boru çapı pipe diameter	ısı gücü maximumoutput	ısıtma alanı heating space	ağırlık weight	boyutlar dimensions
linyit - kok	2,2 m ²	130mm.	8 kwh	100m ²	75kg.	475x510x940mm.

Salon Şömine Soba

5115
tuğlalı / döküm
fire bricks / cast iron bricks

- Cast iron fire door, Top And Bottom
- Aesthetic appearance with enamel coating
- Run with all kind of solid fuel
- Problem free use of long years with fire bricks
- By broad astray and astray door easy to clean
- Fireplace Feeling With Glass
- Stylish and decorative appearance



teknik özellikler technical specification						
yakıt cinsi asort of solid fuel	ısıtma yüzeyi heating surface	boru çapı pipe diameter	ısı gücü maximumoutput	ısıtma alanı heating space	ağırlık weight	boyutlar dimensions
linyit - kok	1.5 m ²	130mm.	6.5 kwh	100m ²	80kg.	530x500x820mm.



Dört Köşe Şömine Soba

5111
tuğlalı
fire bricks



- Cast iron fire door, oven door Top And Bottom
- Bread, cake and pastry cooking pleasure with oven
- Aesthetic appearance with enamel coating
- Run with all kind of solid fuel
- Problem free use of long years with fire bricks
- By broad astray and astray door easy to clean
- Fireplace Feeling With Glass
- Stylish and decorative appearance



teknik özellikler technical specification						
yakıt cinsi asort of solid fuel	ısıtma yüzeyi heating surface	boru çapı pipe diameter	ısı gücü maximumoutput	ısıtma alanı heating space	ağırlık weight	boyutlar dimensions
linyit - kok	2,3 m ²	130	8	100m ²	80 kg	460x470x940

Infrared Gas Heater

LP 701
tuğlalı / döküm
fire bricks / cast iron bricks

- Radiant Gas Heater
- Halogen Heater Option
- Elektrofan Option
- Black and Grey Color option
- Piezzo Ignition
- Long Body Option



teknik özellikler technical specification				
yakıt cinsi fuel type	ısı gücü maximumoutput	ısıtma alanı heating space	ağırlık weight	boyutlar dimensions
Gas	4.2 kwh	60m ²	15 kg.	350x440x770mm.



Kitchen Stove

BK50
tuğlalı
fire bricks

- Cast Iron Top Plate, Cast Iron Fire Doors, Cast Iron Grate
- Enamelled Sheet Metal Body
- Combustion Chamber Material: Firebrick
- 50 cm Oven Width
- Enamelled Oven Tray
- Chrome Wire Oven Shelve
- Chrome Nickel Coated Handles
- Wood Drying Compartment
- Conforming En13240 Directive
- White, Majolic, Tdf, And Mirror Enamel Options.
- With Protective Export Package

- Cast Iron Top Plate, Cast Iron Fire Doors, Cast Iron Grate
- Enamelled Sheet Metal Body
- Combustion Chamber Material: Firebrick
- 40 cm Oven Width
- Enamelled Oven Tray
- Wood Drying Compartment
- Conforming En13240 Directive
- White, Majolic, Tdf, And Mirror Enamel Options.
- With Protective Export Package

Kitchen Stove

BK50 Short
tuğlalı kuzine
fire brick



teknik özellikler technical specification						
yakıt cinsi	ısıtma yüzeyi	baca çapı	ısı gücü	ısıtma alanı	ağırlık	boyutlar
fuel type	heating surface	chimney diameter	maximum output	heating space	weight	dimensions
Wood	3.4 m ²	130mm.	6.7 kwh	100m ²	82 kg.	820x490x890

teknik özellikler technical specification						
yakıt cinsi	ısıtma yüzeyi	baca çapı	ısı gücü	ısıtma alanı	ağırlık	boyutlar
fuel type	heating surface	chimney diameter	maximum output	heating space	weight	dimensions
Wood	3.4 m ²	130mm.	6.7 kwh	100m ²	72 kg.	820x450x625

Kitchen Stove

BK50G
döküm / tuğlalı
cast iron / fire bricks

- Cast Iron Top Plate, Cast Iron Fire Doors, Cast Iron Grate
- Enamelled Sheet Metal Body
- Combustion Chamber Material: Firebrick
- 50 cm Oven Width
- Enamelled Oven Tray
- Chrome Wire Oven Shelve
- Chrome Nickel Coated Handles
- Wood Drying Compartment
- Conforming En13240 Directive
- White, Majolic, Tdf, And Mirror Enamel Options.
- With Protective Export Package

- Cast Iron Top Plate, Cast Iron Fire Doors, Cast Iron Grate
- Enamelled Sheet Metal Body
- Combustion Chamber Material: Firebrick
- 40 cm Oven Width
- Enamelled Oven Tray
- Wood Drying Compartment
- Conforming En13240 Directive
- White, Majolic, Tdf, And Mirror Enamel Options.
- With Protective Export Package

Kitchen Stove

Frigy Surel
tuğlalı kuzine
fire brick



teknik özellikler technical specification						
yakıt cinsi	ısıtma yüzeyi	baca çapı	ısı gücü	ısıtma alanı	ağırlık	boyutlar
fuel type	heating surface	chimney diameter	maximum output	heating space	weight	dimensions
Wood	3.4 m ²	130mm.	6.7 kwh	100m ²	82 kg.	820x490x890

teknik özellikler technical specification						
yakıt cinsi	ısıtma yüzeyi	baca çapı	ısı gücü	ısıtma alanı	ağırlık	boyutlar
fuel type	heating surface	chimney diameter	maximum output	heating space	weight	dimensions
Wood	2.7 m ²	130mm.	6.4 kwh	100m ²	55 kg.	840x450x625

5401 70lik emaye boru	70 enamel pipe
5402 50lik emaye boru	50 enamel pipe
5403 33lük emaye boru	33 enamel pipe
5404 25lik emaye boru	25 enamel pipe
5409 16lik emaye boru	16 enamel pipe
5405 akordiyon dirsek	accordion elbow
5406 11cm. Dirsek	11 elbow
5407 12cm. Dirsek	12 elbow
5408 13cm. Dirsek	13 elbow
5410 cimri	saving heat exchanger
5411 kmr kovası	coal bucket
5415 ayna	pipe mirror




- Pilotlu emniyet sistemi
- Ortamda oksijen azalmasına karşı emniyet sistemi
- Üç kademeli yanma sistemi ile ekonomik kullanım
- Piezo çakmakla ateşleme kolaylığı
- Emaye kaplı yansıtıcı (yeşil, bordo, kahverengi)
- 12 kg.lık tüple çalışma
- Demonte ürün kolay nakliye imkanı
- Patentlidir

- Safety pilot system
- Gas flow cut system, against reduced oxygen rate in environment
- Economical use by three level gas consumption control switch
- Easy to ignite with piezo lighter
- Enamelled reflector gives you colour choice (green, lared red, brown)
- Device run with 12kg. Lpg
- Small package not cover to much space. Easy to transportation
- Patented

LPG PATIO HEATER

5301
lpg'li ısıtıcı
lpg heater

teknik özellikler technical specification				
yakıt cinsi asort of fuel	lpg tüketimi gr/saat lpgconsumptiongr/h	ısı gücü maximumoutput	ağırlık weight	boyutlar dimentions
lpg	min 116, max 350	4,8 kwh	15kg.	200x54/180x54cm.



 **FRIGY**[®]

ARTES
Creative