













MICNOVA PHOTO INDUSTRIAL CO.LTD

<http://www.micnova.com>











Remote control system(MQ-S/MQ-WC/MQ-NW/MQ-TC/MQ-RC Series)

Picture	Model	Description
		<p>Wired Remote Release Cord For Canon SLR Cameras EOS 1D Series, 1Ds series; 5D Mark II EOS 10D, 20D, 30D, 40, 50D, D30, D60 EOS 1v, 1v HS Body EOS 50D-EF28-135/S, 7D-EF-S-18-135/S Good replacement for Canon RS-80N3</p>
		<p>For Nikon SLR Cameras D1, D2, D3, D1H, D2H, D1X, D2X, D3X, D3S, D2HS, D2XS D100, D200, D300, D700, D900, D300S F5, F6, F90, F100, F90X, N90, N90X Fujifilm: Finepix S3Pro, Finepix S5Pro Kodak: DSC-14N Good replacement for Nikon MC-30</p>
		<p>For Canon SLR Cameras EOS 300D(Digital Rebel), 350D(Digital Rebel XT), 400D(Digital RebelXTi), 450D(Digital RebelXSi); EOS 30,33,50,50E; 300V, 300, 3000, 550D, 500D, 600D,1000D Contax SLR645, N1, NX, NDigital Pentax *ist,*istD, *istDS, *istDS2, *istDL *istDL2, MZ-6, ZX-L, K100D, K110D, K10D K20D, K200D, K100D Super Samsung GX-1L, GX-1S, GX-10, GX-20 Good replacement for Canon RS-60E3 & Pentax CS-20</p>
		<p>For Sony Alpha SLR Camera: A900, A850, A700, A550, A500, A380, A350, A200, A100 Minolta Maxxum/Dynax/AF 7D, 5D, 9, 7, 5, 4, 3; 807si, 800si, 700si, 600si, 505si, 500si Sweet, Sweets, 9000, 7000, 5000 DiIMAGE 7Hi, 7i, 7, 51 Good replacement for Sony RC-1000</p>
		<p>For Nikon D70S, D80 Good replacement for Nikon MC-DC1</p>



MICNOVA PHOTO INDUSTRIAL CO.LTD

<http://www.micnova.com>

 <p>Micnova® Remote Switch</p>	<p>MQ-S6/C6</p>  <p>Micnova® Remote Switch</p>	<p>For Panasonic DMC-FZ15, FZ20, FZ50, FZ20K, FZ30K, FZ50K, FZ20S, FZ30S, FZ50S LC-1, L1, Digilux2, digilux3, V-Lux1</p>
 <p>Micnova® Remote Switch</p>	<p>MQ-S7/C7</p>  <p>Micnova® Remote Switch</p>	<p>For Nikon D90 D5100 D5000 D7000 D3100</p> <p>Good replacement for Nikon MC-DC2</p>
 <p>Micnova® Remote Switch</p>	<p>MQ-S8/C8</p>  <p>Micnova® Remote Switch</p>	<p>For Olympus SP-510UZ, SP-570UZ, SP-550UZ EP1, EP2, E400, E410, E510, E520, E620</p> <p>Good replacement for Olympus RM-UC1</p>
 <p>Micnova® Remote Switch</p>	<p>MQ-S9/C9</p>  <p>Micnova® Remote Switch</p>	<p>For Olympus E1, E3, E10, E20, E20N, E300*, E100RS, E330, E500, C8080*, C7070*, C5060*, C2500L</p> <p>Good replacement for Olympus RM-CB1</p>
 <p>Micnova® Wireless Remote Control</p>	<p>MQ-WC1</p>	<p>Wireless remote control Valid working distance: 100m (320ft)-150m(480ft) 16 Channels 3 Second delay 5D Mark II For Canon SLR Cameras EOS 1D Series, 1Ds series; EOS 10D, 20D, 30D, 40, 50D, D30, D60 EOS 1v, 1v HS Body EOS 50D-EF28-135/S, 7D-EF-S-18-135/S</p>
 <p>Micnova® Wireless Remote Control</p>	<p>MQ-WC2</p>	<p>Valid working distance:100m (320ft)-150m(480ft) 16 Channels 3 Second delay For Nikon SLR Cameras D1, D2, D3, D1H, D2H, D1X, D2X, D3X,D3S, D2HS, D2XS D100, D200, D300, D700, D900, D300S F5, F6, F90, F100, F90X, N90, N90X Fujifilm: Finepix S3Pro, Finepix S5Pro Kodak: DSC-14N</p>



MICNOVA PHOTO INDUSTRIAL CO.LTD








<http://www.micnova.com>

	<p>MQ-WC3</p>	<p>Valid working distance:100m (320ft)-150m(480ft) 16 Channels 3 Second delay For Canon SLR Cameras EOS 300D(Digital Rebel), 350D(Digital Rebel XT), 400D(Digital RebelXTi) 450D(Digital RebelXSi); EOS 30,33,50,50E; 300V, 300, 3000 550D, 500D,600D 1000D Contax SLR645, N1, NX, N Digital Pentax *ist,*istD, *istDS, *istDS2, *istDL *istDL2, MZ-6, ZX-L, K100D, K110D, K10D, K20D, K200D, K100D Super Samsung GX-1L, GX-1S, GX-10, GX-20</p>
	<p>MQ-WC4</p>	<p>For Sony Alpha SLR Camera: A900, A850, A700, A550, A500, A380, A350, A200, A100 Minolta Maxxum/Dynax/AF 7D, 5D, 9, 7, 5, 4, 3; 807si, 800si, 700si, 600si, 505si, 500si Sweet, Sweets, 9000, 7000, 5000 DiMAGE 7Hi, 7i, 7, 5</p>
	<p>MQ-WC5</p>	<p>Valid working distance up to 100m (320ft) 16 Channels 3 Second delay For Nikon D70S, D80</p>
	<p>MQ-WC7</p>	<p>For Nikon D90, D5000, D3100, D7000,D5100</p>
	<p>MQ-WC8</p>	<p>For Olympus SP-510UZ, SP-570UZ, SP-550UZ EP1, EP2, E400, E410, E510, E520, E620</p>
	<p>MQ-WC9</p>	<p>For Olympus E1, E3, E10, E20, E20N, E300*, E100RS, E330, E500, C8080* C7070*, C5060*, C2500L</p>



MICNOVA PHOTO INDUSTRIAL CO.LTD








<http://www.micnova.com>

	MQ-NW1	<p>Wireless remote control Valid working distance up to 100m (320ft) 16 Channels 3 Second delay For Canon SLR Cameras EOS 1D Series, 1Ds series; 7D/5D/5D2. 1D4 EOS 10D, 20D, 30D, 40, 50D, D30, D60 EOS 1v, 1v HS Body EOS 50D-EF28-135/S, 7D-EF-S-18-135/S</p>
	MQ-NW2	<p>Valid working distance up to 100m (320ft) 16 Channels 3 Second delay For Nikon SLR Cameras D1, D2, D3, D1H, D2H, D1X, D2X, D3X, D3S, D2HS, D2XS D100, D200, D300, D700, D900, D300S F5, F6, F90, F100, F90X, N90, N90X Fujifilm: Finepix S3Pro, Finepix S5Pro Kodak: DSC-14N</p>
	MQ-NW3	<p>Valid working distance up to 100m (320ft) 16 Channels 3 Second delay For Canon SLR Cameras EOS 300D(Digital Rebel), 350D(Digital Rebel XT), 400D(Digital RebelXTi) 450D(Digital RebelXSi); EOS 30,33,50,50E; 300V, 300, 3000 550D, 500D,600D, 1000D Contax SLR645, N1, NX, NDigital Pentax *ist,*istD, *istDS, *istDS2, *istDL *istDL2, MZ-6, ZX-L, K100D, K110D, K10D, K20D, K200D, K100D Super Samsung GX-1L, GX-1S, GX-10, GX-20</p>
	MQ-NW4	<p>For Sony Alpha SLR Camera: A900, A850, A700, A550, A500, A380, A350, A200, A100 Minolta Maxxum/Dynax/AF 7D, 5D, 9, 7, 5, 4, 3; 807si, 800si, 700si, 600si, 505si, 500si, Sweet, Sweets, 9000, 7000, 5000 DiMAGE 7Hi, 7i, 7, 5</p>
	MQ-NW5	<p>Valid working distance up to 100m (320ft) 16 Channels 3 Second delay For Nikon D70S, D80</p>
	MQ-NW7	<p>Valid working distance up to 100m (320ft) 16 Channels 3 Second delay For Nikon D90, D5000, D3100, D7000</p>
	MQ-NW8	<p>Valid working distance up to 100m (320ft) 16 Channels 3 Second delay For Olympus SP-510UZ, SP-570UZ, SP-550UZ EP1, EP2, E400, E410, E510, E520, E620</p>



MICNOVA PHOTO INDUSTRIAL CO.LTD

<http://www.micnova.com>

 <p>Micnova® MQ-NW9 Wireless Remote Control</p>	MQ-NW9	<p>Valid working distance up to 100m (320ft) 16 Channels 3 Second delay For Olympus E1, E3, E10, E20, E20N, E300*, E100RS, E330, E500, C8080*, C7070*, C5060*, C2500L</p>
 <p>Micnova® MQ-TC1 Timer Control</p>	MQ-TC1	<p>Functions as an Intervalometer Self-Timer Interval Timer Long-Exposure Timer Exposure Count Setting LCD Display with Backlighting Enter Settings with a Single Thumb For Canon SLR Cameras EOS 1D Series, 1Ds series;5D Mark II EOS 10D, 20D, 30D, 40, 50D, D30, D60 EOS 1v, 1v HS Body EOS 50D-EF28-135/S, 7D-EF-S-18-135/S</p>
 <p>Micnova® MQ-TC2 Timer Control</p>	MQ-TC2	<p>For Nikon SLR Cameras D1, D2, D3, D1H, D2H, D1X, D2X, D3X, D3S, D2HS, D2XS D100, D200, D300, D700, D900, D300S F5, F6, F90, F100, F90X, N90, N90X Fujifilm: Finepix S3Pro, Finepix S5Pro Kodak: DSC-14N</p>
 <p>Micnova® MQ-TC3 Timer Control</p>	MQ-TC3	<p>For Canon SLR Cameras EOS 300D(Digital Rebel), 350D(Digital Rebel XT), 400D(Digital RebelXTi), 450D(Digital RebelXSi); EOS 30,33,50,50E; 300V, 300, 3000, 550D, 500D, 600D,1000D Contax SLR645, N1, NX, NDigital Pentax *ist,*istD, *istDS, *istDS2, *istDL *istDL2, MZ-6, ZX-L, K100D, K110D, K10D K20D, K200D, K100D Super Samsung GX-1L, GX-1S, GX-10, GX-20</p>
 <p>Micnova® MQ-TC4 Timer Control</p>	MQ-TC4	<p>For Sony Alpha SLR Camera: A900, A850, A700, A550, A500, A380, A350, A200, A100 Minolta Maxxum/Dynax/AF 7D, 5D, 9, 7, 5, 4, 3; 807si, 800si, 700si, 600si, 505si, 500si Sweet, Sweets, 9000, 7000, 5000 DiMAGE 7Hi, 7i, 7, 5</p>
 <p>Micnova® MQ-TC5 Timer Control</p>	MQ-TC5	<p>For Nikon D70S, D80</p>
 <p>Micnova® MQ-TC7 Timer Control</p>	MQ-TC7	<p>For Nikon D90, D5000, D3100, D7000,D5100</p>



MICNOVA PHOTO INDUSTRIAL CO.LTD







<http://www.micnova.com>

<p>Micnova® MQ-TC8 Timer Control</p>	MQ-TC8	For Olympus SP-510UZ, SP-570UZ, SP-550UZ EP1, EP2, E400, E410, E510, E520, E620
<p>Micnova® MQ-TC9 Timer Control</p>	MQ-TC9	For Olympus E1, E3, E10, E20, E20N, E300*, E100RS, E330, E500, C8080* C7070*, C5060*, C2500L
<p>Micnova® MQ-RC1 IR Remote Control</p>	MQ-RC1	<p>IR remote control The transmitter can trigger the camera's shutter remotely up to 10 meters using infrared signal. It can be used with single shot mode, two second delay, multiple exposures as well as bulb mode for long exposures. Supports instant and half shutter, AE/AF functions. Multiple purpose of usage: Studio, Macro, Low Light and Long Exposures</p> <p>For Olympus E Series (E1, E3, E10, E20, E100RS, E300, E330, E400, E410, E420, E500, E510, E520, E2100, E2500) Stylus 800, Stylus 500, Stylus 410, Stylus400, Stylus 300, D40 Zoom, C8080, C770, C755, C750, C730, C7070, C7000, C60, C5060, C5050, C5000, C50, C4040, C3040, C3030, C3000, C2500L, C2100, C2040, C2020, C2000, 800, 500, 410, 400,300</p>
<p>Micnova® MQ-RC2 IR Remote Control</p>	MQ-RC2	For Nikon D5000,D3100,D3000, D90, D80, D70S, D70, D60, D50, D40X, D40, 8400, 8800, Pronea S, F75, F65, F55, N65, N75, Nuvis S, Lite Touch
<p>Micnova® MQ-RC3 IR Remote Control</p>	MQ-RC3	A multi-functional IR remote control for Canon, Nikon, Pentax, Sony
<p>Micnova® MQ-RC4 IR Remote Control</p>	MQ-RC4	For Canon EOS 5D Mark II,7D,400D, 350D, 300D, 30, 33, 30V, 50, 55 EOS KISSIII, KISSIIIIL, EOS 100, 10, 300V,300X, 300VQD, EOS IX, IXS Jr/ II/III/SUPERSHOT/ELAN7/ Rebel T1 Date/ Rebel T2 Date/ Z180U/Z155/120/3 Canon PowerShot:Pro1, Pro90 IS, G6, G5 G3,G2, G1, SII S, S70, S60
<p>Micnova® MQ-RC5 IR Remote Control</p>	MQ-RC5	For Sony A230, A330, A380, A700, A900



MICNOVA PHOTO INDUSTRIAL CO.LTD

<http://www.micnova.com>









 <p>Micnova® MQ-RC6 IR Remote Control</p>	MQ-RC6	<p>For Pentax Digital SLR*istDL, *istDS, *istDL, K100, K110, K10D, K20D, K100D, K200D K2000, K-m, K7 Optio S, S4, S4i, S5i, S5n SV 330, 430, 450, 550, 555, 750z, S50, S40 Film SLR *ist MZ6, MZ-L, ZX-L</p>
 <p>Micnova® MQ-X IR Remote Control</p>	MQ-X	<p>Valid working distance: 50m Infrared design with 2s delay Multifunctional IR remote control for Canon, Pentax, Nikon & Olympus</p>
 <p>Micnova® MQ-X1 Remote Release Cord</p>	MQ-X1	<p>Remote release cord for Canon EOS 1D Series, 1Ds series;5D Mark II EOS 10D, 20D, 30D, 40, 50D, D30, D60 EOS 1v, 1v HS Body EOS 50D-EF28-135/S, 7D-EF-S-18-135/S</p>
 <p>Micnova® MQ-X3 Remote Release Cord</p>	MQ-X3	<p>Remote release cord for Canon EOS 300D(Digital Rebel), 350D(Digital Rebel XT), 400D(Digital RebelXTi), 450D(Digital RebelXSi); EOS 30,33,50,50E; 300V, 300, 3000, 550D, 500D, 600D,1000D Contax SLR645, N1, NX, NDigital Pentax *ist,*istD, *istDS, *istDS2, *istDL *istDL2, MZ-6, ZX-L, K100D, K110D, K10D K20D, K200D, K100D Super Samsung GX-1L, GX-1S, GX-10, GX-20</p>
 <p>Micnova® MQ-X5 Remote Release Cord</p>	MQ-X5	<p>Remote release cord for Nikon D70S, D80</p>
 <p>Micnova® MQ-X7 Remote Release Cord</p>	MQ-X7	<p>Remote release cord for Nikon D90, D5000, D3100, D7000,D5100</p>
 <p>Micnova® MQ-X8 Remote Release Cord</p>	MQ-X8	<p>Remote release cord for Olympus SP-510UZ, SP-570UZ, SP-550UZ EP1, EP2, E400, E410, E510, E520, E620</p>
 <p>Micnova® GPS-N Camera GPS</p>	GPS-N	<p>Camera GPS Equipment Geotag (Latitude, Longitude, Altitude & UTC) can be added to the pictures Suits for outdoor photo-taking Compatible with Nikon D3X, D3, D700, D300S, D300, D2X, D2HS, D200 Nikon D90, D5000 Fujifilm: FinePix S5Pro</p>



MICNOVA PHOTO INDUSTRIAL CO.LTD

<http://www.micnova.com>









Light Diffuser System (MQ-B/MQ-D/MQ-J/MQ-A Series)

 <p>Micnova® MQ-B1 Flash Emitter Diffuser Box</p>	MQ-B1	<p>Universal Soft Box Flash Diffuser Softens harsh shadows Light loss: Appro. 1 stops Dimension: 11cm*14cm</p>
 <p>Micnova® MQ-B1A Universal Soft Box Flash Diffuser</p>	MQ-B1A	<p>Universal Soft Box Flash Diffuser Softens harsh shadows Light loss: Appro. 1 stops Dimension: 5.5cm*12.5cm</p>
 <p>Micnova® MQ-B2 Inflatable Flash Diffuser</p>	MQ-B2	<p>Inflatable Flash Diffuser Softens harsh shadows Eliminates red eye effect Light loss: Appro. 1 stops Dimension: Folds flat to 14.5cm*22cm</p>
 <p>Micnova® MQ-B3 Pop-up Flash Diffuser</p>	MQ-B3	<p>Pop-up Flash Diffuser Softens harsh shadows Eliminates red eye effect Light loss: Appro. 1 stops Dimension: Folds flat to 10cm*12cm</p>
 <p>Micnova® MQ-B4 Cloth Soft Flash Diffuser</p>	MQ-B4	<p>Cloth & Soft Flash Diffuser Softens harsh shadows Eliminates red eye effect Light loss: Appro. 1 stops Dimension: Folds flat to 7cm*8cm</p>
 <p>Micnova® MQ-B5 Universal Soft Flash Diffuser</p>	MQ-B5	<p>Universal Soft Box Flash Diffuser Softens harsh shadows Eliminates red eye effect Light loss: Appro. 1 stops Dimension: 10cm*13cm</p>
 <p>Micnova® MQ-B6 Universal Gel Soft Box</p>	MQ-B6	<p>Colored Gel Soft Box Includes Six colored gels: Pink, Yellow, Blue, Red, Amber & Green Softens harsh shadows Light loss: Appro. 1 stops Dimension: 9cm*12cm</p>
 <p>Micnova® MQ-B7 Universal Soft Flash Diffuser</p>	MQ-B7	<p>Universal Soft Box Flash Diffuser Softens harsh shadows Eliminates red eye effect Light loss: Appro. 1 1/4 stops Dimension: Folds flat to 14.5cm*20.5cm</p>



MICNOVA PHOTO INDUSTRIAL CO.LTD











<http://www.micnova.com>

 <p>Micnova® MQ-B8 Universal Soft Flash Diffuser</p>	MQ-B8	<p>Universal soft box Flash Diffuser Softens harsh shadows Eliminates red eye effect Light loss: Appro. 2 stops Dimension: Folds flat to 23cm*21cm</p>
 <p>Micnova® MQ-B9 Professional Snoot</p>	MQ-B9	<p>Professional snoot or Reflector Limits the light to a specific area Light loss: Appro. 1 1/3 stops Dimension: Folds flat to 27cm*20.5cm</p>
 <p>Micnova® MQ-B10 Light Shapers</p>	MQ-B10	<p>Light- shapers or bounce card Light loss: Appro. 1 stops Dimension: Folds flat to 19.5cm*10.5cm</p>
 <p>Micnova® MQ-B11 Universal Light Focuser</p>	MQ-B11	<p>Ultra soft box Compatible with all flashguns Softens harsh shadows Eliminates red eye effect Light loss: Appro. 1 stops Dimension: Folds flat to 18.5cm*11.5cm</p>
 <p>Micnova® MQ-B12 Universal Light System</p>	MQ-B12	<p>Ultra soft box Compatible with all flashguns Softens harsh shadows Eliminates red eye effect Light loss: Appro. 1 stops Dimension: Folds flat to 18.5*11.5cm</p>
 <p>Micnova® MQ-B13 Trumpet Soft Box</p>	MQ-B13	Soft box
	MQ-B14	<p>Flash soft box The unique design does not block either exposure sensors or auto focus assist beams on most flashes. Application: To achieve a softer look with reduced shadow definition. For use on an individual flash or to softly illuminate the background in a multiple flash set up.</p>
	MQ-B15	<p>Flash soft screen The Soft Screen is a camera mounted flash diffuser that softens the harsh light emitted from digital SLR pop-up flashes. It installs into the hot shoe</p>



MICNOVA PHOTO INDUSTRIAL CO.LTD

<http://www.micnova.com>

 <p>Micnova MQ-PP Flash Diffuser</p>	MQ-PP	<p>Pop-up Flash Diffuser Softens harsh shadows Eliminates red eye effect Reduces hot spots</p>
 <p>Micnova MQ-20 Universal Soft Flash Diffuser</p>	MQ-20	<p>Universal soft box Flash Diffuser Softens harsh shadows Eliminates red eye effect Light loss: Appro. 2 stops Dimension: Folds flat to 20*24cm</p>
 <p>Micnova MQ-CB1 Clinch Band</p>	MQ-CB1	<p>Clinch Band A Mounting Strap provides secure attachment For all flash accessories Size: 32cm*2.5cm</p>
 <p>Micnova MQ-CB2 Clinch Band</p>	MQ-CB2	<p>Clinch Band A Mounting Strap provides secure attachment For all flash accessories Size: 32cm*3.5cm</p>
 <p>Micnova MQ-SB40 Soft Box Diffuser</p>	MQ-SB40	<p>Soft Box Diffuser Size:40cm*40cm*40cm</p>
 <p>Micnova MQ-SB60 Soft Box Diffuser</p>	MQ-SB60	<p>Soft Box Diffuser Size:60cm*60cm*60cm</p>
 <p>Micnova MQ-D1 Flash Diffuser</p>	MQ-D1	<p>For Nikon Flash SB-600 Colors available: White, Golden & Green It has 3 color, each color is USD2.0</p>
 <p>Micnova MQ-D2 Flash Diffuser</p>	MQ-D2	<p>Hard case flash diffuser For Canon Flash 580EX Colors available: White, Golden & Green It has 3 color, each color is USD2.0</p>
 <p>Micnova MQ-D3 Flash Diffuser</p>	MQ-D3	<p>For Canon Flash 430EX Colors available: White, Golden & Green It has 3 color, each color is USD2.0</p>
 <p>Micnova MQ-D4 Flash Diffuser</p>	MQ-D4	<p>For Canon 380EX Colors available: White, Golden & Green It has 3 color, each color is USD2.0</p>



MICNOVA PHOTO INDUSTRIAL CO.LTD

<http://www.micnova.com>

	MQ-D5	For Nikon Flash SB-700 Colors available: White, Golden & Green It has 3 color, each color is USD2.0
	MQ-D6	For Nikon Flash SB-400 Colors available: White, Golden & Green It has 3 color, each color is USD2.0
	MQ-D7	For Nikon Flash SB-800 Colors available: White, Golden & Green It has 3 color, each color is USD2.0
	MQ-D8	For Nikon Flash SB-900 Colors available: White, Golden & Green It has 3 color, each color is USD2.0
	MQ-D9	For Sony Flash F58AM It has 3 color, each color is USD2.0
	MQ-D10	For Canon Flash 270EX Colors available: White, Golden & Green It has 3 color, each color is USD2.0
	MQ-D11	For Nikon Flash R1C1 Colors available: White, Golden & Green It has 3 color, each color is USD2.0
	MQ-D12	For Canon Flash MT-24EX Colors available: White, Golden & Green It has 3 color, each color is USD2.0
	MQ-J1	Clear diffuser system Including: Gold, white and silver dome Fit with: Canon 420EX, Nikon SB600, SB800, OLYMPYS FL-36,
	MQ-J2	Clear diffuser system Including: Gold, white and silver dome Fit with: Canon 580EX(II), Nikon SB900
	MQ-J3	Clear diffuser system Including: Gold, white and silver dome Fit with: Canon 380EX, 420EZ, 430EX Nikon SB24, SB25, SB26, SB28, SB28DX, Metz 36AF, 40M22, 44M22&54-AF12



MICNOVA PHOTO INDUSTRIAL CO.LTD

<http://www.micnova.com>










<p>Micnova®</p> <p>Clear</p>  <p>MQ-J4 Inverted Flash Diffuser</p>	MQ-J4	<p>Clear diffuser system Including :Gold, white and sliver dome Fit with: Canon 430EX, Sony HVL-FL32X, Metz 54MZ-4</p>
<p>Micnova®</p> <p>Cloud</p>  <p>MQ-A1 Inverted Flash Diffuser</p>	MQ-A1	<p>Cloud diffuser system Including: Gold, white and sliver dome Fit with: Canon420EX, Nikon SB600,SB800, OLYMPYS FL-36,</p>
<p>Micnova®</p> <p>Cloud</p>  <p>MQ-A2 Inverted Flash Diffuser</p>	MQ-A2	<p>Cloud diffuser system Including: Gold, white and sliver dome Fit with: Canon 580EX(II), Nikon SB900</p>
<p>Micnova®</p> <p>Cloud</p>  <p>MQ-A3 Inverted Flash Diffuser</p>	MQ-A3	<p>Cloud diffuser system Including: Gold, white and sliver dome Fit with: Canon 380EX,420EZ,430EX, Nikon SB24,SB25,SB26,SB28,SB28DX, Metz 36AF,40MZZ,44MZZ&54-AF1Z</p>
<p>Micnova®</p> <p>Cloud</p>  <p>MQ-A4 Inverted Flash Diffuser</p>	MQ-A4	<p>Cloud diffuser system Including: Gold, white and sliver dome Fit with: Canon 430EX, Sony HVL-FL32X, Metz 54MZ-4</p>
<p>Micnova®</p> <p>Cloud</p>  <p>MQ-JA Multifunctional Flash Diffuser</p>	MQ-JA	<p>Cloud Multifunctional Flash Diffuser Softens box effect & warms the light Universal—suits almost ANY on-camera flashes! Includes the White, Amble & Sliver Dome</p>
<p>Micnova®</p> <p>Clear</p>  <p>MQ-ZA Multifunctional Flash Diffuser</p>	MQ-ZA	<p>Clear Multifunctional Flash Diffuser Softens box effect & warms the light Universal—suits almost ANY on-camera flashes! Includes the White, Amble & Sliver Dome</p>
<p>Micnova®</p>  <p>MQ-FW01 Speed Grid</p>	MQ-FW01	<p>Micnova 1/8 Speed Grid for Portable Flash Our 1/8 Speed Grid™ has a 1/8" honeycomb cell size to effectively narrow the beam of light from your portable flash unit, producing a small circle of light on your subject.</p>
<p>Micnova®</p>  <p>MQ-FW02 Speed Grid</p>	MQ-FW02	<p>Micnova 1/4 Speed Grid for Portable Flash Our 1/4 Speed Grid™ has a 1/4" honeycomb cell size to effectively narrow the beam of light from your portable flash unit, producing a small circle of light on your subject.</p>



MICNOVA PHOTO INDUSTRIAL CO.LTD

<http://www.micnova.com>

Light Balance System (Gray Card & Balance Disc & Ring Flash Adapter)








 <p>Micnova® MQ-DGC-M Digital Grey Card</p>	MQ-DGC-M	<p>Digital Gray Card— Gray (18%), White (100%)& Black(100%) Provides a means for measuring exposure A reference for color balance Size: 5.4cm*8.5cm</p>
 <p>Micnova® MQ-DGC-B Digital Grey Card</p>	MQ-DGC-B	<p>Digital Gray Card— Gray (18%), White (100%)& Black(100%) Provides a means for measuring exposure A reference for color balance Dimensions: 3.2"×2.2"0.1'</p>
 <p>Micnova® MQ-110 Full Color Balance Disc</p>	MQ-110	<p>Full Color Balance Disc Provides a means for measuring exposure A reference for color balance It is a 2-sided disc with a gray side and a white side, to handle your needs of color balance and proper exposure alike. You use the white side for color balancing, and after the white balance is achieved you use the gray card for an accurate exposure reading.</p>
 <p>Micnova® CR-900 Ring Flash Adapter</p>	CR-900	<p>Ring Flash Adapter for Nikon SB900 flash With SLR cameras: D300S, D300, D200, D100, D90, D80, D5000,D7000</p>
 <p>Micnova® CR-900-H Ring Flash Adapter</p>	CR-900-H	<p>Ring Flash Adapter for Nikon SB900 flash with SLR cameras: D3 Series, D700</p>
 <p>Micnova® CR-580 Ring Flash Adapter</p>	CR-580	<p>Ring Flash Adapter for Canon 580EX flash With SLR cameras: 7D, 5D, 5D II 50D, 40D, 30D, 20D</p>
 <p>Micnova® CR-580-H Ring Flash Adapter</p>	CR-580-H	<p>Ring Flash Adapter for Canon 580EX II flash with SLR cameras of 1Ds Series</p>
 <p>Micnova® CR-EF530 Ring Flash Adapter</p>	CR-EF530	<p>Ring Flash Adapter for Sigma EF-530 flash With most of cameras (Nikon, Canon, Sigma, Sony & Pentax)</p>
 <p>Micnova® CR-F58AM Ring Flash Adapter</p>	CR-F58AM	<p>Ring Flash Adapter for Sony HVL-F58AM flash with SLR cameras: A900, A700 A550, A500, A350</p>



MICNOVA PHOTO INDUSTRIAL CO.LTD

<http://www.micnova.com>

TTL Cord Series


 <p>Micnova® MQ-28 Flashgun Cable</p>	MQ-28	For all the Nikon cameras with Nikon flashgun
 <p>Micnova® MQ-E3 Flashgun Cable</p>	MQ-E3	For all the Canon cameras with Canon flashgun
 <p>Micnova® MQ-F1 Flashgun Cable</p>	MQ-F1	For all the Sony cameras with Sony flashgun
 <p>Micnova® MQ-O1 Flashgun Cable</p>	MQ-O1	For all the Olympus cameras with Olympus flashgun
 <p>Micnova® MQ-P1 Flashgun Cable</p>	MQ-P1	For all the Pentax cameras with Pentax flashgun
	MQ-M18	<p>Universal TTL Cord (2 Meters Length)</p> <p>multiple contact pins which work for all flashes designed for Canon, Fujifilm, Nikon, Pentax and Samsung digital SLR cameras</p> <p>The usable camera and flash</p> <ol style="list-style-type: none"> 1. Canon EOS Digital SLR cameras and flash units designed for their TTL flash systems 2. Nikon digital SLR cameras and flash units designed for their TTL flash systems 3. Pentax digital SLR cameras and flash units designed for their TTL flash systems 4. Samsung digital SLR cameras and flash units designed for their TTL flash systems 5. Fujifilm digital SLR cameras and flash units designed for their TTL flash systems
	MQ-M18L	Dual hot shoe TTL cord for Canon, Fujifilm, Nikon, Pentax and Samsung digital SLR cameras(5 meters in length)



MICNOVA PHOTO INDUSTRIAL CO.LTD

<http://www.micnova.com>

Wireless Flash Trigger Series

 <p>Micnova® FT-4C Wireless Flash Trigger</p>  <p>Micnova® FT-4C Wireless Flash Trigger</p>	<p>FT-4C</p>	<p>Wireless Flash Trigger & Control</p> <ul style="list-style-type: none"> --2.4GHz FSK --16 Channel modes --Transmitter distance 200m --Sync-speed 1/250s <p>For Canon SpeedLite 580EX II, 580EX, 550EX, 540EZ, 520EZ, 430EX, 430EZ, 420EX, 420EZ, 380EX</p> <p>Nikon SpeedLite SB-800, SB-600, SB-28, SB-27, SB-26, SB-25, SB-24</p> <p>Olympus FL-50, FL-40, FL-36</p> <p>Pentax AF-540 FGZ, AF-360 FGZ, AF-400 FT, AF-240 FT</p> <p>Sigma EF-500 DG Super, EF-430</p>
 <p>Micnova® MQ-FT Wireless Flash Trigger and Control</p>	<p>MQ-FT</p>	<p>Wireless Flash Trigger & Control</p> <p>for Canon & Nikon</p> <ul style="list-style-type: none"> --2.4GHz FSK --16 Channel modes --Transmitter distance 200m --Sync-speed 1/250s
 <p>Micnova® MQ-FT-01 Wireless Flash Trigger and Control</p>	<p>MQ-FT-01</p>	<p>Wireless Flash Trigger controls the flashgun, Cameras & studio flash.</p> <p>For Canon 1Ds Series, 7D, 5D, 50D, 40D, 30D, 20D</p>
 <p>Micnova® MQ-FT-02 Wireless Flash Trigger and Control</p>	<p>MQ-FT-02</p>	<p>For Nikon D3X, D3, D2 Series, D700, D300, D200</p> <p>Kodak DSC-14n</p> <p>Fuji Finepix S3Pro</p>
 <p>Micnova® MQ-FT-03 Wireless Flash Trigger and Control</p>	<p>MQ-FT-03</p>	<p>For Canon 1000D, 450D, 400D, 350D</p> <p>Pentax SLR Cameras</p> <p>Samsung GX-10, GX-20</p>
 <p>Micnova® MQ-FT-05 Wireless Flash Trigger and Control</p>	<p>MQ-FT05</p>	<p>For Nikon D70s, D80</p>
 <p>Micnova® MQ-FT-07 Wireless Flash Trigger and Control</p>	<p>MQ-FT07</p>	<p>For Nikon D90, D5000, D7000, D3100</p>



MICNOVA PHOTO INDUSTRIAL CO.LTD

<http://www.micnova.com>

Micnova Spirit Level Series




<p>Micnova®</p>  <p>MQ-SL1</p> <p>Spirit Level</p>	MQ-SL1	2 Axis spirit level
<p>Micnova®</p>  <p>MQ-SL2</p> <p>Spirit Level</p>	MQ-SL2	3 Axis spirit level
<p>Micnova®</p>  <p>MQ-SL3</p> <p>Spirit Level</p>	MQ-SL3	2 Axis spirit level (for Sony Hotshoe Adapter)
<p>Micnova®</p>  <p>MQ-SL4</p> <p>Spirit Level</p>	MQ-SL4	3 Axis spirit level (for Sony Hotshoe Adapter)
<p>Micnova®</p>  <p>MQ-SL5</p> <p>Spirit Level</p>	MQ-SL5	1 Axis spirit level
<p>Micnova®</p>  <p>MQ-CLL-S</p> <p>Digital Spirit Level</p>	MQ-CLL-S	Digital spirit level Balance state Red LED light, Green LED light, Blue LED light For Sony Hotshoe adapter
<p>Micnova®</p>  <p>MQ-CLL</p> <p>Digital Spirit Level</p>	MQ-CLL	Digital spirit level Balance state Red LED light, Green LED light, Blue LED light



MICNOVA PHOTO INDUSTRIAL CO.LTD

<http://www.micnova.com>

Tripod Mount Ring Series (MQ-TMR)

 <p>Micnova® MQ-TMR1 Tripod Mount Ring</p>	MQ-TMR1	Tripod Mount Ring for the lens of Canon 70-200f4/70-200f4 IS/300/400
 <p>Micnova® MQ-TMR2 Tripod Mount Ring</p>	MQ-TMR2	Tripod Mount Ring for the lens of Canon 70-200f2.8
 <p>Micnova® MQ-TMR3 Tripod Mount Ring</p>	MQ-TMR3	Tripod Mount Ring for the lens of Canon 80-200f2.8/70-200f4 IS/300/400
 <p>Micnova® MQ-TMR4 Tripod Mount Ring</p>	MQ-TMR4	Tripod Mount Ring for the lens of Canon 100mm f2.8

Hand & Neck Strap Series



 <p>Micnova® MQ-HS4 Hand Strap</p>	MQ-HS4	Hand Strap for most of Cameras Material: Leather
 <p>Micnova® MQ-HS2 Hand Strap</p>	MQ-HS2	Hand Strap for most of Cameras Material: Leather
 <p>Micnova® MQ-NS1 Neck Strap</p>	MQ-NS1	Neck Strap for most of Cameras
 <p>Micnova® MQ-NS2 Neck Strap</p>	MQ-NS2	Neck Strap for most of Cameras
 <p>Micnova® MQ-NS3 Neck Strap</p>	MQ-NS3	Neck Strap for most of Cameras





MICNOVA PHOTO INDUSTRIAL CO.LTD

<http://www.micnova.com>





Battery Pack Series

 <p>Micnova Flash Battery Pack</p>	MBP-C	Battery Pack for Canon 580EX II /580EX/550EX MR-14EX/MT-24EX
 <p>Micnova Flash Battery Pack</p>	MBP-N	Battery Pack for Nikon SB-11, 20, 22, 24, 25 26, 27, 28, 28DX, SB-80DX, SB800
 <p>Micnova Flash Battery Pack</p>	MBP-S	Battery Pack for Sony HVL-F56AM

Extension Tube Set Series (MQ-AF Series)

 <p>Micnova Auto Focus Extension Tube Set</p>	MQ-AFC	AF extension tube set for Canon 13mm, 21mm, 31mm
 <p>Micnova Auto Focus Extension Tube Set</p>	MQ-AFN	AF extension tube set for Nikon 12mm, 20mm, 36mm

Cleaning System











 <p>Micnova Air Dust Elower</p>	MQ-DC1	Dust Cleaner
 <p>Micnova Air Dust Elower</p>	MQ-DC2	Dust Cleaner
 <p>Micnova Lens Cleaning Pen Kit</p>	MQ-LP1	Lens Cleaning Pen Kit
 <p>Micnova Cleaning Cloth</p>	MQ-CC	Cleaning cloth Gray Color Size: 18cm*18cm



MICNOVA PHOTO INDUSTRIAL CO.LTD

<http://www.micnova.com>

Other Accessories

 <p>Micnova ECR-007 Video Handle</p>	ECR-007	Handle of camcorders or cameras
 <p>Micnova MQ-HC01 Quick Speed Elite</p>	MQ-HC01	DV Mini Hot Shoe Mount Adapter For Canon
 <p>Micnova MQ-HC02 Quick Speed Elite</p>	MQ-HC02	DV Mini Hot Shoe Mount Adapter For Sony
 <p>Micnova MQ-CH01 Camera Strap Holder</p>	MQ-CH01	Camera Strap Holder
 <p>Micnova BM-7A LCD Screen Protector</p>	BM-7A	LCD Monitor Cover D80
 <p>Micnova BM-8A LCD Screen Protector</p>	BM-8A	LCD Monitor Cover D300
 <p>Micnova BM-10A LCD Screen Protector</p>	BM-10A	LCD Monitor Cover D90
	MQ-MSP	<p>multifunctional belt</p> <p>1 or 2 cameras carrying design ,with camera tethers, Perfect for wedding, sports, nature, And studio photography Eliminates neck straps that cause neck strain and swinging camera comfortably carries any size of camera and lens combination Secure camera locking system with instant release Made of high quality nylon</p>
 	MQ-THA	<p>Video accessories mount</p> <p>is designed to work on the shot mount of your camera to give you 3 Mounting points, It allows a microphone and a radio receiver to be mounted on your camera and leave a shoe open for a light, flash, audio recorder, hard disc, or extra receiver.</p> <p>It is made of high quality metal.</p>