

Wire shelving storage series

Markets: Healthcare, Industrial

Solutions: I need more floorspace

Stuff to Store: Dry Goods, Frozen Food, Refrigerated Items, Totes, Wafers/Cleanrooms

Department: Facilities, Fire Department, Laboratory, Materials Management, Supply

Description of wire shelf/shelving:

1. Split sleeves for easy assembly;
2. Finished: chrome, zinc, powder coated;
3. Display Shelf have many kinds of styles: Light duty display shelf, Heavy duty wire shelving,

Slide wire shelving , Single hole wire shelving, Two hole wire shelving, Slanting wire shelving,

4. Material: Q195 (standard material of wire shelving).

5. Loading capacity: 250kg;

6. Standard length:

355MM, 457MM, 533MM, 610MM, 757MM, 910MM, 1060MM, 1215MM, 1370MM, 1518MM, 1822MM;

7. Standard width:

Width: 355MM, 457MM, 610MM, 900MM

8. Shelves: Truss and support wires dia: 6.0mm Shelf matt and Serpentine wires dia: 4.5mm and 3.0mm

Maximum loading capacity: 300KG/Tier

9. Post: dia: 25.4; 1.2mm thickness



Dongguan Ying Guang Metalware Co.,LTD



Finishes

Available in durable, abrasion resistant **black**, **chrome**, or moisture resistant **green epoxy**.



Ease of Assembly

Easy, tool free assembly! Versatile shelves adjust on 1" increments.




Stem Casters & Donut

Bumper, 3",4",5" PVC and ESD casters(2 with bracking)



Wire Shelf Dividers, size customized !




Hanger Rails



Wire Shelf Ledges



Utility Cart Handle



Wire Slant Shelves



Wire Dump Bins



Stainless Steel Shelves








Add-On S-Hooks



Replacement Shelf


Dongguan Ying Guang Metalware Co.,LTD



 <p>Post end adjuste foot</p>	<p>Sleeves</p>  <p>Post connection USD\$</p>
 <p>zinc sleeves</p>	

	Size	Unit	EXW Unit Price (USD/PCS)		
In.	MM	PCS	Chrome wire shelves	202 SS wire shelves	304 SS wire shelves
14*14	355*355	1	US\$2. 82	US\$10. 55	US\$13. 45
14*24	355*609	1	US\$3. 82	US\$13. 45	US\$17. 22
14*30	355*757	1	US\$4. 60	US\$15. 35	US\$19. 58
14*36	355*907	1	US\$5. 69	US\$17. 25	US\$22. 05
14*42	355*1060	1	US\$6. 56	US\$19. 69	US\$25. 15
14*48	355*1215	1	US\$7. 38	US\$23. 65	US\$30. 29
14*54	355*1370	1	US\$8. 28	US\$25. 75	US\$32. 95
14*60	355*1518	1	US\$9. 65	US\$28. 55	US\$36. 52
14*72	355*1822	1	US\$11. 38	US\$32. 40	US\$41. 45
18*18	457*457	1	US\$3. 57	US\$13. 22	US\$16. 88
18*24	457*609	1	US\$4. 45	US\$15. 05	US\$19. 22
18*30	457*757	1	US\$5. 48	US\$17. 03	US\$21. 68
18*36	457*907	1	US\$6. 42	US\$19. 22	US\$24. 52
18*42	457*1060	1	US\$7. 59	US\$22. 92	US\$29. 28
18*48	457*1215	1	US\$8. 69	US\$25. 75	US\$32. 98
18*54	457*1370	1	US\$9. 73	US\$27. 82	US\$35. 65
18*60	457*1518	1	US\$11. 38	US\$30. 65	US\$38. 18






Dongguan Ying Guang Metalware Co.,LTD

18*72	457*1822	1	US\$13.55	US\$35.45	US\$45.22
21*21	533*533	1	US\$4.42	US\$15.21	US\$19.22
21*24	533*610	1	US\$4.92	US\$15.82	US\$20.35
21*30	533*757	1	US\$5.95	US\$19.12	US\$24.28
21*36	533*907	1	US\$7.22	US\$21.48	US\$27.48
21*42	533*1060	1	US\$8.31	US\$24.25	US\$30.96
21*48	533*1215	1	US\$9.65	US\$28.58	US\$36.48
21*54	533*1370	1	US\$10.42	US\$30.15	US\$38.55
21*60	533*1518	1	US\$12.55	US\$33.19	US\$42.45
21*72	533*1822	1	US\$14.52	US\$37.45	US\$47.79
24*24	609*609	1	US\$5.82	US\$18.22	US\$23.35
24*30	609*760	1	US\$6.98	US\$21.75	US\$27.75
24*36	609*907	1	US\$8.59	US\$24.15	US\$30.95
24*42	609*1060	1	US\$9.89	US\$27.98	US\$35.72
24*48	609*1215	1	US\$11.28	US\$32.98	US\$42.15
24*54	609*1370	1	US\$13.22	US\$35.85	US\$45.88
24*60	609*1518	1	US\$15.28	US\$39.45	US\$49.59
24*72	609*1822	1	US\$18.22	US\$46.45	US\$59.49

 POST	Size (mm)	Unit (PCS)	Chrome post	202 SS Post	304 SS Post
	1000	1	USD\$1.9	US\$3.98	USD\$5.2
	The hight of post is from 700mm to 2200mm				

 casters Bump	3"PVC	1 SETS	US\$9.98	2 with bracking
	4"PVC	1 SETS	US\$10.82	
	5"PVC	1 SETS	US\$12.35	
	3"ESD	1 SETS	US\$12.68	2 with bracking
	4"ESD	1 SETS	US\$16.29	
	5"ESD	1 SETS	US\$18.00	
		1 pec	USD\$0.72	

Dongguan Ying Guang Metalware Co.,LTD

 <p>zinc sleeves</p>		2 pcs	US\$1.06		picture
	Size (mm)	Chrome price	202 SS	304 SS	
<p>square bar</p>   	457*907	USD\$3.7	USD\$9.53	USD\$12.23	divider
	457*1215	USD\$5.23	USD\$12.7	USD\$16.3	
	220*350	USD\$2.08	USD\$4.93	USD\$6.35	
	220*450	USD\$2.39	USD\$5.87	USD\$7.46	
	220*530	USD\$2.86	USD\$7.2	USD\$9.1	
	220*610	USD\$3.4	USD\$7.7	USD\$9.68	
	130*450	USD\$1.28	USD\$3.2	USD\$3.98	
	130*530	USD\$1.37	USD\$3.66	USD\$4.5	
	130*600	USD\$1.76	USD\$3.98	USD\$5.1	
	130*910	USD\$2.07	USD\$4.93	USD\$6.35	
	130*1050	USD\$2.23	USD\$5.56	USD\$7.15	
	130*1200	USD\$3.18	USD\$8.75	USD\$11.2	
	130*1500	USD\$4.15	USD\$11.3	USD\$14.5	
	130*1820	USD\$4.7	USD\$12.6	¥USD\$16.1	ledges
	350	USD\$1.3	USD\$3.5	USD\$4.3	
	450	USD\$1.59	USD\$3.7	USD\$4.8	
	530	USD\$1.8	USD\$3.99	USD\$5.1	
	600	USD\$1.8	USD\$4.29	USD\$5.56	
	750	USD\$1.98	USD\$4.6	USD\$5.88	
	900	USD\$2.06	USD\$5.08	USD\$6.67	
1050	USD\$2.23	USD\$5.8	USD\$7.5		
1200	USD\$2.39	USD\$6.2	USD\$7.99		
1500	USD\$2.88	USD\$7.15	USD\$9.05		
1800	USD\$3.27	USD\$8.12	USD\$10.33	single security bar	

Dongguan Ying Guang Metalware Co.,LTD





Slanted shelf

Double peak and single shelves (SMT rack)

SMT Wire shelf	Size	Unit	EXW Unit Price (USD/PCS)		
			chrome	202 SS	304 SS
	MM	PCS			
Double peak shelf	457*907	1	US\$10.19	US\$30.15	US\$38.51
	457*1215	1	US\$12.75	US\$36.95	US\$48.52
single peak shelf	457*907	1	US\$7.78	US\$22.48	US\$28.78
	457*1215	1	US\$11.22	US\$26.55	US\$32.99
slanted wire shelf	457*907	1	US\$9.36	US\$28.15	US\$36.85
	457*1215	1	US\$11.18	US\$31.95	US\$40.78

Dongguan Ying Guang Metalware Co.,LTD

	Size	Unit	Chrome materail	202 stainless steel	304 stainle ss steel
	350	1	US\$3.95	US\$5.95	US\$6.93
	450	1	US\$4.28	US\$6.3	US\$7.42
	530	1	US\$4.67	US\$6.79	US\$7.98
	610	1	US\$4.95	US\$7.09	US\$8.45
	350*940	1	US\$4.08	US\$9.28	US\$11.85
	450*940	1	US\$4.40	US\$10.22	US\$13.03
	530*940	1	US\$5.06	US\$10.95	US\$13.90
	609*940	1	US\$5.45	US\$11.62	US\$14.85



Unite price: USD\$112
609*1215*1854MM H

- 1) Shelves: Truss and support wires dia:6.0mm Shelf matt and Serpentine wires dia:4.5mm and 3.0mm
- 2) Maximum loading capacity: 300KG/Tier
- 3) Post: dia:25.4; 1.2mm thickness
- 4) specifications can be customized
- 5) 5" ESD casters (2 with bracking) with 4 ESD bump
- 6) chrome-plated metal shelving for the surface treatment.
- 7). aluminium sleeves
- 8) ESD chain available








Wire cart
YG0013

457*609*838



US\$36.00


- 1) 250kg / tier for loading capacity
- 2) 4" ESD casters (2 with bracking) with 4 ESD bump
- 3) chrome-plated metal shelving for the surface treatment.
- 4) aluminium sleeves
- 5) ESD chain available

Dongguan Ying Guang Metalware Co.,LTD

Picture	Production Name. and Code No.	Size(mm)	Unit price (USD)	Remark:
	SMT TROLLEY YG00-22	900* 550* 1300	US\$153.00	Material: Stainless steel rack, PP plastic sideplates. 1) Surface resistance: below 10E6 ohms 2) Can hold 200pcs or 400pcs plates 3) Each row can insert 100pcs pbcs. 4) Any specification available
	stencil Rack	609*735*2000	US\$68.00	3 lever 23"*23" stencil Rack as drawing, can hold 57PCS stencil, other specifications available
		490*650*2150	US\$88.90	3 lever 29"*29" stencil Rack as drawing, can hold 57PCS stencil, other specifications available
	SMT cart YG0019	457*907*940	US\$51.00	1.one single peak +2 double peak shelves; 2. carbon steel for the materail; 3.chrome-plated for the surface treatment; 4.4"ESD casters (2 with bracking) ; 5. many specification for your selections
		457*1215*940	US\$58.80	
	SMT rack YG00-11	457*1215*1800	US\$89.50	1.2 single peak +2 double peak shelves; 2. carbon steel for the materail; 3.chrome-plated for the surface treatment; 4.4"ESD casters; 5. many specification for your selections
	SMT TROLLEY YG00-21	900* 550* 1300	US\$219.00	Material: Stainless steel rack, PP plastic sideplates. 1) Surface resistance: below 10E6 ohms 2) Can hold 200pcs or 400pcs plates 3) Each row can insert 100pcs pbcs. 4) Any specification available



Dongguan Ying Guang Metalware Co.,LTD

	SMT TROLLEY YG00-21	850*500*1300MM	US\$230.00	Material: Stainless Steel PS + antistatic Tank Plate: Plastic Specification: TR-C0301A: 850*600*1300MM with 460mm*1000MM tank plate TR-C0301B: 850*500*1300MM with 350*1000MM tank plate TR-C0301C: 850*630*1300MM with 530*1000MM tank plate 200-600 films can be deposited PCB board Deep Groove: 4 mm, Width: 5 mm, from the trough: 5.5 mm Surface Resistivity: $\leq 106 \Omega$ Can be customized according to
		850*630*1300MM	US\$290.00	
	TRAT CART YG00-25	457*757*1800	US\$122.00	18" Deep x 30" Wide x 69" High Chrome Wire Tray Cart; Holds 39 Trays; Non ESD Trays & ESD Trays sold Separately; Drag Chain in conjunction with aluminum split sleeves to ground cart for ESD applications

	YGT0231	21"x30"x69"	US\$123.80	30	US\$3,714.00	Both with casters (wheels) and ESD kit (1 bag of conductive plastic split sleeves per shelf and a grounding cable or conductive casters)
	YG0123	18"x30"x69"	US\$115.00	30	US\$3,450.00	

	YGT0321	28"W x 22"D x 63"H	US\$135.00	50	US\$6,750.00	Two stop bars (front and back) secure the trays during transit. Select either conductive or dissipative trays to meet ESD requirements. Dimensions: 28"W x 22"D x 63"H (711 mm x 559 mm x 1600 mm). Slide spacing: 1.75" (45 mm). Tray capacity: 30.
---	---------	-----------------------	------------	----	--------------	--

Dongguan Ying Guang Metalware Co.,LTD

<p>This cart can hold 30PCS tray, tray size:595*546*35mm 5"ESD casters, chrome-plated, zinc sleeves. Slide spacing 44mm</p>	<p>Tray cart</p>	<p>711x559x1600</p>	<p>US\$115.00</p>	
	<p>YG-ESD Cart YG0003W</p>	<p>560x580 x 1405</p>	<p>US\$87.00</p>	<p>580*560 net plates for 2pcs, metal slice 8 pairs, 580mm single wave 2pcs, 560*1210mm rack for tray 2pairs. 200*1210mm baffle 2pcs, 1270mm tube 4pcs, 4''</p>



Food storage Wire shelving proform with Mobile Kit



**Available with Flat Wire Shelves,
with Slant Wire Shelves and with
Wire Bins.**

Dongguan Ying Guang Metalware Co.,LTD





Dongguan Ying Guang Metalware Co.,LTD




Production Pic.	Name(PCB rack)	Size(mm.)	Material	Unit price(USD)/set	Remark
screw adjustment as right picture The top and bottom boards are made of metal(for 120c HT)			G Stands for HT 80° C	US\$25.00	Surface resistance: 104~106Ω 2) Common type and heat-resistance type(120C) are available. 3) 50pcs of PCB plates can be stored. 4) Sizes of PCBs to be accommodated: 350*(50-250)mm 6) Side guide slot: depth 3.5mm, width 5mm, pitch 10mm 7) The top and bottom boards are made of metal or plastic. 8) Gear track allow easy operation Customization is available
			G Stands for HT 120° C Not in the oven	US\$33.00	
screw adjustment as right picture The top and bottom boards are made of plastic		YG-PCB012 355 x 320 x 563mm	G Stands for HT 120° C (in the oven)	US\$46.60	
			G Stands for HT 150° C	US\$55.30	
Gear adjustment as right picture The top and bottom boards are made of metal			G Stands for HT 200° C	US\$72.70	
			G Stands for HT 80° C	US\$31.60	
Gear adjustment as right picture The top and bottom boards are made of metal		YG-PCB015 460 x 400 x 563mm	G Stands for HT 120° C	US\$39.30	

Dongguan Ying Guang Metalware Co.,LTD


	YG-PCB013 535 x 460 x 570mm	G Stands for HT 80° C	US\$47.30	Feature: 1) 50pcs of PCB plates can be stored 2) The largest size of used PCB plates is 525 x (50 - 400)mm 3) Contour size: 535 x 460 x 570mm 4) Surface resistance: below E6 ω 5) Base: Metal 6) Fix method: by handle . 7) Adjustable size: 50-460mm 8) TEMP. 80 degree or 120 degree .
		G Stands for HT 120° C	US\$59.30	

	YG-PCB013 355 x 315 x 580mm	G Stands for HT 80° C	US\$25.30	SMT Magazine Rack, PCB carrier, PCB trolley, PCB Rack Specifications: 1) Surface resistance: 104~106 Ω 2) Overall Size: 355*315*580mm. 3) 50pcs of PCB plates can be stored. 4) Sizes of PCBs to be accommodated: 350*(80-250)mm 5) Side guide slot: depth 3.5mm, width 8mm, pitch 10mm 6) The top and bottom boards are made of plastic stationary type. 7) Adjustable through screws customization is available.
---	--------------------------------	--------------------------	-----------	--

	YG-PCB016 355 x 320 x 263mm	G Stands for HT 80° C	US\$25.30	1) The SMT magazine rack is designed for PCBs manufacture, assembly, storage and transfer. 2) Adjustable through screws, gear adjustment. 3) Common type (60 degrees Celsius) and heat-resistance type(120degrees Celsius, 160~200degrees Celsius) are available. 4) Surface resistance: 104~106 Ω. 5) Base: P-Conductive PS, M-Zincification Iron 6) Adjustment: G-Gear track adjustment, S-Screw adjustment 7) Max tolerant temperature: 60 degrees Celsius, 120degrees Celsius, 160~200 degrees Celsius different material 8) PCB slots: The number of the SMT magazine rack can accommodate PCBs																																								
					<table border="1"> <thead> <tr> <th rowspan="2">Base Material</th> <th rowspan="2">Adjust.</th> <th rowspan="2">MaxTem.</th> <th colspan="3">Exterior Size mm</th> <th rowspan="2">Adjust. mm</th> <th colspan="2">Ref.Position mm</th> <th colspan="3">Guide Slot mm</th> </tr> <tr> <th>L</th> <th>W</th> <th>H</th> <th>A</th> <th>B</th> <th>D</th> <th>Ws</th> <th>P</th> </tr> </thead> <tbody> <tr> <td>Plastic</td> <td>Gear track</td> <td>120°C</td> <td>355</td> <td>320</td> <td>263</td> <td>50-250</td> <td>34</td> <td>34</td> <td>3.5</td> <td>5.0</td> <td>10.0</td> </tr> <tr> <td>Metal</td> <td>Gear track</td> <td>120°C</td> <td>355</td> <td>320</td> <td>263</td> <td>50-250</td> <td>34</td> <td>34</td> <td>3.5</td> <td>5.0</td> <td>10.0</td> </tr> </tbody> </table>	Base Material	Adjust.	MaxTem.	Exterior Size mm			Adjust. mm	Ref.Position mm		Guide Slot mm			L	W	H	A	B	D	Ws	P	Plastic	Gear track	120°C	355	320	263	50-250	34	34	3.5	5.0	10.0	Metal	Gear track	120°C	355	320	263	50-250
Base Material	Adjust.	MaxTem.	Exterior Size mm						Adjust. mm	Ref.Position mm			Guide Slot mm																															
			L	W	H	A	B	D		Ws	P																																	
Plastic	Gear track	120°C	355	320	263	50-250	34	34	3.5	5.0	10.0																																	
Metal	Gear track	120°C	355	320	263	50-250	34	34	3.5	5.0	10.0																																	


Dongguan Ying Guang Metalware Co.,LTD

收集箱（架）尺寸示意
Magazine Dimensions



型号 Model No	最高温度 Max. tolerent temperature for the conductive	外型尺寸 Outer Dimensions(mm)			可调宽度 Adjustable Width(mm)	底板材料 Base Material	基准位置 Rer.position		节距 Pitch (mm)	存放数 Pcb Slots	重量 weight (Kg)	固定方法 Fix method
		L	W	H			A	B				
3W-9805301A	80℃	355	315	580	50-250	塑胶板 Plastic	34	34	10	50	5.1	螺母 Screw
3W-9805301A-1	80℃	355	315	305	50-250	塑胶板 Plastic	34	34	10	25	3.5	螺母 Screw
3W-9805301B1	80℃	355	320	563	50-255	金属板 Metal	34	34	10	50	6.0	扳手 Handle
3W-9805301B1G	120℃	355	320	563	50-255	金属板 Metal	34	34	10	50	6.0	扳手 Handle
3W-9805301B2	80℃	355	320	563	50-255	塑胶板 Plastic	34	34	10	50	4.5	扳手 Handle
3W-9805301B2G	120℃	355	320	563	50-255	塑胶板 Plastic	34	34	10	50	4.5	扳手 Handle
3W-9805301B3	80℃	355	320	563	50-255	金属板 Metal	34	34	10	50	7.5	扳手 Handle
3W-9805301B3G	120℃	355	320	563	50-255	金属板 Metal	34	34	10	50	7.5	扳手 Handle
3W-9805301B3H	200℃	355	320	563	50-255	金属板 Metal	34	34	10	50	7.5	螺母 Screw
3W-9805301B4	80℃	355	320	563	50-255	塑胶板 Plastic	34	34	10	50	6.5	扳手 Handle
3W-9805301B4G	120℃	355	320	563	50-255	塑胶板 Plastic	34	34	10	50	6.5	扳手 Handle
3W-9805301C	80℃	460	400	565	70-330	金属板 Metal	35	35	10	50	8.8	扳手 Handle
3W-9805301CG	120℃	460	400	565	70-330	金属板 Metal	35	35	10	50	8.8	扳手 Handle
3W-9805301D	80℃	535	460	570	50-390	金属板 Metal	34	41	10	50	10.5	扳手 Handle
3W-9805301DG	120℃	535	460	570	50-390	金属板 Metal	34	41	10	50	10.5	扳手 Handle
3W-9805301E	80℃	535	530	563	50-460	金属板 Metal	34	34	10	50	12.3	扳手 Handle
3W-9805301EG	120℃	535	530	563	50-460	金属板 Metal	34	34	10	50	12.3	扳手 Handle

Dongguan Ying Guang Metalware Co.,LTD

	wire shelf	YG0121W 202 SS	H:1600mm W:1100mm D:500mm	US\$217.60	1.loading capacity :300kg/tier 2.used in kitchen room , hotel, office 3.electrolic polish for surfacetreatment. 4.specifications can be customized
		YG0125W 304 SS		US\$309.50	
	worktable	YG560T 304 SS	H:900mm W:762mm D:609mm	US\$131.00	Brushed 304 stainless steel top work surface Heavy-duty 1½" diameter chrome-plated steel legs with leveling feet included Work table surface has curved edge for added safety Stainless Steel Top Gauge - 0.039" (1 mm) Heavy-duty adjustable chrome- plated steel shelf Ideal for kitchens, restaurants, laboratories, warehouses, mail rooms, work centers, etc.
	4-tier solid rack	YG0121W 304 SS 1.00mm	H:1800mm W:1200mm D:500mm	US\$312.00	1.loading capacity :350kg/tier 2.used in kitchen room , hotel, office 3.electrolic polish for surfacetreatment. 4.specifications can be customized
		YG0125W 304 SS 1.2mm	H:1800mm W:1200mm D:500mm	US\$343.00	
	stainless steel trolley	YG891T 202 SS	H:1000mm W:900mm D:600mm	US\$84.60	1)202 stainless steel 2)4" casters (2 with bracking) 3)foldable plate trolley

Dongguan Ying Guang Metalware Co.,LTD



stainless
steel trolley

YG890T
202 SS

H:1000mm
W:900mm
D:600mm

US\$86.60

1)202 stainless steel 2)4"
casters (2 with bracking)
3)foldable plate trolley



employee training



machine operation



<http://dgsyg.en.alibaba.com> Email: dannee@dgsyg.com Skype: dannee86
Mob: +(86)13809632187 contact person: Ms Dannee Wu

Dongguan Ying Guang Metalware Co.,LTD

