



BaoFeng series Ham radio Catalogue /price list

Date: June 15th, 2013

Supplier	Quanzhou Kingtone Optics & Electronics Technology Co.,Ltd.	contact&info	Cary Cao T: 86 595 23897999 F: 86 595 22155502 skype:cary.cao4 MSN:carycaoqinglian@hotmail.com E: cary@kingtone.net.cn W: http://www.kingtone.net.cn
Item Name	photo	Technical Specification	Unit Price, US\$
Baofeng UV-5R VHF/UHF Ham Radio		<p>frequency range UHF:400-470 mhz /vhf:136-174 mhz temperature range -10°c to +60°c frequency stabilization ±2.5ppm stored channel 128 channels rated voltage DC3.7v(li-ion battery) antenna rubber antenna antenna impedance 50Ω operation mode simplex of co-frequency or alien frequency combination phase lock frequency synthesize Dual band, dual display, dual standby A / B band independent operation 2 x 128 channels storage and scanning Shortcut menu operation mode CTCSS / DCS and tone search scanning Repeater shifts and ARS function 25kHz/12.5kHz channel spacing switchable High / middle / low TX power switchable Multi working mode switchable MSK / DTMF encode FM radio and 25 stations storage 0 ~ 9 grades VOX selectable</p>	\$28.00

<p>Baofeng UV-3R VHF/UHF Ham Radio</p>		<p>Frequency Range UHF + VHF 136-174MHz+400-480MHz Storage Channel 128 Talk Range 5-10KM RF power output 2W Battery Capacity 1200mAh Li-ion Battery 50 CTCSS and 104 CDCSS Built-in VOX Function Switchable 25KHz/12.5KHz Channel Step 5/6.25/12.5/25KHz •Dual-Band Display, Dual Freq. •Output Power: 2 Watts •99 Channels + 1 Emergency Channel •Built-in VOX Function•1750Hz Burst Tone •FM Radio (87.0MHz-108.0MHz) •LED Flashlight•Large LCD Display •High /Low Power Switchable •Emergency Alert•Time-out Timer •Keypad Lock•Monitor Channel</p>	<p>\$30.00</p>
<p>Baofeng UV-3R+Plus</p>	 <p>BaoFeng UV-3R+Plus New Launch</p>	<p>Frequency Range VHF136-174 UHF 400-470MHz (Dual Band) Operating Voltage3.7V Storage Channel 128 Talk Range 5-10KM Dual band walkie talkie CE,ROHS FCC approval Operating Temperature -30c~+60c Battery (Li-ion) Antenna Impedance 50 ohm Dimension(without antenna&battery(LxWxH)52*87*29(mm) Weight (with antenna & + battery)about 150g Transmitter RF Power Output UHF:2W FM Noise 65dB Adjacent Channel Power45dB/42dB Receiver Spurious response rejection60dB Receiver current 400mA Standby Current 75mA</p>	<p>\$40.00</p>

BF-888S



Frequency Range UHF 400-470MHz
Channel Capacity 16
Channel Spacing 25KHz
Operated Voltage 3.7 V
Battery H-1500MAh Li-ion
Battery Life(5-5-90 duty cycle) About 8 hours
Frequency Stability ± 2.5 ppm
Operated Temperature -30°c - $+60^{\circ}\text{c}$
Antenna Impedance 50Ω
Dimensions (LxWxH) (with battery,without antenna) 110x50x32 mm
Weight (with battery/antenna) 198g 170 g
Communication Range about 6km
Transmitter:
RF Power Output 3W
Modulation F3E
Spurious Emission ≤ 65 dB
FM Noise ≤ -45 dB(W) ≤ -40 dB (N)
Audio Distortion $\leq 5\%$
Transmitting Current ≤ 1.3 A



\$11.90

BF-888S+Plus



Frequency Range UHF 400-470MHz
Channel Capacity 16
Channel Spacing 25KHz
Operated Voltage 3.7 V
Battery H-2800MAh Li-ion
Battery Life(5-5-90 duty cycle) About 8 hours
Frequency Stability ± 2.5 ppm
Operated Temperature -30°c - $+60^{\circ}\text{c}$
Antenna Impedance 50Ω
Dimensions (LxWxH) (with battery,without antenna) 110x50x32 mm
Weight (with battery/antenna) 198g 170 g
Communication Range about 6km
Transmitter:
RF Power Output 3W
Modulation F3E
Spurious Emission ≤ 65 dB
FM Noise ≤ -45 dB(W) ≤ -40 dB (N)
Audio Distortion $\leq 5\%$
Transmitting Current ≤ 1.3 A

\$15.20

<p>Baofeng BF-777S</p>		<p> Frequency Range: 400-470MHz Storage Channel: 16 Talk Range: About 5km Color: Black Certificate: ISO, CE 50 CTCSS/105 CDCSS VOX Function PC Programming High/Low Transmit Power FM Radio Built-in Emergency Alarm Intelligent Charging Battery Save Low Voltage Alert Time-out Timer Busy Channel Lockout </p>	<p>\$16.00</p>
<p>Baofeng BF-666S</p>		<p> Frequency Range: 400-470MHz Storage Channel: 16 Li-ion Battery capacity: 1500mAh output power: <5W Frequency Range UHF 400-470MHz Channel Capacity16 Channel Spacing 25KHz Operated Voltage3.7 V BatteryH-1500MAh Li-ion Battery Life (5-5-90 duty cycle) About 8 hours Frequency Stability± 2.5ppm Antenna Impedance 50Ω Dimensions (L× W× H) (with battery,without antenna) 110× 50× 32 mm Weight (with battery/antenna) 198g 170 g Communication Range about 6km </p>	<p>\$15.20</p>

Baofeng
BF-658



Frequency range 400-470MHz
Channel capacity 16
Battery capacity H-1650mAh Li-ion
Operated voltage 7.4V
Battery life(5-5-9 duty cycle) About 10 hrs
Frequency stability ± 2.5 ppm
Operated temperature -20°c - $+60^{\circ}\text{c}$
Antenna impedance 50Ω
Dimensions 105*59*33mm
50 CTCSS/105 CDCSS
VOX Function Voice Prompt
PC Programming High/Low Transmit
FM Radio Built-in Emergency Alarm
Intelligent Charging
Battery Save Low Voltage Alert
Time-out Timer Busy Channel Lockout
Noise Reduction (Compander) Scrambler

\$32.00

Baofeng BF-
528



Frequency Range: VHF136-174MHz UHF 400-470MHz
Storage Channel: 16 Talk Range: 6 KM
50 CTCSS/105 CDCSS: Busy Channel Lockout50
VOX Function
PC Programming
High/Low Transmit Power
FM Radio Built-in
Emergency Alarm
Intelligent Charging
Voice Prompt
Battery Save
Low Voltage Alert
Time-out Timer
Busy Channel Lockout
PC Programming
Wired Clone
Three Backlight Colors of LCD
High/Low Transmit Power

\$27.10

Terms & Conditions:

1.Prices: The price is based on factory price,Just reference. Final price is base on your order Qty and special requirement.

2. Technical :100% followed your special specification!

3.Payment terms: 100% thru LC/TT / Western Union/papal/alibaba.ESCROW

4.Packing : Cartons lined with safety foam

5.Delivery schedule:3~5days after order cfmed

6.Warranty: 12 months from the date of shipment

7. Price validity day: 30 days. We may adjust it if exchange rate changes a lot.

Yours faithfully

KingTone
1 2 3 4

Cary Cao

[Quanzhou Kingtone Optics & Electronics Technology Co., Ltd.](#)

T: 86 595 23897999 | F: 86 595 22155502 |
skype:carycao4 MSN:carycaoqinglian@hotmail.com

E: cary@kingtone.net.cn

W: <http://www.kingtone.net.cn>

[Products Showroom on Alibaba.com](#)