

The Price List of Ultrasonic Cleaner

Tel.: 86 153 61407618 / 755 26450670 Fax.: 86 755 26587130 MSN: hailangygj@hotmail.com, Email: manager@newsky-health.com Address:1Blg., Chaoyang Electronics Industrial Park, Xixiang Town, Bao'an, Shenzhen,China

Picture	Name	Item No.	Features and Applications	Unit Price (90~100pcs)	Specifications and MEAS.
	Digital Ultrasonic Cleaner	CD-4800	High Power Transducer for Superior Cleaning Results Large Tank Capacity for Professional Cleaning Isolated-Circuit Design, Keep Water Away for Enhanced Safety First Ultrasonic Cleaner to Introduce Cooling Fan for Prolonged Operation Applications: Professional Cleaning Great Cleaning Device for Scientific Labs, Medical and Dental Clinics, Electronics Workshops Hobbyists Electronics Components, Mechanical Parts, Firearms, Golf Club Personal Care Jewelry, Watches Straps and Bands, Glasses, Dentures, Toothbrushes, Table-ware	USD41.95	Ultrasonic Frequency: 42,000 Hz Tank Material: Stainless Steel SUS303 Tank Capacity: 1,375 ml (2.4 pint) Quiet, Solid States Circuitry Timer: 5 Cycles, with Digital Time Display Power Supply AC: 100 ~ 120V, 60Hz AC 220 ~ 240V, 50 Hz Power: 60 W (110 V) / 70 W (230 V) Unit Size: 230 x 180 x 160 mm (L x W x H) N.W: 1.75 kg G.W:: 2.50 kg , 555 x 460 x 450 mm, 8pcs/CTN.
	Digital Ultrasonic Cleaner	1000A	New function for cleaning CD,VCD and DVD Using just tap water Distinct cleaning result Cleaning articles to shine like new 3 minutes automatically shut-off Compact lid design to reduce the noise Application: VCD,DVD disks,hardware,jewelry,watches,necklaces,earrings,rings,bangl es, eyeglasses, Sunglasses, Printer ink cartridge, dentures, comb, toothbrush.	USD24.50 (1000A) / USD25.9 (1000B with LCD display)	Ultrasonic Frequency 40,000 Hz Tank Material Stainless steel SUS304 Tank Capacity 750 ml (1.3pint) Time Control 3-59 minutes adjustable with count down Voltage AC 110-120V 50Hz / AC 220-240V 50/60 Hz Power 40 W, Tank Size 150*130*50mm (L*W*H) Overall Size 200*175*145mm (L*W*H) Packing Size 259*201*171mm (L*W*H) N.W 1.0 kgs G.W 1.2 kgs Carton size (12pcs) 610*535*360mm (L*W*H) 16.6kgs (gross) 20'GP 2485pcs 40'GP 5590pcs
	Digital Ultrasonic Cleaner	1200 / 1200H (with Heating)	High-power ultrasonic transducer for superior cleaning effect Large capacity tank for professional cleaning Add heating for special cleaning demands 5 Cycles adjustable with digital display Memory function for the power failure Transparent lid with blue light for view the cleaning process With radiator for longer working time Secure circuitry design with moisture-proof PCBA Application: Dental ultrasonic cleaner can be used in Laboratory, Electron workshop, Glasses shop, Jewelry shop, Clocks and Watches shop, Mobile phone, maintain shop, Hospital Dentistry, Office and household articles etc.	USD37.85 / USD42 with heating	Ultrasonic Frequency 40,000 Hz Tank Material Stainless steel SUS304 Volume 1,300 ml Time Control 5 Cycles with Digital time display Power supply AC 220-240V 50 Hz/AC 110-120V 50/60Hz Ultrasonic power 60 W Heating temperature 60 C Deg. (H with Heatig) Packing Size 295*238*200mm (L*W*H) Exterior Size 228*183*158mm (L*W*H) Tank Size 175*145*70mm (L*W*H) N.W.1.75 kgs G.W.2.15 kgs Carton size (8pcs) 610*493*418mm (L*W*H) 18.4 kgs (gross) 20'GP 1600pcs 40'GP 3020pcs
	Ultrasonic Cleaner	900B	Features: Just use tap water to clean Outstanding cleaning effect with visible transparent lid 3 minutes automatically shut-off After cleaning,the subjects will be shining Application: Jewelry and Watches, Necklaces, Earrings, Rings, Bracelets, Coins, Watches Straps and Bands etc. Eye Care :Glasses, Sunglasses, Contact Lens Accessories. Daily Personal Care: Dentures, Combs, Toothbrushes, Table Wares.	USD13.5	Ultrasonic Power 35 W Tank material stainless steel SUS304 Frequency 40,000 Hz Tank size 400 ml Time control 3 minutes automatically shut-off Voltage AC 220-240 V 50/60 Hz / AC 110-120 V 60 Hz Tank size 155*40*80mm (L*W*H) Exterior size 205*115*90mm (L*W*H) Package size 238*128*165mm (L*W*H) G.W 0.78 kgs N.W 0.64 kgs Carton Size(12pcs) 490*410*355mm (L*W*H) Carton Weight(12pcs) 11kgs (gross) Volume Weight (12pcs) 16kg, 0.074 CBM 20'container 4300 pcs,40' 9670 pcs
	Digital timer and heater Ultrasonic Cleanerl	CD-4820	Features: Lengthened tank Radiator fan Stronger transducer Wet-proof PCB 5Cycles digital timer Three separable wires Heater Industry IC Circuit protector Strong plastic housing Applications: Jewelry factory Chemical lab Dental clinic Family Restaurant Repair shop	USD51.35	Ultrasonic Frequency: 42,000 Hz Tank Material: Stainless Steel SUS303 Tank Capacity: 2500 ml Timer: Digital timer with 5 cycles (180/280/380/380/90 seconds) Power Supply AC: 100 ~ 120V, 60Hz , AC 220 ~ 240V, 50 Hz Ultrasonic Power: 60 W (110 V) /70 W (230 V) Heating Power: 100 W(AC110V- 120V);100W(AC220V-240V) package Size: 340 x 260 x 230 mm G.W.: 2.50 kg. 520 x 350 x 480mm,4pcs/ctn.
9	Ultrasonic Cleaner	CD-5800	Features Use only plain tap water to clean Remove dirts effectively; results can be seen with bare eyes! Clean articles to shine just like new Applications Jewelry and Watches Necklaces, Earrings, Rings, Bracelets, Coins, Watches Straps and Bands etc. Eye Care Glasses, Sunglasses, Contact Lens Accessories Daily Personal Care Dentures, Combs, Toothbrushes, Tablewares	USD22.88	Ultrasonic Frequency: 42,000 Hz Tank Materia: Stainless Steel SUS303 Tank Capacity: 600 ml (1 pint) Timer: 3 minutes automatic cut-off Power Supply: AC 100 ~ 120V, 50 / 60Hz AC 220 ~ 240V, 50 / 60 Hz Power: 35 W (110 V) / 50 W (220 V) Unit Size: 200 x 150 x 138 mm (L x W x H) N.W.: 0.92 kg G.W.: 1.22 kg. 535 x 480 x 375 mm, 12pcs/CTN.

CD-2820	CD-3900	CD-3910	CDS-200B	CD-4900	CDS-200A	CD-7830B	CDS-7830A
More items of the similar functions, as follows:							
	Digital CD Ultrasonic Cleaner	CD-7820A	Specially designed for CD, VCD and DVD cleaning Use only plain tap water Digital program,5 working cycles, Choose freely Remove dirts effectively;results can be seen with bare eyes! Clean articles to shine just like new. Significant product structuer advancement. Tightened lid design for effective noise reduction Features Cleans optical discs such as CD, VCD, DVD, etc. Use only plain tap water to clean Remove dirts effectively; results can be seen with bare eyes! Clean articles to shine just like new Applications Opitcal Disc Cleaning CD, DVD, VCD, etc. Jewelry and Watches Necklaces, Earrings, Rings, Bracelets, Coins, Watches Straps and Bands etc. Eye Care Glasses, Sunglasses, Contact Lens Accessories Daily Personal Care Dentures, Combs, Toothbrushes, Tablewares		USD24.65	Ultrasonic Frequency 42,000 Hz Tank Material Stainless Steel SUS303 Tank Capacity 750 ml Timer 5 working circles, choose time freely Power Supply AC 100 ~ 120V, 50 / 60Hz AC 220 ~ 240V, 50 / 60 Hz Power 35 (110 V) / 50 W (220 V) Unit Size 200 x 165 x 135 mm (L x W x H) Package Size 240 x 205 x 170 mm (L x W x H) N.W. 0.97kgs G.W. 1.05kgs 620 x 490 x 350 mm , 12pcs/CTN.	
	CD-7810(A) Digital Ultrasonic Cleaner with CD Cleaning Capabilities	CD-7810A	Clean articles to shine just lift Significant product structuer Tightened lid design for effect Features Cleans optical discs such as Use only plain tap water to c Remove dirts effectively; res Clean articles to shine just lift Applications Opitcal Disc Cleaning: CD, E Jewelry and Watches Necklaces, Earrings, Rings, and Bands etc. Eye Care: Glasses, Sunglas:	cles, Choose freely ilts can be seen with bare eyes! ke new. advancement. ctive noise reduction CD, VCD, DVD, etc. lean ults can be seen with bare eyes! ke new	USD24.65	Ultrasonic Frequency Tank Material Stainles Tank Capacity 750 ml Timer 5 working circle Power Supply AC 100 AC 220 ~ 240V, 50 / 60 Power 35 (110 V) / 50 Unit Size 210 x 158 x Package Size 240 x 1!) N.W. 0.99kgs G.W. 1.07kgs 600 x 500 x 360 mm ,	ss Steel SUS303 ss, choose time freely ~ 120V, 50 / 60Hz 0 Hz W (220 V) 125 mm (L x W x H) 95 x 170 mm (L x W x H
3	Ultrasonic Cleaner with CD Cleaning Capabilities	CD-7800	Clean articles to shine just lil Applications Opitcal Disc Cleaning CD, DVD, VCD, etc. Jewelry and Watches Necklaces, Earrings, Rings, and Bands etc.	lean ults can be seen with bare eyes! ke new Bracelets, Coins, Watches Straps ses, Contact Lens Accessories	USD23.50	Ultrasonic Frequency Tank Material Stainles Tank Capacity 600 ml Timer 3 minutes auton Power Supply AC 100 AC 220 ~ 240V, 50 / 6t Power 35 (110 V) / 50 Unit Size 200 x 165 x N.W. 0.98 kgs G.W. 1.30 kgs 535 x 480 x 375 mm, 1	ss Steel SUS303 (1 pint) natic cut-off ~ 120V, 50 / 60Hz 0 Hz W (220 V) 135 mm (LxWxH)
3	Ultrasonic Cleaner	CD-6800	Use only plain tap water to clean Remove dirts effectively; results can be seen with bare eyes! Clean articles to shine just like new Applications Jewelry and Watches Necklaces, Earrings, Rings, Bracelets, Coins, Watches Straps and Bands etc. Eye Care Glasses, Sunglasses, Contact Lens Accessories Daily Personal Care Dentures, Combs, Toothbrushes, Table-wares		USD22.88	Ultrasonic Frequency 42,000 Hz Tank Material Stainless Steel SUS303 Tank Capacity 600 ml (1 pint) Timer 3 minutes automatic cut-off Power Supply AC 100 ~ 120V, 50 / 60Hz AC 220 ~ 240V, 50 / 60 Hz Power 35 W (110 V) / 50 W (220 V) Unit Size 200 x 165 x 135 mm (L x W x H) N.W. 0.93 kgs G.W. 1.23 kgs 535 x 480 x 375 mm, 12pcs/CTN.	

CD-282	20 CD-3900	CD-3910	CDS-200B	CD-4900	CDS-200A	CD-7830B	CDS-7830A
		9			·m.v		
Frequency: 42,000Hz Tank Capaci 700ml Timer: 3cyle: 3, 5min	Tank Canacitus	For shaver head ,denture & jewelry cleaning Frequency: 50,000Hz Tank Capacity: 140m Detachable tank	Tank removeable Frequency:42,000Hz Tank capacity:750ml Timer: 5cyles,with digital time display	Anti-corrosive housing Frequency: 42,000Hz Tank capacity: 600ml Timer: 5cyles(3,4,5,6,7min)	Power adjustable Tank removeable Specially clean CDs Frequency: 42,000Hz Tank capacity:750ml Timer:5cyles,with digital time display	Frequency: 42,000Hz Tank capacity:750ml Timer: 5cyles,with digital time display	Power adjustable Specially clean CDs Frequency: 42,000Hz Tank capacity:750ml Timer: 5cyles,with digital time display
USD24.6	65 USD23.80	USD23.80	USD24.65	USD24.65	USD26.98	USD24.65	USD26.98

9	Digital CD Ultrasonic Cleaner	CD-2000	Features: With strong ultrasonic effect Particularly design large tank for professional cleaning Cooling devices for prolonged operation Isolated-circuit design, moisture-proof PCB board, safety and reliability Industrial IC, guarantee more stability With overheating protection circuit 3-59 minutes adjustable with digital display Appliaction: digital ultrasonic cleaner suitable for laboratory, electronic workshop, mobile phone cases, water bottles, industrial water purification systems, high-pressure washes, porcelain, medical examination apparatus, tool kits, jewelry set, DVD, PCB/FPC and baby toys our digital ultrasonic cleaners used for industrial purposes but can use in household, excellent effect to clean personal articles such as gold and silver jewelry, necklaces, earrings, glasses, nozzles, watches, mobile, denture, experiment and equipment.	USD20.95	Specifications: Ultrasonic Frequency 42,000 Hz Tank Material Stainless steel SUS304 Color Pink,Iron gray,Blue Volume 600 ml Time Control from 3 minutes to an hour Power supply AC 110-120V, 60Hz/AC 220- 240V, 50 /60Hz Ultrasonic power 35W Packing size 245*174*165mm (L*W*H) Exterior size 200*140*125mm (L*W*H) Tank size 155*95*52mm (L*W*H) N.W. 1.00 kgs / G.W. 1.21 kgs Carton size(12pcs) 546*509*355mm (L*W*H) 14.8 kgs (gross) 20'GP 2760pcs / 40'GP 5724pcs / 40'HQ 7212pcs
	Ultrasonic Cleaner	CD-800	Features: Stylish Design Perfect for Home-use 3 minutes auto off First Mass-Produced Desktop Ultrasonic Cleaning in the Market Wide-Diameter Transducer for Best Cleaning Result Applications: Jewelry Ultrasonic Cleaner can be used for Jewelry and Watches Necklaces, Earrings, Rings, Bracelets, Coins, Watches Straps and Bands etc. Eye Care :Glasses, Sunglasses, Contact Lens Accessories Daily Personal Care: Dentures, Combs, Toothbrushes, Table Wares.	USD16.25	Specifications: Ultrasonic Frequency 42,000 Hz Tank Material, Stainless Steel SUS303 Tank Capacity,600 ml Timer 3-minute Auto Cut-off Voltage AC 110-120V, 60Hz / AC 220-240V, 50/60 Hz Power 35W Tank Size 155*95*52mm (L*W*H) Overall Size 200*140*125mm (L*W*H) Packing Size 245*174*165mm (L*W*H) N.W. 1.00 kgs, G.W. 1.21 kgs Carton size(12pcs) 546*509*355mm (L*W*H) 14.8 kgs (gross) 20'GP 2760 pcs, 40'GP 5724pcs 40'HQ 7212 pcs
	2L Mechanical Ultrasonic Cleaner	1620	Features: Default time is 3 minutes Material: Stainless steel with diamond-shaped figures.(Tank, Housing, Basket, Lid) High-performance transducer Secure and stable PCBA CE/FCC tested and approval Application: Industry and mining enterprise, universities, collegesand institutes scientific research unit laboratory; Hospital; Electronic workshop assembly line; Clock and watch eyeglasses shop, jewelry; Jeweler's shop, Family.you will use ultrasonic cleaner for everywhere. Clean things: Electronic products, mechanical hardware fitting, eyeglasses, jewelry, clock and watch, money, fruit and so on.	USD57.5	Specification: Frequency 40KHz Power 60W Tank capacity 2L Tank size 150*140*100mm (L*W*H) Overall size 190*170*220mm (L*W*H) Unit weight 1.9 KGS Lid Have Cleaning basket Optional Package details:(1ps) 208*208*262mm (L*W*H) Case size(9pcs) 650*650*280mm (L*W*H) 20'container 1485pcs 40'container 3087pcs
	0.7L Mechanical Ultrasonic Cleaner	1607	Features: Default Time is 3 minutes Material: Stainless steel with diamond-shaped figures. High-performance transducer Secure and stable PCBA CE/FCC tested and approval The clear tank washer and the basket use a high quality stainless steel ramming forming, does not have the welding place, the waterproof performance is better, use this ultrasonic cleaner is very safe. Uses the high quality import part, the ultrasonic wave power conversion efficiency high, the power strong, the clean effect is good. Application: Industry and mining enterprise, universities, collegesand institutes scientific research unit laboratory; Hospital; Electronic workshop assembly line; Clock and watch eyeglasses shop, jewelry; Jeweler's shop, Family.you will use ultrasonic cleaner for everywhere. Clean things: Electronic products, mechanical hardware fitting, eyeglasses, jewelry, clock and watch, money, fruit and so on.	USD37.5	Specifications: Power supply AC100-120V 60Hz, 220-240V 50Hz/60Hz Frequency 40KHz Power 60W Transducer Qty. 1 (PC) Tank size 150*85*65mm (L*H*H) Overall size 175*110*185mm (L*H*H) G.W 1.8 kgs Lid Have Setting Mechanical control Package details:(1ps) 210*148*235mm (L*W*H) 20'container 3288pcs 40'container 7605pcs
	1.3L mechanical ultrasonic cleaner (timer).	1613T	Time can be adjustable from 1-15 minutes Material: Stainless steel with diamond-shaped figures (Tank, Housing, Basket, Lid) High-performance transducer Secure and stable PCBA CE/FCC tested and approval Application: Industry and mining enterprise, universities, collegesand institutes scientific research unit laboratory; Hospital;Electronic workshop assembly line; Clock and watch eyeglasses shop,jewelry; Jeweler's shop, Family.you will use ultrasonic cleaner for everywhere. Clean things: Electronic products, mechanical hardware fitting,eyeglasses, jewelry, clock and watch, money, fruit and so on.	USD44.90	Frequency 40KHz or 25KHz Power 60W, Tank capacity 1.3L Tank size 150*140*65mm (L*W*H) Overall size 190*170*185mm (L*W*H) Unit weight 2.0 KGS Lid Have Cleaning basket: Optional Carton size(1ps) 208*208*242mm (L*W*H) Case size(9pcs) 660*435*505mm (L*W*H) 20' container 2100pcs 40' container 3960pcs

Remarks: We have many kinds of Metal cleaners (like item 1613T) with different capacity, Welcome to contact for more details. The price is negotiable according to the quantity.