






Contact: Kathy Chan  
Tel: 86-755-29916632  
Email: kathychan@raisotech.com  
www.raisotech.com





Professional Manufacturer with  
10years experience on led driver








**Zhongshan** : NO.82 Dongcheng Road , Dongsheng Town , Zhongshan City , GuangDong  
China  
**Shenzhen** : 1st floor of A1 building , Fuqiao industrial park , NO.18 Tongfu road , Fuyong  
street , Bao'An district , 518100 , Shenzhen , Guangdong , China .

### Triac Dimmable Led Driver ( Low Flicker Low Noise )




Dimming	Model	Input	Power	PF	V output	I output	EXW price	Cert	PIC
Triac	PE291B1220	PE291B: AC220V- 250V	8.4W	0.88-0.92PF	25-42V	200mA	\$3.15	can pass CE	 52*30*20mm
	PE291B0730		7.2W	0.88-0.92PF	9-24V	300mA			
	PE291B0735		8.4W	0.88-0.92PF	9-24V	350mA			
	PE291B0745		6.75W	0.88-0.92PF	6-15V	450mA			
	PE291B0750		7.5W	0.88-0.92PF	6-15V	500mA			
	PE291B0760		7.2W	0.88-0.92PF	6-12V	600mA			
	PE291B0770		8.4W	0.88-0.92PF	6-12V	700mA			
Triac	PE294B4220P/R	PE294B: AC200V- 250V	8.4W	0.88-0.92PF	25-42V	200mA	\$4.20	TUV CE SAA 3C Certi. C-tick report	 PE294R  PE294P 104*39*26mm
	PE294B4225P/R		10.5W	0.88-0.92PF	25-42V	250mA			
	PE294B4228P/R		11.76W	0.88-0.92PF	25-42V	280mA			
	PE294B4230P/R		12.6W	0.88-0.92PF	25-42V	300mA			
	PE294B3532P/R		11.2W	0.88-0.92PF	25-35V	320mA			
	PE294B2425P/R		6W	0.88-0.92PF	9-24V	250mA			
	PE294B2428P/R		6.72W	0.88-0.92PF	9-24V	280mA			
	PE294B2430P/R		7.2W	0.88-0.92PF	9-24V	300mA			
	PE294B2432P/R		7.68W	0.88-0.92PF	9-24V	320mA			
	PE294B2435P/R		8.4W	0.88-0.92PF	9-24V	350mA			
	PE294B2440P/R		9.6W	0.88-0.92PF	9-24V	400mA			
	PE294B2450P/R		12W	0.88-0.92PF	9-24V	500mA			
	PE294B2055P/R		11W	0.88-0.92PF	9-20V	550mA			
	PE294B2060P/R		12W	0.88-0.92PF	9-20V	600mA			
	Triac		PE294B4220QC/PR	PE294B: AC200V- 250V	8.4W	0.88-0.92PF			
PE294B4225QC/PR		10.5W	0.88-0.92PF		25-42V	250mA			
PE294B4228QC/PR		11.76W	0.88-0.92PF		25-42V	280mA			
PE294B4230QC/PR		12.6W	0.88-0.92PF		25-42V	300mA			
PE294B3532QC/PR		11.2W	0.88-0.92PF		25-35V	320mA			
PE294B2425QC/PR		6W	0.88-0.92PF		9-24V	250mA			
PE294B2428QC/PR		6.72W	0.88-0.92PF		9-24V	280mA			
PE294B2430QC/PR		7.2W	0.88-0.92PF		9-24V	300mA			
PE294B2432QC/PR		7.68W	0.88-0.92PF		9-24V	320mA			
PE294B2435QC/PR		8.4W	0.88-0.92PF		9-24V	350mA			
PE294B2440QC/PR		9.6W	0.88-0.92PF		9-24V	400mA			
PE294B2450QC/PR		12W	0.88-0.92PF		9-24V	500mA			
PE294B2055QC/PR		11W	0.88-0.92PF		9-20V	550mA			
PE294B2060QC/PR		12W	0.88-0.92PF		9-20V	600mA			
Triac		PE294B4220	PE294B: AC200V- 250V		8.4W	0.88-0.92PF	25-42V	200mA	PE294 V5 SAA without EMC : \$3.90 PE294 CE SAA : \$4.08
	PE294B4225	10.5W		0.88-0.92PF	25-42V	250mA			
	PE294B4228	11.76W		0.88-0.92PF	25-42V	280mA			
	PE294B4230	12.6W		0.88-0.92PF	25-42V	300mA			
	PE294B3532	11.2W		0.88-0.92PF	25-35V	320mA			
	PE294B2425	6W		0.88-0.92PF	9-24V	250mA			
	PE294B2428	6.72W		0.88-0.92PF	9-24V	280mA			
	PE294B2430	7.2W		0.88-0.92PF	9-24V	300mA			
	PE294B2432	7.68W		0.88-0.92PF	9-24V	320mA			
	PE294B2435	8.4W		0.88-0.92PF	9-24V	350mA			
	PE294B2440	9.6W		0.88-0.92PF	9-24V	400mA			
	PE294B2450	12W		0.88-0.92PF	9-24V	500mA			
	PE294B2055	11W		0.88-0.92PF	9-20V	550mA			
	PE294B2060	12W		0.88-0.92PF	9-20V	600mA			
	Triac	PE294B1760		PE294A: AC95-140V	9W	0.88-0.92PF	6-17V	600mA	
PE294B1765		9.75W	0.88-0.92PF		6-17V	650mA			
PE294B1770		10.5W	0.88-0.92PF		6-17V	700mA			




Triac	PE294B1775	PE296B: AC200V- 250V	11.25W	0.88-0.92PF	6-17V	750mA	\$4.82	TUV CE SAA 3C Certi.  C-tick report	 L*D*H=129*44*28mm 2014 years新款  L*D*H=134*44*28mm
	PE296B1230		12.6W	0.88-0.92PF	25-42V	300mA			
	PE296B0730		7.2W	0.88-0.92PF	9-24V	300mA			
	PE296B0735		8.4W	0.88-0.92PF	9-24V	350mA			
	PE296B1250		12W	0.88-0.92PF	9-24V	500mA			
	PE296B1270		10.5W	0.88-0.92PF	6-15V	700mA			
	PE296B1825		17.5W	0.88-0.92PF	43-70V	250mA			
	PE296B1830		18W	0.88-0.92PF	43-60V	300mA			
	PE296B1835		17.5W	0.88-0.92PF	43-50V	350mA			
	PE296B1435		14.7W	0.88-0.92PF	25-42V	350mA			
	PE296B1840		16.8W	0.88-0.92PF	25-42V	400mA			
	PE296B1842		17.64W	0.88-0.92PF	25-42V	420mA			
	PE296B1845		17.1W	0.88-0.92PF	25-38V	450mA			
	PE296B1850		17.5W	0.88-0.92PF	25-35V	500mA			
	PE296B1660		14.4W	0.88-0.92PF	12-24V	600mA			
	PE296B1665		15.6W	0.88-0.92PF	12-24V	650mA			
	PE296B1670		16.8W	0.88-0.92PF	12-24V	700mA			
PE296B1675	18W	0.88-0.92PF	12-24V	750mA					
Triac	PE292B2455	PE292B: AC200V- 250V	23.1W	0.88-0.94PF	25-42V	550mA	\$6.67	Compatible with CE SAA	 158x44x31mm
	PE292B2480		19.2W	0.88-0.94PF	12-24V	800mA			
	PE292B2490		21.6W	0.88-0.94PF	12-24V	900mA			
	PE292B3060		25.2W	0.88-0.94PF	25-42V	600mA			
	PE292B3065		27.3W	0.88-0.94PF	25-42V	650mA			
	PE292B3070		29.4W	0.88-0.94PF	25-42V	700mA			
	PE292B3075		28.5W	0.88-0.94PF	25-38V	750mA			
	PE292B3080		25.6W	0.88-0.94PF	25-32V	800mA			
	PE292B3035		24.5W	0.88-0.94PF	43-70V	350mA			
	PE292B3040		28W	0.88-0.94PF	43-70V	400mA			
	PE292B3045		29.25	0.88-0.94PF	43-65V	450mA			
PE292B3050	30W	0.88-0.94PF	43-60V	500mA					
Triac	PE299B36150	PE299B: AC200V- 250V	36W	0.88-0.94PF	12-24V	1500mA	\$7.80	Compatible with CE SAA	 183x50x32mm
	PE299B3685		36W	0.88-0.94PF	25-42V	850mA			
	PE299B3680		34.4W	0.88-0.94PF	25-42V	800mA			
	PE299B36105		36W	0.88-0.94PF	25-35V	1050mA			
	PE299B3650		35W	0.88-0.94PF	42-70V	500mA			
Triac	PE298B50200	PE298B: AC200V- 250V	48W	0.88-0.94PF	12-24V	2000mA	NO CE SAA : \$8.34  CE SAA : 8.90	TUV CE SAA 3C Certi.  C-tick report	 195*44.5*33.5 认证220*44.5*33.5
	PE298B50180		43.2W	0.88-0.94PF	12-24V	1800mA			
	PE298B50165		39.6W	0.88-0.94PF	12-24V	1650mA			
	PE298B50150		36W	0.88-0.94PF	12-24V	1500mA			
	PE298B50135		56.7W	0.88-0.94PF	25-42V	1350mA			
	PE298B50120		50.4W	0.88-0.94PF	25-42V	1200mA			
	PE298B50105		44.1W	0.88-0.94PF	25-42V	1050mA			
	PE298B5090		37.8W	0.88-0.94PF	25-42V	900mA			
	PE298B5085		35.7W	0.88-0.94PF	25-42V	850mA			
	PE298B5080		33.6W	0.88-0.94PF	25-42V	800mA			
	PE298B5070		49W	0.88-0.94PF	43-70V	700mA			
	PE298B5065		45.5W	0.88-0.94PF	43-70V	650mA			
	PE298B5060		42W	0.88-0.94PF	43-70V	600mA			
	PE298B5055		38.5W	0.88-0.94PF	43-70V	550mA			
	PE298B5050		35W	0.88-0.94PF	43-70V	500mA			

Triac	PE251B1220	AC200V-250V	8.4W	0.88-0.94PF	25-42V	200mA	\$4.82	Compatible with CE UL		202*18*10	
	PE251B1225		10.5W	0.88-0.94PF	25-42V	250mA					
	PE251B1230		12.6W	0.88-0.94PF	25-42V	300mA					
	PE251A1220	AC95V-140V	8.4W	0.88-0.94PF	25-42V	200mA					
	PE251A1225		10.5W	0.88-0.94PF	25-42V	250mA					
	PE251A1230		12.6W	0.88-0.94PF	25-42V	300mA					
Triac	PE252B2030	PE252B: AC200V-250V	19.5W	0.88-0.94PF	42-65V	300mA	\$4.82	Compatible with CE UL		250*18*10	
	PE252B2024		20W	0.88-0.94PF	50-84V	240mA					
	PE252B2050		21W	0.88-0.94PF	25-42V	500mA					
	PE252B2048	or	20.16W	0.88-0.94PF	25-42V	480mA					
	PE252B2045		18.9W	0.88-0.94PF	25-42V	450mA					
	PE252B2040	PE252A: AC95-140V	16.8W	0.88-0.94PF	25-42V	400mA					
	PE252B2038		16W	0.88-0.94PF	25-42V	380mA					
	PE252B2035		14.7W	0.88-0.94PF	25-42V	350mA					
	PE253B3070		PE253B: AC200V-250V or PE253A-	29.4W	0.88-0.94PF	25-42V					700mA
	PE253B3065	27.3W		0.88-0.94PF	25-42V	650mA					
PE253B3060	25.2W	0.88-0.94PF		25-42V	600mA						
PE253B3055	23.1W	0.88-0.94PF		25-42V	550mA						
Triac	PE285B4230	PE285: AC200V-250V	12.6W	0.88-0.92PF	25-42V	300mA	\$4.08			58*51*30mm	
	PE285B2430		7.2W	0.88-0.92PF	9-24V	300mA					
	PE285B2435		8.4W	0.88-0.92PF	9-24V	350mA					
	PE285B2450		12W	0.88-0.92PF	9-24V	500mA					
	PE285B1570		10.5W	0.88-0.92PF	6-15V	700mA					
Triac	PE284B1220	PE284B: AC200V-250V PE284A: AC95-140V	8.4W	0.88-0.92PF	25-42V	200mA	\$4.26	Compatible with CE  SAA Cert.  C-tick Report		D*H=60mm*25mm	
	PE284B1225		10.5W	0.88-0.92PF	25-42V	250mA					
	PE284B1228		11.76W	0.88-0.92PF	25-42V	280mA					
	PE284B1230		12.6W	0.88-0.92PF	25-42V	300mA					
	PE284B1232		11.2W	0.88-0.92PF	25-35V	320mA					
	PE284B0725		6W	0.88-0.92PF	9-24V	250mA					
Triac	PE284B0728		PE284B: AC200V-250V	6.72W	0.88-0.92PF	9-24V					280mA
	PE284B0730			7.2W	0.88-0.92PF	9-24V					300mA
	PE284B0732			7.68W	0.88-0.92PF	9-24V					320mA
	PE284B0735		PE284A: AC95-140V	8.4W	0.88-0.92PF	9-24V					350mA
	PE284B0740	9.6W		0.88-0.92PF	9-24V	400mA					
	PE284B1250	12W		0.88-0.92PF	9-24V	500mA					
	PE284B1255	11W		0.88-0.92PF	9-20V	550mA					
	PE284B1260	12W		0.88-0.92PF	9-20V	600mA					
	PE284B0960	9W		0.88-0.92PF	6-15V	600mA					
	PE284B1265	9.75W		0.88-0.92PF	6-15V	650mA					
	PE284B1270	10.5W		0.88-0.92PF	6-15V	700mA					
PE284B1275	11.25W	0.88-0.92PF	6-15V	750mA							

Triac	PE286B1825	PE286B: AC220V- 250V	17.5W	0.88-0.92PF	43-70V	250mA	\$4.82	Compatible with CE  SAA Cert.  C-tick Report	  D*H=77mm*25mm					
	PE286B1830		18W	0.88-0.92PF	43-60V	300mA								
	PE286B1835		17.5W	0.88-0.92PF	43-50V	350mA								
	PE286B1435		14.7W	0.88-0.92PF	25-42V	350mA								
	PE286B1840		16.8W	0.88-0.92PF	25-42V	400mA								
	PE286B1842		17.64W	0.88-0.92PF	25-42V	420mA								
	PE286B1845		17.1W	0.88-0.92PF	25-38V	450mA								
	PE286B1850		17.5W	0.88-0.92PF	25-35V	500mA								
	PE286B1660		14.4W	0.88-0.92PF	12-24V	600mA								
	PE286B1665		15.6W	0.88-0.92PF	12-24V	650mA								
	PE286B1670		16.8W	0.88-0.92PF	12-24V	700mA								
PE286B1675	18W	0.88-0.92PF	12-24V	750mA										
Triac	PE287B3060	PE287B: AC200V- 250V	25.2W	0.88-0.94PF	25-42V	600mA	\$6.12	Compatible with CE  SAA Cert.  C-tick Report	  D*H=77mm*25mm					
	PE287B3065		27.3W	0.88-0.94PF	25-42V	650mA								
	PE287B3070		29.4W	0.88-0.94PF	25-42V	700mA								
	PE287B3075		28.5W	0.88-0.94PF	25-38V	750mA								
	PE287B3080		25.6W	0.88-0.94PF	25-32V	800mA								
	PE287B3035		24.5W	0.88-0.94PF	43-70V	350mA								
	PE287B3040		28W	0.88-0.94PF	43-70V	400mA								
	PE287B3045		29.25	0.88-0.94PF	43-65V	450mA								
	PE287B3050		30W	0.88-0.94PF	43-60V	500mA								
	Triac		PE702B20V12	AC180V- 250V	20W max	0.5PF				12V	1.67A	\$7.04	For Engineering project	  195*43.5*26.5
			PE702B20V24							24V	0.83A			
Triac	PE703B35V12	AC180V- 250V	35W max	0.5PF	12V	3A	\$9.64	工程专用 效果好	  195*44.5*33.5					
	PE703B35V24				24V	1.45A								
Triac	PE705B50V12	AC180V- 250V	50W max	0.5PF	12V	4.15A	\$11.68	For Engineering project	  195*44.5*33.5					
	PE705B50V24				24V	2A								
Triac	PE706V12	AC180- 265V	60W max	0.5PF	12V	max:5A	100pcs : \$14.83 500pcs : \$13.90	For Engineering project	  209mm * 76mm * 49mm					
	PE706V24				24V	max:2.5A								
Triac	PE715V12	AC180- 265V	120W max	0.5PF	12V	max:10A	100pcs : \$25.04 500pcs : \$23.18	For Engineering project	  267mm * 76mm * 49mm					
	PE715V24				24V	max:5A								




**Triac Dimmable Led Driver(Electronic type)**

Dimming	Model	Input	Power	PF	V output	I output	EXW price	Cert	PIC
Triac	PE394B4230	PE394: AC200V- 250V	12.6W	0.88-0.92PF	25-42V	300mA	\$3.52	TUV CE Cert.  SAA Cert. C-tick Report 3C Cert.	  98*39*26mm
	PE394B2430		7.2W	0.88-0.92PF	9-24V	300mA			
	PE394B2435		8.4W	0.88-0.92PF	9-24V	350mA			
	PE394B2450		12W	0.88-0.92PF	9-24V	500mA			
	PE394B1570		10.5W	0.88-0.92PF	6-15V	700mA			
Triac	PE396B6030	PE396: AC200V- 250V	18W	0.88-0.92PF	43-60V	300mA	\$4.63	TUV CE Cert.  SAA Cert. C-tick Report 3C Cert.	  L*D*H=134*44*28mm
	PE396B7035		24.5W	0.88-0.92PF	43-70V	350mA			
	PE396B4235		14.7W	0.88-0.92PF	25-42V	350mA			
	PE396B4240		16.8W	0.88-0.92PF	25-42V	400mA			
	PE396B4242		17.64W	0.88-0.92PF	25-42V	420mA			
	PE396B3845		17.1W	0.88-0.92PF	25-38V	450mA			
	PE396B3550		17.5W	0.88-0.92PF	25-35V	500mA			
	PE396B2470		16.8W	0.88-0.92PF	12-24V	700mA			
PE396B2475	18W	0.88-0.92PF	12-24V	750mA					
	PE392B7040		28W	0.88-0.94PF	43-70V	400mA			
	PE392B6545		29.25	0.88-0.94PF	43-65V	450mA		TUV CE	

Triac	PE392B6050	PE392: AC200V- 250V	30W	0.88-0.94PF	43-60V	500mA	\$6.12	Cert. SAA Cert. C-tick Report	
	PE392B24150		36W	0.88-0.94PF	12-24V	1500mA			158x44x31mm
	PE392B4285		36W	0.88-0.94PF	25-42V	850mA			
	PE392B42100		42W	0.88-0.94PF	25-42V	1000mA			
Triac	PE393B4230	PE393: AC200V- 250V	12.6W	0.88-0.92PF	25-42V	300mA	\$3.52		
	PE393B2430		7.2W	0.88-0.92PF	9-24V	300mA			58*51*30mm
	PE393B2435		8.4W	0.88-0.92PF	9-24V	350mA			
	PE393B2450		12W	0.88-0.92PF	9-24V	500mA			
	PE393B1570		10.5W	0.88-0.92PF	6-15V	700mA			
Triac	PE395B7040	PE395: AC200V- 250V	28W	0.88-0.94PF	43-70V	400mA	\$6.12		
	PE395B6545		29.25	0.88-0.94PF	43-65V	450mA			
	PE395B6050		30W	0.88-0.94PF	43-60V	500mA			
	PE395B24150		36W	0.88-0.94PF	12-24V	1500mA			
	PE395B4285		36W	0.88-0.94PF	25-42V	850mA			
	PE395B42100		42W	0.88-0.94PF	25-42V	1000mA			108x62x35mm

### Triac Dimmable Led Driver(no flicker)

Dimming	Model	Input	Power	PF	V output	I output	EXW price	Cert	PIC
Triac	PE594B4230R/P	PE594: AC200V- 250V	12.6W	0.88-0.92PF	25-42V	300mA	\$4.72		
	PE594B2430R/P		7.2W	0.88-0.92PF	9-24V	300mA			104*39*26mm
	PE594B2435R/P		8.4W	0.88-0.92PF	9-24V	350mA			
	PE594B2450R/P		12W	0.88-0.92PF	9-24V	500mA			
Triac	PE594B4230QC/PS	PE594: AC200V- 250V	12.6W	0.88-0.92PF	25-42V	300mA	\$4.95		
	PE594B2430QC/PS		7.2W	0.88-0.92PF	9-24V	300mA			
	PE594B2435QC/PS		8.4W	0.88-0.92PF	9-24V	350mA			
	PE594B2450QC/PS		12W	0.88-0.92PF	9-24V	500mA			
	PE594B1550QC/PS		10.5W	0.88-0.92PF	6-15V	500mA			132*41*23.5mm
Triac	PE296B4230NF	PE296NF: AC200V- 250V	12.6W	0.88-0.92PF	25-42V	300mA	\$5.56	CE SAA	
	PE296B4235NF		14.7W	0.88-0.92PF	25-42V	350mA			L*D*H=134*44*28mm
	PE296B4240NF		16.8	0.88-0.92PF	25-42V	400mA			
Triac	PE596B5840	PE596: AC200V- 250V	23.2W	0.88-0.92PF	36-58V	400mA	\$6.86		
	PE596B7035		24.5W	0.88-0.92PF	43-70V	350mA			
	PE596B4260		25.2W	0.88-0.92PF	22-42V	600mA			
	PE596B5050		25W	0.88-0.92PF	28-50V	500mA			L*D*H=134*44*28mm
	PE-N30TA55P/R		23.1W	0.88-0.94PF	25-42V	0-550mA			
	PE-N30TA60P/R		25.2W	0.88-0.94PF	25-42V	0-600mA			

Triac	PE-N30TA65P/R	PE-N30TA: AC200V- 250V	27.3W	0.88-0.94PF	25-42V	0-650mA	\$8.35		 156x42.5x30mm
	PE-N30TA70P/R		29.4W	0.88-0.94PF	25-42V	0-700mA			
	PE-N30TA75P/R		31.5W	0.88-0.94PF	25-42V	0-750mA			
Triac	PE-N45TA80P/R	PE-N45TA: AC200V- 250V	33.6W	0.88-0.94PF	25-42V	0-800mA	\$9.85		 190x42.5x30mm
	PE-N45TA90P/R		37.6W	0.88-0.94PF	25-42V	0-900mA			
	PE-N45TA100P/R		42W	0.88-0.94PF	25-42V	0-1000mA			
	PE-N45TA105P/R		44.1W	0.88-0.94PF	25-42V	0-1050mA			
Triac	PE-L45TA42105	PE-L45TA: AC200V- 250V	44.1W	0.88-0.94PF	25-42V	0-1050mA	\$10.75		 310x30.5x21mm
	PE-L45TA4270		29.4W	0.88-0.94PF	25-42V	0-700mA			

### DALI dimmable led driver - Constant current

Dimming	Model	Input	Power	PF	V output	I output	EXW Price	Cert	PIC
DALI/PUSH	PE12DA24	AC90-265V with PUSH SWITCH dimming function	8.4W	>0.95PF harmonic<20 %	2-24V	350mA	\$7.79	CE SAA	
	PE12DA42		12.6W		2-42V	300mA			
DALI/PUSH	PE19DA24	AC90-265V with PUSH SWITCH dimming function	16.8W	>0.95PF harmonic<20 %	2-24V	700mA	\$9.64	CE SAA	 135x43.5x27mm
	PE19DA42		16.8W		2-42V	400mA			
	PE19DA48		16.8W		2-48V	350mA			
	PE19DA60		18W		2-60V	300mA			
	PE19DA65		18W		2-65V	280mA			
DALI/PUSH	PE-N30DA4270	AC100- 250V with PUSH SWITCH dimming function	29.4W	>0.95PF harmonic<15 %	25-42V	0-700	\$12.05		 156x42.5x30mm
	PE-N30DA5550		27.5W		30-55V	0-500			
	PE-N30DA11040		27.5W		60-110V	0-250			
DALI/PUSH	PE-N45DA42105	AC100- 250V with PUSH SWITCH dimming function	44.1	>0.95PF harmonic<15 %	25-42V	0-1050	\$14.83		 190x42.5x30mm
	PE-N45DA5580		44		30-55V	0-800			
	PE-N45DA11040		44		60-110V	0-400			
DALI/PUSH	PE-L45DA42105	AC100- 250V with PUSH SWITCH dimming function	44.1	>0.95PF harmonic<15 %	25-42V	700mA	\$15.76		 310x30.5x21mm
	PE-L45DA5570		38.5W		30-55V	400mA			
	PE-L45DA11035		38.5W		60-110V	350mA			
DALI	PE18DA24	AC100- 250V	16.8W	>0.95PF harmonic<15 %	2-24V	700mA	\$9.27	CE SAA	 132x43x28mm
	PE18DA42		16.8W		2-42V	400mA			
	PE18DA48		16.8W		2-48V	350mA			
	PE18DA60		18W		2-60V	300mA			
	PE18DA65		18W		2-65V	280mA			
DALI	PE30DA24	AC100- 250V	28.8W	>0.95PF harmonic<15 %	6-24V	1200mA	\$11.12	CE SAA	
	PE30DA32		28.8W		9-32V	900mA			
	PE30DA42		29.4W		12-42V	700mA			
	PE30DA48		28.8W		12-48V	600mA			
	PE30DA55		27.5W		15-55V	500mA			
	PE30DA70		29.4W		24-70V	420mA			





	PE30DA85		29.75W		32-85V	350mA			158x44x31mm
DALI	PE45DA24	AC100-250V	40.8W	>0.95PF harmonic<15%	6-24V	1700mA	\$13.91	CE SAA	
	PE45DA32		41.6W		9-32V	1300mA			
	PE45DA42		42W		12-42V	1000mA			
	PE45DA48		43.2W		12-48V	900mA			
	PE45DA55		38.5W		15-55V	700mA			
	PE45DA70		42W		24-70V	600mA			
	PE45DA85		42.5W		32-85V	500mA			
DALI 0-10V PWM 10V 100K Res	PE60DA24	AC90V-277V	60W	277V>0.92PF 230V>0.95PF 115V>0.98PF	15-24V	2500mA	\$17.62	CE SAA	
	PE60DA30		60W		18-30V	2000mA			
	PE60DA36		61.2W		22-36V	1700mA			
	PE60DA42		60.9W		25-42V	1450mA			
	PE60DA48		62.4W		28-48V	1300mA			
	PE60DA54		62.1W		32-54V	1150mA			
								209*76*49	
DALI 0-10V PWM 10V 100K Res	PE80DA24	AC90V-277V	81.6W	277V>0.94PF 230V>0.96PF 115V>0.96PF	15-24V	3400mA	\$21.33	CE SAA	
	PE80DA30		81W		18-30V	2700mA			
	PE80DA36		82.8W		22-36V	2300mA			
	PE80DA42		81.9W		25-42V	1950mA			
	PE80DA48		81.6W		28-48V	1700mA			
	PE80DA54		81W		32-54V	1500mA			
								237*76*49	


### DALI dimmable led driver - Constant voltage - LED Strip Light

DALI	PE702VV12	AC100-250V	20W	>0.6PF	12V	max:1.67A	\$9.27		
	PE702VV24		20W		24V	max:0.84A			
DALI	PE18DV12	AC100-250V	18W	>0.94PF	12V	max:1.5A	\$10.20		
	PE18DV24		18W		24V	max:0.75A			
DALI	PE30DV12	AC100-250V	24W	>0.94PF	12V	max:2A	\$11.12		
	PE30DV24		30W		24V	max:1.25A			
DALI	PE30DV12	AC100-250V	36W	>0.94PF	12V	max:3A	\$13.91		
	PE30DV24		45W		24V	max:1.87A			
DALI	PE706DV12	AC100-250V	60W	0.5PF	12V	max:5A	\$19.47		
	PE706DV24				24V	max:2.5A			
DALI	PE715DV12	AC180-265V	120W	0.5PF	12V	max:10A	\$25.96		
	PE715DV24				24V	max:5A			

### 0/1-10V dimmable led driver

#### 0-10V 3 in 1 Dimming— Constant current Led Driver (0/1-10v/PWM/Resistance Dimming) with Flicker


Dimming	Model	Input	Output Power	PF	Output Voltage	Output Current	EXW price	Certificate	Pic
0/1-10V PWM 10V 100K Resistance	PE18AA18	AC100-250V	16.2W	>0.88-0.94PF	9-18V	900mA	\$5.00	CB CE SAA CTICK	
	PE18AA24		16.8W		12-24V	700mA			
	PE18AA30		18W		15-30V	600mA			
	PE18AA36		18W		18-36V	500mA			
	PE18AA42		17.6		21-42V	420mA			
	PE18AA48		16.8		24-48V	350mA			
	PE18AA60		18W		30-60V	300mA			
	PE18AA70		17.5W		33-70V	250mA			
0/1-10V PWM 10V	PE30AA24	AC100-	28.8W	>0.88-0.94PF	12-24V	1200mA		CB CE SAA CTICK	
	PE30AA30		30W		18-30V	1000mA			
	PE30AA36		28.8W		23-36V	800mA			
	PE30AA42		29.4W		23-42V	700mA			
	PE30AA48		28.8W		30-48V	600mA			

100K Resistance	PE30AA54	250V	29.7W	0.88-0.94PF	30-54V	550mA	6.32	CB CE SAA CTICK	158x44x31mm
	PE30AA60		30W		36-60V	500mA			
	PE30AA64		28.8W		36-64V	450mA			
	PE30AA70		28W		43-70V	400mA			
	PE30AA90		29.7W		50-90V	330mA			
0/1-10V PWM 10V 100K Resistance	PE45AA24	AC100-250V	42W	>0.88-0.94PF	12-24V	1750mA	\$7.97	CB CE SAA CTICK	
	PE45AA30		45W		18-30V	1500mA			
	PE45AA36		43.2W		23-36V	1200mA			
	PE45AA42		44.1W		23-42V	1050mA			
	PE45AA48		43.2W		30-48V	900mA			
	PE45AA54		43.2W		30-54V	800mA			
	PE45AA60		45W		36-60V	750mA			
	PE45AA64		44.8W		36-64V	700mA			
	PE45AA70		42W		43-70V	600mA			
	PE45AA90		45W		50-90V	500mA			








**0-10V Dimming – Constant current led driver (0/1-10v) without flicker**

VA 0/1-10V PWM 10V 100K Resistance	PE18VA18	AC100-250V	16.2W	>0.88-0.94PF	9-18V	900mA	\$7.04	CB CE SAA CTICK	
	PE18VA24		16.8W		12-24V	700mA			
	PE18VA30		18W		15-30V	600mA			
	PE18VA36		18W		18-36V	500mA			
	PE18VA42		17.6		21-42V	420mA			
	PE18VA48		16.8		24-48V	350mA			
	PE18VA60		18W		30-60V	300mA			
	PE18VA70		17.5W		33-70V	250mA			
0/1-10V PWM 10V 100K Resistance	PE-N30AA55P/R	PE-N30TA: AC100V-250V	23.1W	0.88-0.94PF	25-42V	0-550mA	\$8.00		
	PE-N30AA60P/R		25.2W	0.88-0.94PF	25-42V	0-600mA			
	PE-N30AA65P/R		27.3W	0.88-0.94PF	25-42V	0-650mA			
	PE-N30AA70P/R		29.4W	0.88-0.94PF	25-42V	0-700mA			
	PE-N30AA75P/R		31.5W	0.88-0.94PF	25-42V	0-750mA			
0/1-10V PWM 10V 100K Resistance	PE-N45AA80P/R	PE-N45TA: AC100V-250V	33.6W	0.88-0.94PF	25-42V	0-800mA	\$9.64		
	PE-N45AA90P/R		37.6W	0.88-0.94PF	25-42V	0-900mA			
	PE-N45AA100P/R		42W	0.88-0.94PF	25-42V	0-1000mA			
	PE-N45AA105P/R		44.1W	0.88-0.94PF	25-42V	0-1050mA			
0/1-10V PWM 10V 100K Resistance	PE-L45TAA42105	PE-L45AA: AC100V-250V	44.1W	0.88-0.94PF	25-42V	0-1050mA	\$10.75		
	PE-L45AA4270		29.4W	0.88-0.94PF	25-42V	0-700mA			
0/1-10V PWM 10V 100K Resistance	PE60AA24	AC90V-277V	60W	277V>0.92PF 230V>0.95PF 115V>0.98PF	15-24V	2500mA	\$15.76	CE	
	PE60AA30		60W		18-30V	2000mA			
	PE60AA36		61.2W		22-36V	1700mA			
	PE60AA42		60.9W		25-42V	1450mA			
	PE60AA48		62.4W		28-48V	1300mA			
	PE60AA54		62.1W		32-54V	1150mA			
0/1-10V PWM 10V 100K Resistance	PE80AA24	AC90V-277V	81.6W	277V>0.94PF 230V>0.96PF 115V>0.96PF	15-24V	3400mA	\$19.47	CE	
	PE80AA30		81W		18-30V	2700mA			
	PE80AA36		82.8W		22-36V	2300mA			
	PE80AA42		81.9W		25-42V	1950mA			
	PE80AA48		81.6W		28-48V	1700mA			
	PE80AA54		81W		32-54V	1500mA			




**0-10V Dimming – Constant Voltage (0/1-10v) -LED STRIP Light**

0/1-10V	120W(12V) 480W(48V)	DC12-48V	- Waterproof - 0V: OFF 1-10V 0-100%	12-48V	10A	\$8.34			75*30*65
---------	------------------------	----------	--	--------	-----	--------	--	---	----------





0/1-10V PWM 10V 100K Resistance	PE702VV12	AC90-265V	18W	0.5PF	12V	1.67A	\$7.41		 195*43.5*26.5
	PE702VV24		18W		24V	0.83A			
0/1-10V PWM 10V 100K Resistance	PE18VV12	AC100-250V	18W	>0.94PF	12V	max:1.5A	\$6.49		 129*44*28
	PE18VV24		18W		24V	max:0.75A			
0/1-10V PWM 10V 100K Resistance	PE30VV12	AC100-250V	24W	>0.94PF	12V	max:2A	\$8.34		 158x44x31mm
	PE30VV24		30W		24V	max:1.25A			
0/1-10V PWM 10V 100K Resistance	PE45VV12	AC100-250V	36W	>0.94PF	12V	max:3A	\$12.05		 183*50*32
	PE45VA24		45W		24V	max:1.87A			
0/1-10V PWM 10V 100K Resistance	PE706VA12	AC180-265V	60W	0.5PF	12V	max:5A	\$17.06		 209mm * 76mm * 49mm
	PE706VA24				24V	max:2.5A			
0/1-10V PWM 10V 100K Resistance	PE715VA12	AC180-265V	120W	0.5PF	12V	max:10A	\$22.25		 267mm * 76mm * 49mm
	PE715VA24				24V	max:5A			
1/1-10V PWM 10V 100K 电感器	PE25AA4260	AC90-250V	25	>0.94PF	25-42V	600mA	\$5.00		 270*17.5*10mm
	PE25AA4255		23	>0.94PF	25-42V	550mA			
	PE25AA4250		21	>0.94PF	25-42V	500mA			
	PE25AA4245		19	>0.94PF	25-42V	450mA			

### Color Temp. Dimmng Led Driver - TRIAC Dimming( No Flicker)

Dimming	Model	Input	Rated Power	PF	Output Voltage	Output Current	EXW price	Certificate	Pic
Triac	PE694B4230CE	AC100V-250V	12.6W	0.88-0.92PF	25-42V	300mA	\$4.72	CE SAA	 103*39*24mm
	PE694B4230CE		12.6W	0.88-0.92PF	25-42V	250mA			
	PE694B2435CE		8.4W	0.88-0.92PF	12-24V	350mA			
Triac	PE696B4230CE	PE694: AC200V-250V	12.6W	0.88-0.92PF	25-42V	300mA	\$5.56	CE SAA	 L*D*H=134*44*28mm
	PE696B4235CE		14.7W	0.88-0.92PF	25-42V	350mA			
	PE696B4240CE		16.8	0.88-0.92PF	25-42V	400mA			
Triac	PE-L45TCA4280	AC100V-250V	33.6W	0.88-0.94PF	25-42V	800mA	\$12.61		 310x30.5x21mm
	PE-L45TCA4290		37.8W	0.88-0.94PF	25-42V	900mA			
	PE-L45TCA42100		42W	0.88-0.94PF	25-42V	1000mA			






### Zigbee Dimming Led Driver

Zigbee	PE-Q12ZCA42	AC100V-250V	12.6W	0.88-0.92PF	25-42V	300mA	\$7.04		 132*41*23.5mm
	PE-Q12ZCA24		8.4W	0.88-0.92PF	12-24V	350mA			
Zigbee	PE-Q18ZCA42	AC100V-	16.8W	0.88-0.92PF	25-42V	400mA	7.79		

Zigbee	PE-Q18ZCA24	AC100V-250V	16.8W	0.88-0.92PF	12-24V	700mA			 L*D*H=162*44*25.5mm
Zigbee	PE-N30ZCA42	AC100V-250V	29.4	0.88-0.92PF	25-42V	0-700mA	\$12.98		 156x42.5x30mm
	PE-N30ZCA42		27.5	0.88-0.92PF	30-55V	0-500mA			
	PE-N30ZCA24		27.5	0.88-0.92PF	60-110V	0-250mA			
Zigbee	PE-N45ZCA42	AC100V-250V	44.1	0.88-0.92PF	25-42V	0-1050mA	\$15.76	申请中	 190x42.5x30mm
	PE-N45ZCA42		44	0.88-0.92PF	30-55V	0-800mA			
	PE-N45ZCA24		44	0.88-0.92PF	60-110V	0-400mA			




## Wireless Dimming Led Driver- 433HMz

### Wireless Dimming Led Driver—Constant Current

Dimming	Model	Input	Output Power	PF	Output Voltage	Output Current	EXW price	Certificate	Pic
wireless dimming	PE18FR24	AC100V-250V	16.8W	>0.95PF	2-24V	700mA	\$8.90	CE	 132x43x28mm
	PE18FR48		16.8W		2-48V	350mA			
wireless dimming	PE30FR24	AC100V-250V	28.8W	>0.95PF	6-24V	1200mA	\$11.68	CE	 158x44x31mm
	PE30FR32		28.8W		9-32V	900mA			
	PE30FR42		29.4W		12-42V	700mA			
	PE30FR48		28.8W		12-48V	600mA			
	PE30FR55		27.5W		15-55V	500mA			
	PE30FR70		29.4W		24-70V	420mA			
	PE30FR85		29.75W		32-85V	350mA			
	PE45FR24		40.8W		6-24V	1700mA			
wireless dimming	PE45FR32	AC100V-250V	41.6W	>0.95PF	9-32V	1300mA	\$12.61	CE	 183*50*32
	PE45FR42		42W		12-42V	1000mA			
	PE45FR48		43.2W		12-48V	900mA			
	PE45FR55		38.5W		15-55V	700mA			
	PE45FR70		42W		24-70V	600mA			
	PE45FR85		42.5W		32-85V	500mA			
	PE60FR24		60W		15-24V	2500mA			
	PE60FR30		60W		18-30V	2000mA			
wireless dimming 0-10V PWM 10V 100K Resistance	PE60FR36	AC90V-277V	61.2W	277V>0.92PF	22-36V	1700mA	\$27.45	CE	 209*76*49
	PE60FR42		60.9W	230V>0.95PF	25-42V	1450mA			
	PE60FR48		62.4W	115V>0.98PF	28-48V	1300mA			
	PE60FR54		62.1W		32-54V	1150mA			
	PE80FR24		81.6W	277V>0.94PF	15-24V	3400mA			
	PE80FR30		81W	230V>0.96PF	18-30V	2700mA			
wireless dimming 0-10V PWM 10V 100K Resistance	PE80FR36	AC90V-277V	82.8W	115V>0.96PF	22-36V	2300mA	\$32.45	符合CE	 237*76*49
	PE80FR42		81.9W		25-42V	1950mA			
	PE80FR48		81.6W		28-48V	1700mA			
	PE80FR54		81W		32-54V	1500mA			

## NON Dimming Led Driver

### NON Dimming Led Driver—Constant Current



Dimming	Model	Input	Output Power	PF	Output Voltage	Output Current	EXW price	Certificate	Pic
3W-12W	PE094B1235	PE294B: AC100V-250V	10.5W	0.88-0.92PF	18-30V	350mA	with flicker : \$2.96 No Flicker : \$3.70	SAA C-TICK CE CCC	  
	PE094B1220		8.4W	0.88-0.92PF	25-42V	200mA			
	PE094B1223		8.4W	0.88-0.92PF	25-42V	230mA			
	PE094B1225		10.5W	0.88-0.92PF	25-42V	250mA			
	PE094B1228		11.76W	0.88-0.92PF	25-42V	280mA			
	PE094B1230		12.6W	0.88-0.92PF	25-42V	300mA			
	PE094B1232		11.2W	0.88-0.92PF	25-35V	320mA			
	PE094B0725		6W	0.88-0.92PF	9-24V	250mA			
	PE094B0728		6.72W	0.88-0.92PF	9-24V	280mA			
	PE094B0730		7.2W	0.88-0.92PF	9-24V	300mA			
	PE094B0732		7.68W	0.88-0.92PF	9-24V	320mA			
	PE094B0735		8.4W	0.88-0.92PF	9-24V	350mA			
	PE094B0740		9.6W	0.88-0.92PF	9-24V	400mA			
	PE094B1250		12W	0.88-0.92PF	9-24V	500mA			
	PE094B1255		11W	0.88-0.92PF	9-20V	550mA			
	PE094B1260		12W	0.88-0.92PF	9-20V	600mA			
	PE094B0960		9W	0.88-0.92PF	6-15V	600mA			
	PE094B1265		9.75W	0.88-0.92PF	6-15V	650mA			
	PE094B1270		10.5W	0.88-0.92PF	6-15V	700mA			
	PE094B1275		11.25W	0.88-0.92PF	6-15V	750mA			



3-36W	PE094B0670	PE096: AC100V- 250V	5.6W	0.88-0.92PF	2-8V	700mA	with flicker : \$3.52 No Flicker : \$4.08	SAA C-TICK CE CCC	  98*39*26mm  L*D*H=134*44*28mm
	PE096B1890		16.5W	0.88-0.94PF	9-18V	900			
	PE096B2470		16.8W	0.88-0.94PF	9-24V	700			
	PE096B2465		15.6W	0.88-0.94PF	9-24V	650			
	PE096B2455		13.2W	0.88-0.94PF	9-24V	550			
	PE096B3060		18W	0.88-0.94PF	15-30V	600mA			
	PE096B3055		16.5W	0.88-0.94PF	15-30V	550mA			
	PE096B3050		15W	0.88-0.94PF	15-30V	500mA			
	PE096B3650		18W	0.88-0.94PF	18-36V	500mA			
	PE096B3645		16.2W	0.88-0.94PF	18-36V	450mA			
	PE096B3640		14.4W	0.88-0.94PF	18-36V	400mA			
	PE096B4242		17.6W	0.88-0.94PF	21-42V	420mA			
	PE096B4240		16.8W	0.88-0.94PF	21-42V	400mA			
	PE096B4235		14.7W	0.88-0.94PF	21-42V	350mA			
	PE096B4835		16.8W	0.88-0.94PF	24-48V	350mA			
	PE096B4830		14.4W	0.88-0.94PF	24-48V	300mA			
	PE096B6030		18W	0.88-0.94PF	30-60V	300mA			
	PE096B6025		15W	0.88-0.94PF	30-60V	250mA			
	PE096B7025		17.5W	0.88-0.94PF	33-70V	250mA			
	PE096B7020		14W	0.88-0.94PF	33-70V	200mA			
PE096B3624	36W	0.88-0.94PF	12-24V	1500mA					
36W	PE045B3685	PE045: AC100V- 250V	36W	0.88-0.94PF	25-42V	850mA	\$4.63	can be without flicker	 L*D*H=145*49*35mm
	PE045B3624		36W	0.88-0.94PF	12-24V	1500mA			
	PE097B3685	PE097: AC100V- 250V	36W	0.88-0.94PF	25-42V	850mA	\$4.63	can be without flicker	 158x44x31mm
	PE097B3624		36W	0.88-0.94PF	12-24V	1500mA			
7-12W	PE013B0730	AC90V- 250V	7W	0.9-0.96PF	9-24V	300mA	\$3.33	CE	 50*26mm
	PE013B0735		7W	0.9-0.96PF	9-24V	350mA			
	PE013B1230		12W	0.9-0.96PF	25-42V	300mA			
	PE013B1270		12W	0.9-0.96PF	6-15V	700mA			
18W-24W	PE016B1830	AC90V- 250V	18W	0.9-0.96PF	25-50V	300mA	\$3.65	CE	 76*27mm
	PE016B1835		18W	0.9-0.96PF	25-50V	350mA			
	PE016B2430		22.75W	0.9-0.96PF	42-65V	350mA			
	PE016B2150		20W	0.9-0.96PF	17-40V	500mA	\$3.89		
	PE016B2160		21W	0.9-0.96PF	17-35V	600mA			
	PE016B2170		21W	0.9-0.96PF	17-30V	700mA			
	PE016B2280		21.6W	0.9-0.96PF	17-27V	800mA			
5W	QH-LO1-5X1	AC85-277V	5W		6-16V	300mA	A : \$0.59 B : \$0.78	 A : 52*28*23mm  B : 60*32*22mm	
	QH-LO1-3X2		5W		3-9.6V	430mA			
	QH-LO1-2X3		5W		3-6.6V	630mA			
10W	QH-LO6-10X1	AC85-277V	10W		18-34V	300mA	A : \$0.89 B : \$0.98	 A : 52*28*23mm  B : 80*32*22mm	
	QH-LO6-12X1		10W		6-38V	250mA			
	QH-LO2-6X2		10W		6-20V	430mA			
	QH-LO2-4X3		10W		6-13.8V	600mA			
6W	QH-6LCN1-6X1	AC85-277V	6W	0.9-0.96PF	3-20V	300mA	A : \$1.39 B : \$1.48	CE NO Flicker	 A : 52*28*23mm  B : 60*32*22mm
	QH-6LCN1-3X2		6W	0.9-0.96PF	3-11V	420mA			
	QH-6LCN1-2X3		6W	0.9-0.96PF	3-7V	630mA			
10W	QH-10WLC4-6X1	AC85-277V	10W	0.9-0.96PF	12-20V	300mA	A : \$1.76 B : \$1.85	CE NO Flicker	 A : 52*28*23mm  B : 60*32*22mm
	QH-10WLC6-10X1		10W	0.9-0.96PF	18-32V	300mA			
	QH-10WLC4-6X2		10W	0.9-0.96PF	12-19.2V	430mA			
	QH-10WLC2-3X3		10W	0.9-0.96PF	6-13V	630mA			

	QH-10WLC2-3X3		10W	0.9-0.96PF	3-9.6V	900mA			B : 80*32*22mm
12W	QH-LP4-7X1	AC85-277V	12W	0.9-0.96PF	12-23V	300mA	A : \$1.20 B : \$1.30		 A : 52*28*23mm
	QH-LP7-12X1		12W	0.9-0.96PF	21-40V	300mA			 B : 80*32*22mm
	QH-LP4-8X2		12W	0.9-0.96PF	12-26V	420mA			
	QH-LP3-5X3		12W	0.9-0.96PF	9-17V	600mA			
20W	QH-20LC12-20X1	AC85-277V	20W	0.9-0.96PF	34-70V	300mA	A : \$2.15 B : \$2.25	CE	 A : 52*28*23mm
	QH-20LC7-13X2		20W	0.9-0.96PF	21-45V	430mA			 B : 80*32*22mm
	QH-20LC6-10X3		20W	0.9-0.96PF	18-33V	630mA			
	QH-20LC3-6X3		20W	0.9-0.96PF	9-20V	900mA			
12W	QH-LP12-20X1	AC85-277V	20W	0.9-0.96PF	36-70V	300mA	A : \$1.76 B : \$1.85		 A : 52*28*23mm
	QH-LP7-13X2		20W	0.9-0.96PF	21-45V	420mA			 B : 80*32*22mm
	QH-LP6-10X3		20W	0.9-0.96PF	18-34V	600mA			
	QH-LP3-6X3		20W	0.9-0.96PF	9-20V	900mA			
40W	QH-40LP20-36X1	AC85-277V	40W	0.9-0.96PF	60-120V	300mA	A : \$2.80 B : \$2.90		 115x45x28mm
	QH-40LP13-25X2		40W	0.9-0.96PF	39-85V	420mA			 115x45x28mm
	QH-40LP10-18X3		40W	0.9-0.96PF	30-60V	600mA			
	QH-40LP6-12X3		40W	0.9-0.96PF	18-42V	900mA			
40W	QH-40LPN13-25X2	AC85-277V	40W	0.9-0.96PF	39-85V	420mA	A : \$3.55 B : \$3.65	NO Flicker	 115x45x28mm
	QH-40LPN10-18X3		40W	0.9-0.96PF	30-60V	600mA			 115x45x28mm
	QH-40LPN6-12X3		40W	0.9-0.96PF	18-42V	900mA			
40W	QH-40LC20-36X1	AC85-277V	40W	0.9-0.96PF	60-120V	300mA	A : \$4.20 B : \$4.30	CE NO Flicker	 140*45*28MM
	QH-40LC13-25X2		40W	0.9-0.96PF	36-85V	420mA			 140*45*28MM
	QH-40LC10-18X3		40W	0.9-0.96PF	30-57V	600mA			
	QH-40LC6-12X3		40W	0.9-0.96PF	18-40V	900mA			
	QH-40LC3-6X5		40W	0.9-0.96PF	9-20V	1500mA			
	QH-60LC4-8X6		60W	0.9-0.96PF	12-26V	1800mA			
	QH-60LC8-10X5		60W	0.9-0.96PF	24-34V	1500mA			

60W	QH-60LC8-12X4	AC85-277V	60W	0.9-0.96PF	24-40V	1200mA	A : \$5.30 B : \$5.40	CE	 140*45*28MM
	QH-60LC12-18X3		60W	0.9-0.96PF	30-60V	900mA			
	QH-60LC12-21X3		60W	0.9-0.96PF	36-71V	630mA			
	QH-60LC20-30X2		60W	0.9-0.96PF	60-105V	450mA			
60W	QH-60LP4-8X6	AC85-277V	60W	0.9-0.96PF	12-26V	1800mA	A : \$4.20 B : \$4.30		 140*45*28MM
	QH-60LP8-12X4		60W	0.9-0.96PF	24-34V	1500mA			
	QH-60LP8-10X5		60W	0.9-0.96PF	24-40V	1200mA			
	QH-60LP12-18X3		60W	0.9-0.96PF	36-56V	900mA			
	QH-60LP12-20X3		60W	0.9-0.96PF	36-66V	630mA			
	QH-60LP18-30X2		60W	0.9-0.96PF	60-105V	450mA			
60W	QH-60LPN4-8X6	AC85-277V	60W	0.9-0.96PF	12-26V	1800mA	A : \$5.10 B : \$5.20	NO Flicker	 140*45*28MM
	QH-60LPN8-10X4		60W	0.9-0.96PF	24-34V	1500mA			
	QH-60LPN8-10X5		60W	0.9-0.96PF	24-34V	1200mA			
	QH-60LPN12-18X3		60W	0.9-0.96PF	36-56V	900mA			
	QH-60LPN12-20X3		60W	0.9-0.96PF	36-66V	630mA			
	QH-60LPN18-30X2		60W	0.9-0.96PF	60-105V	450mA			
80W	QH-80LP4-8X10	AC85-277V	80W	0.9-0.96PF	12-26V	3000mA	\$8.40		 167*43*34MM
	QH-80LP7-10X8		80W	0.9-0.96PF	18-36V	2400mA			
	QH-80LP7-12X7		80W	0.9-0.96PF	18-42V	2100mA			
	QH-80LP10-16X5		80W	0.9-0.96PF	27-55V	1500mA			
	QH-80LP10-20X4		80W	0.9-0.96PF	27-70V	1200mA			
	QH-80LP15-30X3		80W	0.9-0.96PF	50-105V	900mA			
80W	QH-80WLC4-8X10	AC85-277V	80W	0.9-0.96PF	12-26V	3000mA	\$8.90	CE	 167*43*34MM
	QH-80WLC7-10X8		80W	0.9-0.96PF	18-36V	2400mA			
	QH-80WLC7-12X7		80W	0.9-0.96PF	18-42V	2100mA			
	QH-80WLC10-16X5		80W	0.9-0.96PF	27-55V	1500mA			
	QH-80WLC10-20X4		80W	0.9-0.96PF	27-70V	1200mA			
	QH-80WLC15-30X3		80W	0.9-0.96PF	50-105V	900mA			

### NON Dimming Led Driver—Constant Voltage

Dimming	Model	Input	Output Power	PF	Output Voltage	Output Current	EXW price	Certificate	Pic
3W-5W	AT3W250-12	100~240Vac	3W	>0.6PF	12V CV	250mA max	\$1.75	CE TUV ROHS	 40*28*22 mm
	AT5W400-12		5W		12V CV	420mA max			
3W-5W	AT3U12-09	100~240Vac	3W	>0.6PF	12V CV	250mA max	\$1.05	CE ROHS	 55*27.5*22 mm
	AT5U12-09		5W		12V CV	420mA max			

24W	AT24U12-02	100~240Vac	24W	>0.6PF	12V CV	2000mA max	\$4.08	CE ROHS	 115*45*28mm
	AT24U24-02		24W		24V CV	1000mA max			
36W	AT36U12-02	100~240Vac	36W	>0.6PF	12V CV	3000mA max	\$5.60	CE ROHS	 140*45*28mm
	AT36U24-02		36W		24V CV	1500mA max			